
# Zumbro River Watershed (ZRW)

# Groundwater Restoration and Protection Strategies Report



July 2019 GRAPS Report #10



Zumbro River Watershed Groundwater Restoration and Protection Strategies Report

Minnesota Department of Health Source Water Protection Unit PO Box 64975, St. Paul, MN 55164-0975 (651) 201-4695 carrie.raber@state.mn.us www.health.state.mn.us

Upon request, this material will be made available in an alternative format such as large print, Braille, or audio recording. Printed on recycled paper.



The development of the GRAPS report was funded by money received from the Clean Water Fund through the Clean Water, Land, and Legacy Amendment. The goal of the Clean Water Fund is to protect, enhance, and restore Minnesota's lakes, rivers, streams, and groundwater.

#### **Contributors**

The following agencies dedicated staff time and resources toward the development of the Zumbro River Watershed GRAPS report:

- Minnesota Board of Water and Soil Resources (BWSR)
- Minnesota Department of Agriculture (MDA)
- Minnesota Department of Health (MDH)
- Minnesota Department of Natural Resources (DNR)
- Minnesota Pollution Control Agency (MPCA)

Photo Credit: The photo on the front page is in the Zumbro River Watershed, courtesy of Dodge County.

# Summary

Groundwater is an important resource in the Zumbro River Watershed (ZRW) One Watershed One Plan (1W1P) planning effort<sup>1</sup>. Groundwater accounted for approximately 64 percent of reported water use in 2017. More than 80 percent of groundwater withdrawn is for public water supply use, with approximately 10 percent used for industrial processing as the second largest user. In addition, groundwater accounts for 100 percent of the region's drinking water. It is important to ensure adequate supplies of high quality groundwater remain available for the region's residents, businesses, and natural resources.

The ZRW depends on bedrock aquifers for drinking water. The southwest portion of the watershed uses the bedrock aquifers within karsted carbonate rocks of the Galena-Maquoketa Formation. Bedrock aquifers within the Jordan Sandstone and carbonate rocks of the Prairie du Chien Group are used for drinking water in the central portion of the watershed. The far northeastern portion of the watershed utilizes the bedrock aquifers in Cretaceous sandstone formations.

Groundwater has a greater risk to contamination in areas of high pollution sensitivity and karst geology<sup>2</sup>. A significant amount of karst material is present in the northeastern portion of the watershed, and down through minor portions of the rest of the watershed. Understanding pollution sensitivity is a key consideration to prevent groundwater pollution. Many land-use activities (including row crop agriculture, stormwater, septic systems, and tanks/landfills) within the watershed could contaminate groundwater if pollutants are not carefully managed, especially in areas of high pollution sensitivity and karst geology.

Contamination, both naturally occurring and from human activity, is present in parts of the watershed groundwater, specifically:

- Nitrate nearly seven percent of tested drinking water wells had levels at or above the SDWA standard of 10 mg/L.
  - MDA Township Testing Program (TTP) sampled four counties drinking water wells for nitrate
    in 44 townships in the ZRW. Nitrate exceedances were detected in many of the townships
    where row crop production combined with vulnerable geology has resulted in samples
    exceeding the SDWA standard.
  - There are no MDA ambient monitoring wells in the watershed.
  - One MPCA ambient monitoring well detected nitrate, recording two exceedances in 2005 and 2006.
- Arsenic none of the 177 tested wells had levels exceeding the Safe Drinking Water Act (SDWA) of 10  $\mu$ g/L. The EPA has set a goal of 0  $\mu$ g/L for arsenic in drinking water because there is no safe level of arsenic in drinking water.
- Pesticides there are no MDA ambient monitoring wells in the ZRW.

<sup>&</sup>lt;sup>1</sup> For this report, the boundary of the ZRW was expanded to include the subwatersheds of Hay Creek – Mississippi River, Wells Creek, and Lake Pepin that are part of the Rush – Vermillion (Mississippi – Lake Pepin) major watershed to match the 1W1P planning boundaries.

<sup>&</sup>lt;sup>2</sup> Areas of high pollution sensitivity allow the rapid downward movement of water into surficial sands (water table) aquifers, increasing the risk for groundwater contamination from surface pollutants. Karst is considered to be very highly sensitive to pollution.

- Contaminated sites there are 546 active tank sites that could leak chemicals into the
  environment and 15 leak sites that may cause localized groundwater pollution if not properly
  managed. The risk to groundwater is greatest in areas of high pollution sensitivity and karst
  geology.
  - Three closed landfills with known groundwater contamination plumes are found within the watershed.

These contaminants can affect both private wells and public water systems when levels exceed drinking water standards. Nearly 80 percent of the people living in the watershed get their drinking water from a community public water supply system. Wellhead Protection Plans have been developed for 23 of the 35 community public water suppliers in the ZRW and identify land use protections strategies for the approximately 57,000 acres in Drinking Water Supply Management Areas (DWSMAs).

Groundwater is sourced from bedrock aquifers. Permitted groundwater use reports suggest that overall water use is stable in the ZRW. There are 15 active groundwater-level monitoring wells, but only one well that had enough measurements to calculate a statistical trend. Water levels in this well have fluctuated over a range of about 15 feet. The changes in water levels follow the changes in precipitation, but there is no long-term trend in water levels.

Activities on the land surface can affect groundwater levels by reducing infiltration (groundwater recharge) especially in the northeastern portion of the watershed; these activities include tiling, changes in vegetation, increased areas of impervious surface, and changing surface water or stormwater flow.

The ZRW includes significant natural features, including surface waters that depend on groundwater to sustain them. If groundwater quantity or quality is degraded, these resources are at risk. The following features occur within the watershed:

- Fourteen designated calcareous fens and 24 designated trout streams.
- Rice Lake is the only lake in the ZRW with a with a lake ratio of 10 or less and are considered groundwater dependent lakes, susceptible to changing aquifer levels.
- Wetland complexes across the entire watershed are susceptible to changing aquifer levels.
- Nineteen kinds of native plant communities, eight of these communities are considered critically imperiled or imperiled and four are considered vulnerable status. In addition, 33 state-listed endangered, threatened, or special concern plant and animal species connected to groundwater that are at risk to changing aquifer levels and degraded groundwater quality.

To address risks both from groundwater overuse and from the introduction of pollutants, this report outlines a broad range of strategies that can be implemented, as well as specific actions that individuals, local government, and other partners can take. The nine categories of strategies highlighted below were selected to address the key risks to groundwater and drinking water within the 1W1P planning area. Areas of higher pollution sensitivity and karst geology are often an appropriate place to prioritize pollution prevention activities.

- 1. **Education and Outreach:** Educate landowners, private well users, and others about how their actions affect groundwater and how they can conserve, restore, and protect groundwater.
- 2. **SSTS Management:** Monitor, maintain, and/or upgrade SSTS to ensure proper operation and treatment.
- 3. **Irrigation Water Management:** Control the volume, frequency, and application rate of irrigation water to sustain groundwater.
- 4. **Land Use Planning and Management:** Use city or county government planning and regulations along with land management goals that implement best management practices (BMPs), conserve water, and educate stakeholders to protect groundwater levels, quality, and contributions to groundwater dependent features.

- 5. **Contaminant Planning and Management:** Use land use planning, ordinances, and collaboration with state regulatory agencies to protect groundwater and drinking water supplies from contaminant releases.
- 6. **Conservation Easements:** Maintain and expand the amount of land protected from being converted to high intensity uses, such as row crop agriculture.
- 7. **Cropland Management:** Encourage the implementation of voluntary practices to manage resource concerns while minimizing environmental loss.
- 8. **Nutrient Management:** Assure that application of crop fertilizer or manure follows guidelines for the right source, right rate, right time, and right place.
- 9. **Integrated Pest Management:** Implement a pest management approach that incorporates the many aspects of plant health care/crop protection in ways that mitigate harmful environmental impacts and protect human health.

This GRAPS report was designed to help prioritize and target local efforts to restore and protect groundwater resources in the watershed. Representatives from BWSR, MDA, MDH, DNR, and MPCA compiled existing state and regional data, and developed maps to establish a baseline understanding of groundwater conditions and associated resource management concerns for the 1W1P planning boundary. The team highlighted strategies and supporting actions that can be applied at a county or watershed-level to help restore and protect groundwater. To target local implementation, actions listed in this report are paired with those counties and subwatersheds (HUC-10) where risks have been identified. This report should be used in conjunction with the WRAPS report, which focuses on surface water issues and needs, to ensure that both groundwater and surface water are effectively addressed during the 1W1P planning process.<sup>3</sup>

**Zumbro River Watershed GRAPS Report** 

<sup>&</sup>lt;sup>3</sup> It is important to note that groundwater science lacks the predictive tools available for surface water analysis and as such cannot provide quantifiable strategies commonly found in WRAPS. BWSR recognizes this challenge and has provided guidance in the <u>Setting Measurable Goals document</u> (www.bwsr.state.mn.us/planning/1W1P/Setting\_Measurable\_Goals.pdf) to meet the 1W1P measurability requirement.

# **Contents**

Zumbro River Watershed (ZRW)	1
Groundwater Restoration and Protection Strategies Report	1
Summary	3
Contents	6
Figures	7
Tables	9
Introduction	10
What Is the GRAPS Report?	10
How to Use this Report	11
Zumbro River Watershed Overview	12
Land Use	13
Geology and Hydrogeology	13
Pollution Sensitivity	14
Wellhead Protection Planning and Drinking Water Supply Management Area	as19
Private Wells	21
Extreme Weather	22
Zumbro River Watershed Groundwater Issues and Concerns	23
Groundwater Quality Issues and Concerns	24
Nitrate	24
Pesticides	28
Arsenic	29
Radionuclides	30
Ambient Groundwater Monitoring	31
Potential Contaminant Sources	32
Groundwater Quantity Issues and Concerns	39
Groundwater Use	39
Groundwater Level Monitoring	42
Groundwater Connected Natural Features at Risk	47
How to Address Groundwater Quantity Issues	55
Zumbro River Watershed Strategies and Actions to Restore and Protect Ground	water56
Tips for Prioritizing and Targeting Strategies and Actions	56
Determine Your Goal	56

Match the Right Action with the Right Location	56
Know the Pollution Sensitivity	56
Consider Multiple Benefits	56
Leverage Other Programs and Practices	57
Emphasize Protection	57
Strategies and Actions for Zumbro River Watershed	57
How to Use the Table of Actions and Strategies	58
Summary of Key Findings and Issues	60
Table of Actions and Strategies to Restore and Protect Groundwater	62
Descriptions of Supporting Strategies	81
Conservation Easements	81
Contaminant Planning and Management	82
Cropland Management	82
Education and Outreach	83
Integrated Pest Management	84
Irrigation Water Management	84
Land Use Planning and Management	84
Nutrient Management	86
SSTS Management	87
Making Sense of the Regulatory Environment	88
Appendices	91
List of Acronyms	91
Glossary of Key Terms	92
Dataset Sources	94
Additional Resources	95
References	106
Figures	
Figures	
Figure 1: Watershed Approach Framework	
Figure 2: Zumbro River Watershed - is comprised of eight Subwatersheds (HUC-10)	
Figure 3: Zumbro River Watershed - Land Cover	
Figure 4: Zumbro River Watershed – Primary Regional Aquifers	
Figure 5: Zumbro River Watershed - Pollution Sensitivity of Near Surface Materials	
Figure 6: Recharge Travel Time for Near-Surface Materials	16

Figure 7: Zumbro River Watershed - Pollution Sensitivity of Wells	17
Figure 8: Recharge Travel Time for Buried Aquifers	17
Figure 9: Zumbro River Watershed - Wellhead Protection Plan Development Status for Community Public Water Systems	20
Figure 10: Zumbro River Watershed - Drinking Water Supply Management Areas	21
Figure 11: Zumbro River Watershed - Density of drinking water wells per section	22
Figure 12: Zumbro River Watershed – Drinking water wells and flood zone risk to contamination	23
Figure 13: Zumbro River Watershed - Nitrate Results and Pollution Sensitivity of Near Surface Mater	
Figure 14: Zumbro River Watershed - MDA Township Testing Program	
Figure 15: Zumbro River Watershed - Arsenic Results	30
Figure 16: Zumbro River Watershed - MPCA Ambient Groundwater Monitoring Well Network	32
Figure 17: Zumbro River Watershed – Active Feedlots	34
Figure 18: Zumbro River Watershed - MPCA Active Tank and Leak Sites and Pollution Sensitivity of N Surface Materials	
Figure 19: Zumbro River Watershed - MPCA Closed Landfill	37
Figure 20: Reported water use from the DNR permit holders by resource category	40
Figure 21: Reported groundwater use from DNR permit holders by aquifer category	40
Figure 22: Reported groundwater use from DNR permit holders by use category	40
Figure 23: Zumbro River Watershed - Distribution of groundwater appropriation permits for 2017 by volume reported and use category	
Figure 24: Zumbro River Watershed – Distribution of groundwater appropriation permits for 2017 b volume reported and aquifer category	•
Figure 25: Zumbro River Watershed – Active Groundwater-Level Monitoring Wells in the Zumbro Watershed by decade monitoring started	44
Figure 26: Location of active groundwater-level monitoring wells with enough data to calculate a statistical trend.	45
Figure 27: Hydrograph of groundwater-level monitoring well 20001	46
Figure 28: Hydrographs of groundwater-level monitoring wells 20004 and 20005	47
Figure 29: Zumbro River Watershed - Native Plant Communities Connected with Groundwater	50
Figure 30: Zumbro River Watershed - Rare Plants, Animals, and Native Plant Communities Connected with Groundwater	
Figure 31: Zumbro River Watershed - Trout Streams, Public Waters, and Rarity of Native Plant Communities Connected with Groundwater	54
Figure 32: Groundwater-Dominated Lakes	55
Figure 33: Visual representation of the relationship between goals, supporting strategies, and recommended groundwater action	58

Figure 34: Zumbro River Watershed – BWSR RIM easements
Figure 35: Minnesota State Agency Roles in Groundwater
Figure 36: Roles agencies play within the Minnesota Water Management Framework90
Figure 37: Sensitivity Assessment and Calculation for Pollution Sensitivity of Wells (Figure 9)97
Figure 38: Sensitivity Assessment and Calculation for Pollution Sensitivity of Wells (Figure 9) continued98
Tables
Table 1: Sensitivity rating and the associated recharge travel times for surficial and buried aquifer 18
Table 2: Summary of nitrate results in drinking water wells of the Zumbro River Watershed24
Table 3: Nitrate protection framework and associated land use management goals. Implementation activities should build as you move from one classification to the next
Table 4: Summary of arsenic (As) concentrations in wells of the Zumbro River Watershed29
Table 5: Number of registered feedlots and the delegated counties
Table 6: Reported number of failing SSTS in each county within the Zumbro River Watershed35
Table 7: Reported 2017 water use from DNR groundwater permit holders in million gallons per year41
Table 8: HUC 10 subwatersheds within the Zumbro River Watershed
Table 9: Actions and Strategies to Restore and Protect Groundwater
Table 10: Rare Species Connected with Groundwater in the Zumbro River Watershed99
Table 11: Zumbro River Watershed – Documented wetland native plant communities dependent on sustained groundwater discharge
Table 12: Zumbro River Watershed documented wetland native plant communities dependent on groundwater associated with consistently high water tables
Table 13: Zumbro River Watershed documented wetland native plant communities dependent on groundwater associated with water tables that are high for some portion of the growing season104

# Introduction

## What Is the GRAPS Report?

The State of Minnesota adopted a watershed approach to address the state's 80 major watersheds<sup>4</sup>. Major watersheds are denoted by an 8-digit hydrologic unit code (HUC). This watershed approach incorporates water quality assessment, watershed analysis, civic engagement, planning, implementation, and measurement of results into a 10-year cycle that addresses both watershed restoration and protection (Figure 1).




Figure 1: Watershed Approach Framework

Groundwater Restoration and Protection Strategies (GRAPS) reports are designed to help prioritize and target local efforts to restore and protect groundwater resources in the One Watershed One Plan (1W1P) planning process. While groundwater is not broken into watersheds like surface water, several state agencies have worked together to compile information and strategies for groundwater below surface water watersheds. A GRAPS report uses existing state data and information about groundwater and land-use practices that affect groundwater in the watershed to identify key groundwater quality and quantity concerns. The report also suggests targeted strategies and actions to restore and protect groundwater. GRAPS reports are meant to be used in conjunction with Watershed Restoration and Protection Strategies (WRAPS) reports in the development of 1W1P plans. WRAPS inform how to restore and protect surface water, and GRAPS inform how to restore and protect groundwater in the same geographic area.

WRAPS is initiated through an intensive monitoring effort to determine if a surface water body is meeting its designated use. WRAPS identify actions and the rate of adoption needed to restore water quality, as well as recognizing protection based activities to maintain the health of high quality surface

<sup>&</sup>lt;sup>4</sup> You can learn more about the Watershed Approach at Watershed approach to restoring and protecting water quality (https://www.pca.state.mn.us/water/watershed-approach-restoring-and-protecting-water-quality).

waters. GRAPS is largely protection-based—identifying actions to maintain groundwater quality and quantity. However, if contaminants exist or overuse is suspected, the strategies and actions identified to address the issue can result in restoration as well as protection. In most cases it is very difficult determine the rate of BMP adoption needed to restore groundwater, therefore quantification is not part of GRAPS.

## **How to Use this Report**

This report is a resource and tool for developing local water management plans. The report is divided into six parts to accommodate the different needs and information partners and agencies may seek. This report is not necessarily designed to be read cover to cover. Rather, you can flip to the parts that are most relevant to the issues facing your community. If you are accessing this document electronically, you can click on hyperlinks throughout the report to jump to related information and/or access webpages (all hyperlinks are in blue type).

The report is divided into the following parts:

- 1. Watershed Overview: This section provides a brief overview of the watershed.
- Watershed Groundwater Issues and Concerns: This section highlights the main groundwater
  quality and quantity concerns, where each concern is most prevalent within the watershed, and
  general ways to address the concern.
- 3. <u>Watershed Strategies and Actions to Protect and Restore Groundwater</u>: This section provides tips for prioritizing and targeting restoration and protection strategies, makes suggestions about what strategies and actions would be most appropriate in which counties and subwatersheds, describes the suggested strategies, and provides information about existing programs and resources for each strategy.
- 4. <u>Making Sense of the Regulatory Environment:</u> This section provides an overview of the roles state agencies play in managing groundwater and drinking water.
- 5. Appendices

# **Zumbro River Watershed Overview**

This report provides a brief overview of land use, geology, hydrogeology, pollution sensitivity, wellhead protection planning and drinking water, and water use and groundwater withdrawals affecting the Zumbro River Watershed (ZRW) 1W1P planning boundary groundwater quality and quantity. You can find more detailed information about the ZRW and groundwater through the following resources:

#### **Restoration and Protection Plans**

MPCA <u>watershed reports</u> (www.pca.state.mn.us/water/watersheds/zumbro-river)

The Zumbro River Watershed 1W1P planning boundary is comprised of three major branches bearing the watershed's namesake. The watershed spans 1,422 mi², stretching from the far eastern boundaries of Rice and Steele counties and across the southern third of Goodhue County and a majority of Dodge, Olmsted, and Wabasha counties (Figure 2). There are several municipalities in the watershed of which the city of Rochester is the largest. The ZRW has seen a population increase of roughly thirteen percent between 2000 and 2010.

Of the roughly 194,547 people living in the watershed, approximately 156,577 (80 percent) utilize community public water and the remaining 20 percent obtain their drinking water from private wells.




Figure 2: Zumbro River Watershed - is comprised of eight Subwatersheds (HUC-10)

#### **Land Use**

The ZRW has been modified significantly by agriculture (nearly 70 percent) and human development (roughly 10 percent). The remaining natural prairies are limited to the steep slopes of the blufflands. A significant acreage of the forest lies within the watershed's eastern boundaries (Figure 3).




Figure 3: Zumbro River Watershed - Land Cover. Agriculture accounts for nearly 70 percent of land cover in the watershed.

## **Geology and Hydrogeology**

Groundwater sources within the ZRW vary according to the underlying geology. The geology in the ZRW is the result of sedimentary, glacial, and weathering processes that took place in the region over several geologic time periods. Figure 4 depicts a generalized map of aquifers in the watershed.

There are several main types of aguifers in the watershed (Figure 4):

- Bedrock aquifers within karsted carbonate rocks of the Galena-Maquoketa Formation in the southwest portion of the watershed. These units are depicted in light blue in Figure 4.
- Bedrock aquifers within the Jordan Sandstone and carbonate rocks of the Prairie du Chien Group. These units are used as aquifers primarily in the central portion of the watershed and are depicted in dark blue in Figure 4.

- Bedrock aquifers in Cretaceous sandstone formations. These units are primarily used as aquifers in the far northeast portion of the watershed and are depicted in yellow in Figure 4.
- Surficial and buried glacial sediments are also used as aquifers in several parts of the watershed, especially in the southeast and far northeast portions. These aquifers are of limited extent and are not used as commonly as the bedrock aquifers.




Figure 4: Zumbro River Watershed – Primary Regional Aquifers. Bedrock aquifers are the primary drinking water source for the watershed.

## **Pollution Sensitivity**

Understanding pollution sensitivity is important for prioritizing and targeting implementation efforts. Pollution sensitivity (also known as aquifer vulnerability or geologic sensitivity) refers to the time it takes recharge and contaminants at the ground surface to reach the underlying aquifer.

It is important to understand the target aquifer when assessing pollution sensitivity. Certain aquifers may be deeper and more geologically protected than water table aquifers, or surficial sand aquifers, in a given area. Figure 5 depicts the pollution sensitivity of near-surface materials dataset developed by the DNR. This dataset only takes into account the top ten feet of soil and geologic material when assigning a sensitivity rating. This figure shows that the watershed has a mix of pollution sensitivity ratings based on surficial materials. Most of the watershed—primarily the eastern half—has karst (dissolved carbonate rocks) at or near the surface, making the area highly sensitive to groundwater pollution since water can

flow rapidly through the holes and cracks in this material. Much of the remaining portions of the watershed, including most of Dodge, Steel, and Rice Counties and the western portion of Goodhue County, have pollution sensitivity ratings of "very low" to "low", corresponding to areas covered by dense gray till at the surface. Apart from karst areas, there are some areas of "high" pollution sensitivity that are mostly limited in extent to the land surrounding rivers and streams. More information on this dataset can be found on the DNR website Minnesota Hydrogeology Atlas (MHA) (http://www.dnr.state.mn.us/waters/programs/gw\_section/mapping/platesum/mha\_ps-ns.html).

The pollution sensitivity of deeper aquifer materials depicted in <u>Figure 7</u> was created by calculating the sensitivity at individual wells in the watershed and then interpolating between them to create a smooth layer. The wells used to make this figure vary in depth but overall provide a picture of the geologic sensitivity of aquifers below the water table. This method was employed due to the absence of an available statewide dataset depicting pollution sensitivity, or vulnerability, of aquifers. <u>Figure 7</u> shows that the groundwater pollution sensitivity rating in the ZRW ranges from "low" to "high". In Goodhue, Wabasha, and Olmsted Counties, the areas of "moderate" and "high" sensitivity largely correspond to regions that rely on karst aquifers. More information on the geologic sensitivity calculations used to make this figure is included in the references section of this report as Figure 37 and Figure 38.

It is also important to understand how recharge travel time ratings (Figure 6 and Figure 8) for surficial water table aquifers differ from those used for deeper aquifers (Table 1). For example, a pollution sensitivity rating of 'moderate' for surficial materials reflects vertical travel times on the order of weeks (Figure 5); whereas, for deeper aquifers more commonly used for drinking water, a rating of 'moderate' reflects travel times of years to decades (Figure 8). This difference stems from the fact that infiltrating water and contaminants reach surficial materials more quickly than deeper aquifers. Deeper aquifers often have protective clay layers that make travel time significantly longer. As noted above, this distinction is important when determining the potential impact of various contaminants on surficial materials and drinking water aquifers.

#### Zumbro River Watershed - Pollution Sensitivity of Near-Surface Materials




Figure 5: Zumbro River Watershed - Pollution Sensitivity of Near Surface Materials




Figure 6: Recharge Travel Time for Near-Surface Materials

#### Zumbro River Watershed - Pollution Sensitivity of Wells




Figure 7: Zumbro River Watershed - Pollution Sensitivity of Wells




Figure 8: Recharge Travel Time for Buried Aquifers

Table 1: Sensitivity rating and the associated recharge travel times for surficial and buried aquifer

Pollution Sensitivity Rating	Aquifer Recharge Time Period <sup>5</sup> for Surficial Aquifers	Aquifer Recharge Time Period for Buried Aquifers
High	Hours to a week	Days to months
Moderate	A week to weeks	Years up to one or two decades
Low	Weeks to a year	Several decades to a century

<sup>&</sup>lt;sup>5</sup> Aquifer recharge time periods refer to the time it takes aquifers to receive recharge from the land surface. Aquifer recharge rate informed by the Geologic Sensitivity Project Workgroup, 1991.

# Wellhead Protection Planning and Drinking Water Supply Management Areas

Wellhead protection (WHP), planning is the process whereby public water systems examine land uses in the recharge area for their wells and develop strategies for land use management. The strategies are based on vulnerability and are appropriate for safeguarding drinking water supplies. Community public water supplies<sup>6</sup>, including municipal and nonmunicipal systems, are required to prepare Wellhead Protection Plans. As part of this effort, the recharge area that contributes water to the public water supply well(s) is delineated based on physical and chemical characteristics of the aquifer being used. These areas, known as wellhead protection areas (WHPAs), provide an assessment of the aquifer vulnerability (sensitivity) of the public water supply wells. Once the WHPA is established, a Drinking Water Supply Management Area (DWSMA) is created to provide planning boundaries on the land surface in order to manage the groundwater below. Learn more about MDH Source Water Protection (https://www.health.state.mn.us/communities/environment/water/swp/index.htm).

The word 'sensitivity' is used to describe groundwater generally throughout the state; 'vulnerability' is the term used for wellhead protection planning to protect public sources of drinking water. While there are minor differences between how these words are used as described above, the words are essentially the same for the purposes of planning and management.

Aquifers and wells used for public water supplies vary widely. Some are very shallow and unprotected and can be easily contaminated by activities at the ground surface. Others are deeper or more protected by geologic materials; these tend to exhibit a low vulnerability to overlying land uses. The types of management activities required within WHPAs will vary based largely on the vulnerability assessments. Highly vulnerable WHPAs require a greater level of management to prevent potential contaminants at the ground surface from entering the aquifer. Whereas for WHPAs with low vulnerability the primary focus is on sealing unused/unsealed wells, since this is the primary pathway for contaminants to reach the aquifer.

Twenty-three of the 35 community public water systems, within the ZRW are engaged in the wellhead protection planning process or are implementing their plans. Of the 23 systems with approved plans, the vulnerability varies across the watershed from very low to very high. Fourteen of the approved wellhead protection plans exhibit a very high and/or high vulnerability in all or part of their DWSMA and is considered vulnerable to contamination from the land surface, with all others exhibiting moderate or low vulnerability. Figure 9 shows the status of wellhead protection planning for the public water supply systems in the watershed. Figure 10 shows the DWSMAs delineated at the time the report was compiled in the ZRW, covering over 57,000 acres. It is important to note that WHP areas do not follow watershed boundaries and can be located in different watersheds.

<sup>&</sup>lt;sup>6</sup> Community public water supplies serve at least 25 persons or 15 service connections year-round. Community public water supplies include municipalities (cities), manufactured mobile home parks, etc. Currently there are almost 1,000 community water supplies in Minnesota.

#### Zumbro River Watershed - Wellhead Protection Plan Status for Community Systems




Figure 9: Zumbro River Watershed - Wellhead Protection Plan Development Status for Community Public Water Systems. Twenty-three of the 35 community public water supply systems are engaged in the wellhead protection planning process or are implementing their plans.




Figure 10: Zumbro River Watershed - Drinking Water Supply Management Areas. There are 23 approved Drinking Water Supply Areas (DWSMA) for community public water supply systems in the watershed.

## **Private Wells**

The ZRW has approximately 2,419 private wells with known locations ranging from 15 feet to 1250 feet deep that provide drinking water to residents. Private well users are not afforded the same water quality safeguards as people who get their water from public water systems. While public water systems make sure water is safe for the end-user, private well users are responsible for making sure their water is safe for everyone in the household to drink.

The Minnesota Well Code ensures that private wells are properly located and constructed. However, once the well is put into service, private well users are responsible for properly maintaining their well, testing it regularly, and treating the water when necessary.






Figure 11: Zumbro River Watershed - Density of drinking water wells per section. There are 2,419 private wells identified.

<u>Figure 11</u> illustrates well density and water use data in the ZRW. This figure contains a grid that depicts the number of wells in each six by six-mile section of the watershed. Deeper colors correspond to a higher concentration of wells. Well density is variable across the watershed. Only wells used for drinking water were included in this analysis.

### **Extreme Weather**

Climate records show that across Minnesota there has been an increase in average rainfall, as well as heavy precipitation events. As storms become more frequent and intense, flooding will be an ongoing challenge for public water systems and private wells. Flood events can threaten the safety and availability of drinking water by washing pathogens (bacteria, viruses, and parasites) and chemical contamination into source aquifers or by overwhelming the capacity of treatment systems to clean the water. The full extent of floodwater contamination depends on land use and associated infrastructure in the affected area. Figure 12 displays drinking water wells and flood zone risk to contamination in the ZRW.

Extreme weather may also affect drought conditions by changing how and where precipitation falls. Increased rainfall over frozen ground and reduced snowpack from spring melt can decrease infiltration

into groundwater when converted to runoff. The <u>Groundwater Quantity Issues and Concerns</u> section of the report assesses aquifer sustainability by evaluating long term monitoring well trends.

For more information on Climate and Health

(www.health.state.mn.us/communities/environment/climate/) or visit the DNR's webpage <u>Climate</u> <u>Change and Minnesota</u> (www.dnr.state.mn.us/climate/climate\_change\_info/index.html).




Figure 12: Zumbro River Watershed – Drinking water wells and flood zone risk to contamination.

# Zumbro River Watershed Groundwater Issues and Concerns

This section of the report describes the key groundwater quality and quantity issues for the ZRW. The descriptions each include an overview of the issue, where the issue is most prevalent, and a few key

approaches to address the issue. The ZRW <u>Strategies and Actions to Protect and Restore Groundwater</u> provides a more detailed list of actions to address groundwater issues and concerns.

## **Groundwater Quality Issues and Concerns**

Both naturally occurring and human-made contaminants affect the ZRW groundwater quality. Multiple state agencies monitor different types of groundwater wells and public water systems for contaminants. Nitrate, radium and arsenic have been detected in wells sampled in the ZRW. This section provides context and data about these contaminants and their occurrence in the watershed. It also provides information about the following land uses: feedlots, row crop production, subsurface sewage treatment systems, contaminated sites (leaky tank sites and closed landfills), and household hazardous waste in the watershed that may affect groundwater quality.

All public water systems in the watersheds strive to meet Safe Drinking Water Act (SDWA)<sup>7</sup> requirements for the quality of water served to their customers. However, some public water systems may have water quality issues in their untreated source water that requires either blending or treatment to meet SDWA standards.

#### **Nitrate**

Nitrate-nitrogen (referred to as nitrate) is a compound that occurs naturally and has many human-made sources. When nitrate levels are above 3 milligrams per liter (mg/L)<sup>8</sup> in groundwater, human activity is the likely cause (State of Minnesota Workgroup). Human-induced sources of nitrate include animal manure, fertilizers used on agricultural crops, failing SSTS, fertilizers used at residences and commercially, and nitrous oxides from the combustion of coal and gas.

Nitrate is one of the most common contaminants of groundwater in Minnesota and is a public health concern where found in groundwater used for drinking water. The SDWA standard for nitrate in drinking water is 10 mg/L. Most of the samples taken from wells within the watersheds did not exceed the SDWA standard for nitrate. This dataset includes newly constructed wells, private wells, and other drinking water supply wells. Sampling of newly constructed wells for nitrate began in 1974. Many older wells, pre-well code, are not included in this dataset. Table 2 shows nitrate test results for samples taken from these wells.

Table 2: Summary of nitrate results in drinking water wells of the Zumbro River Watershed.

Depth Completed Range (feet)	Total samples (nitrate)	Minimum concentration (mg/L)	Maximum concentration (mg/L)	Median concentration (mg/L)	Samples at or above 3 mg/L (%)	Samples at or above 10 mg/L (%)
< 50	61	0.03	13	5.45	68	26.34
50 - 99	6	0.03	13	0.3	8.33	8.33
100 - 149	92	0	5.19	1.9	27.15	0

<sup>&</sup>lt;sup>7</sup> The Safe Drinking Water Act (SDWA) is the federal law that protects public drinking water supplies throughout the nation. Under the SDWA, EPA sets standards for drinking water quality; MDH is delegated to implement the program in MN to ensure drinking water safety.

<sup>&</sup>lt;sup>8</sup> One milligram per liter is the same as 1 part per million (ppm).

Depth Completed Range (feet)	Total samples (nitrate)	Minimum concentration (mg/L)	Maximum concentration (mg/L)	Median concentration (mg/L)	Samples at or above 3 mg/L (%)	Samples at or above 10 mg/L (%)
150 - 199	88	0	3.6	0.96	13.8	0
>= 200	831	0	11.2	0.4	3.16	0.01
Total	1078	0	13	1.8	24.09	6.94

#### Where Is Nitrate in Zumbro River Watershed?

High levels of nitrate are present in areas where there are both human-caused sources of nitrate and high pollution sensitivity, which is consistent with MDA findings in the Township Testing Program (TTP). The following images help identify where nitrate is detected and at what levels in the watershed:

- Figure 13 compares nitrate levels in wells in the ZRW with the pollution sensitivity of the area. The absence of elevated nitrate concentrations throughout most of the watershed may be a function of low-impact land use near the wells or the presence of favorable geochemical conditions in the aquifers. Nitrate requires relatively oxidizing conditions to persist in groundwater, and the presence of locally reducing conditions can remove nitrate. The dataset used to create this figure is the same as that used in <a href="Table 2">Table 2</a>. These nitrate samples were taken from newly constructed wells, private wells, and other drinking water supply wells sampled by the Minnesota Department of Health (MDH).
- Figure 14 shows the Township Testing Program (TTP) results. Four counties in the watershed participated in the TTP. Dodge and Olmsted counties have been through both the initial testing and the follow-up testing. While Wabasha and Goodhue counties have only been through the initial testing and are close to having the follow-up testing and evaluation completed. In Figure 14, townships with the hash lines represent initial (first year) testing results and townships without hash lines are final. Initial results represent private well drinking water regardless of the potential source of nitrate. Final results are determined using two rounds of sampling and a process to remove faulty wells (i.e. cracked casing) and those near potential non-fertilizer sources of nitrate. Final results only include results that are potentially impacted by applied commercial fertilizer. Townships noted with initial results may change based on follow-up sampling and well assessments. Detailed sampling results are available at Township (Nitrate) Testing Program (http://www.mda.state.mn.us/townshiptesting).
- There are no MDA ambient monitoring wells locations in the ZRW.




Figure 13: Zumbro River Watershed - Nitrate Results and Pollution Sensitivity of Near Surface Materials




Figure 14: Zumbro River Watershed - MDA Township Testing Program.

#### **How to Address Nitrate in Groundwater**

The Minnesota Groundwater Protection Act established a prevention goal that groundwater be maintained in its natural condition, free from any degradation caused by human activity. When degradation exists, it is important to understand the reflected level of management required based on the nitrate concentration. <u>Table 3</u> provides a protection framework that identifies management priorities reflective of nitrate concentrations.

Table 3: Nitrate protection framework and associated land use management goals. Implementation activities should build as you move from one classification to the next.

Nitrate Protection Framework	Nitrate Concentration	Implementation Emphasis
Protection – Maintain	0 – 4.9 mg/L	Proactive and preventive;  • Maintain existing land cover by discouraging or preventing land conversion  • Contaminant source management on existing land uses (Agricultural BMPs, SSTS)

Nitrate Protection Framework	Nitrate Concentration	Implementation Emphasis
		management, easements, forest management plans)
		Contaminant source reduction or elimination;
Protection – Threatened	5.0 – 9.9 mg/L	<ul> <li>Shifting land uses away from those that may leach excess nitrogen (Alternative Management Tools<sup>9</sup>, upgrade failing SSTS, easements)</li> </ul>
Restoration – Treatment	10.0 mg/L and above	Active intervention required by public water supplies to avoid drinking water consumption (new sources; treatment) while still aiming for long term contaminant source mitigation through reduction and elimination

<u>Table 9</u> provides a more comprehensive list of specific actions counties and subwatersheds in the ZRW can take to restore and protect groundwater quality related to nitrate.

#### **Pesticides**

A pesticide is any substance or mixture of substances intended for preventing, destroying, repelling or lessening the damage of any pest and may be a chemical substance or a biological agent. Consuming water with different types of pesticides in it can cause a variety of health problems. MDA monitors for 'common detection pesticides' as a part of the MDA Pesticide Management Plan (www.mda.state.mn.us/protecting/waterprotection/pmp.aspx). Common detection pesticides are pesticides frequently used in row crop production and include acetochlor, alachlor, atrazine, metolachlor and metribuzin.

#### Where Are Pesticides in Zumbro River Watershed?

MDA does not have any monitoring wells in the ZRW to monitor for common detection pesticides.

#### **How to Address Pesticides in Groundwater**

General approaches to reduce the amount of pesticides that may enter groundwater include:

 Providing educational opportunities about pesticide and insecticide BMPs for both agricultural lands and residential/commercial lawns (turf)

<sup>&</sup>lt;sup>9</sup> MN Dept. of Agriculture developed Alternative Management Tools to protect groundwater quality from nitrate contamination. For more information, visit MDA <u>Alternative Management Tools</u> (www.mda.state.mn.us/chemicals/fertilizers/nutrient-mgmt/nitrogenplan/nitrogenpmt/amts)

Increasing the adoption of water quality BMPs for pesticides and insecticides

<u>Table 9</u> provides a more comprehensive list of specific actions the counties and subwatersheds in the ZRW can take to restore and protect groundwater quality related to pesticides.

#### **Arsenic**

None of the 177 arsenic samples taken from located wells in the ZRW have levels of arsenic higher than the SDWA standard of 10 micrograms per liter ( $\mu g/L$ )  $^{10}$ . Arsenic occurs naturally in rocks and soil across Minnesota and can dissolve into groundwater. Consuming water with low levels of arsenic over a long time (chronic exposure) is associated with diabetes and increased risk of cancers of the bladder, lungs, liver and other organs. The SDWA standard for arsenic in drinking water is  $10~\mu g/L$ ; however, drinking water with arsenic at levels lower than the SDWA standard over many years can still increase the risk of cancer. The EPA has set a goal of  $0~\mu g/L$  for arsenic in drinking water because there is no safe level of arsenic in drinking water.

Since 2008, the State of Minnesota has required that water from new water supply wells be tested for arsenic. <u>Table 4</u> outlines the number of well water samples tested for arsenic in the ZRW, using the dataset from the Minnesota Well Index (MWI) and well for newly constructed private wells. The table shows the percentage of samples with arsenic levels over the SDWA standard. It is important to remember that arsenic concentrations can be drastically different from nearly identical wells installed on adjoining properties.

Table 4: Summary of arsenic (As) concentrations in wells of the Zumbro River Watershed.


Depth Completed Range (feet)	Total samples (n)	Minimum concentration (μg/L)	Maximum concentration (μg/L)	Median concentration (μg/L)	Samples at or above 5 µg/L (%)	Samples at or above 10 µg/L (%)
< 50	2	0	0	0	0	0
50 - 99	2	0	0	0	0	0
100 - 149	10	0	3.2	0.1	0	0
150 - 199	12	0	4.1	0.7	0	0
>= 200	151	0	9.4	0.2	0.3	0
Total	177	0	9.4	0.2	0.1	0

#### Where Is Arsenic in the Zumbro River Watershed?

<u>Figure 15</u> shows that arsenic is not found in elevated concentrations throughout the watershed. The dataset used to create <u>Figure 15</u> is the same information displayed in <u>Table 4</u>. There are low levels of arsenic in wells completed in Upper Ordovician Prairie du Chien dolomite, St. Peter sandstone, and Stewartville-Prosser limestone aquifers. Typically, elevated arsenic in Minnesota groundwater is associated with glacial lobes originating from northwest Canada. However, these glacial lobes did not extend down into southeastern Minnesota, so the likelihood of elevated arsenic is low for this watershed.

<sup>&</sup>lt;sup>10</sup> One microgram per liter is the same as 1 part per billion (ppb).

#### Zumbro River Watershed - Arsenic Results



Basemap: ESRI World Street Map

Figure 15: Zumbro River Watershed - Arsenic Results

#### **How to Address Arsenic in Groundwater**

Unlike nitrate and pesticides, human activity rarely causes arsenic in Minnesota groundwater, except for local releases of insecticides or wood preservatives into the environment. Therefore, few actions can reduce the amount of arsenic in groundwater. Implementation efforts should focus on making private well users aware of the health risks associated with arsenic, encouraging them to test their water for arsenic, and providing them with treatment options to keep their drinking water safe when arsenic is present.

#### Radionuclides

Radioactive materials, also called radionuclides (Radium), are both naturally occurring and humanmade. Drinking water that has radium in it puts you contact with very low doses of radiation every day. You have a higher risk of getting caner if you drink water with radium in it every day for many years.

Concentrations of naturally occurring radioactive radium is detected in groundwater samples in public water wells in the ZRW. The exact source of these compounds is not well understood. Radium is associated with granitic and metamorphosed crystalline rocks and sandstone aquifers (Szabo, Z., Fischer, J. M., Hancock, T. C., 2012). It is commonly found the Mt. Simon Aguifer or fractured Sioux Quartzite geologic units. Their presence in the groundwater is related to reducing geochemical

conditions with low oxygen, acidic water, high dissolved solids, and the very slow rate of groundwater flow in these bedrock layers (Szabo, Z., Fischer, J. M., Hancock, T. C., 2012).

#### Where are Radionuclides in the Zumbro River Watershed?

The public wells with radium above the MCL of 5 pCi/L are completed in the Mt. Simon sandstone aquifer and Stewartville-Cummingsville limestone aquifer. The Mt. Simon aquifer is well documented having elevated levels of radium in groundwater. Not much information is known about radium (or other radionuclide) in the Stewartville-Cummingsville aquifer. The public well depth ranges from 250 feet deep to 770 feet deep. Since reducing conditions in low oxygen environments are more likely to mobilize radium from the sediment, deep wells in bedrock are more likely to be at risk in ZRW. There is not enough information to know the geologic source of radium in this watershed.

#### How to Address Radionuclides in Groundwater

Human activity is unlikely to be the cause of radionuclides in the ZRW groundwater. Therefore, actions cannot reduce the amount of radionuclides present in groundwater. Implementation efforts should focus on awareness that radionuclides may be found in groundwater. The factors that contribute to the presence of radionuclides in the ZRW groundwater are not well understood at this point. If private well users are concerned about radionuclides in their well, they can pay to have their water tested through an accredited laboratory. Water softeners and reverse osmosis are effective at removing radium from groundwater. Learn more at Radionuclides (Radium) in Drinking Water

(https://www.health.state.mn.us/communities/environment/water/contaminants/radionuclides.html).

#### **Ambient Groundwater Monitoring**

The MPCA's Ambient Groundwater Monitoring Program monitors trends in statewide groundwater quality by sampling for a comprehensive suite of over 100 chemicals including nutrients, metals, anions and cations, and volatile organic compounds. The Ambient Groundwater Network currently consists of approximately 270 sites that represent a mix of deep domestic wells and shallow monitoring wells in non-agricultural regions across the state. The primary focus is on shallow aquifers that underlie urban areas, due to the higher tendency of sensitivity to pollution, and are predominately located in sand and gravel and Prairie du Chien-Jordan aquifers.

From 2004 to 2017, five ambient network wells within the Zumbro River Watershed were sampled annually for the ambient groundwater suite. Three wells were deep domestic, non-public water supply wells and two were monitoring wells located in residential areas. Four of the five wells are located near agricultural fields. In areas that are primarily agricultural, there is a risk of contamination from excess nutrient runoff during rain events during pesticide or fertilization application. Results from the ambient groundwater samples indicate that the majority of detections were within the human health guidelines set by either the Environmental Protection Agency or the MDH. There were some exceedances to these limits, making the most important groundwater quality issue for this watershed inorganic nitrogen (nitrate and nitrite). The detections of inorganic nitrogen occurred at one of the monitoring wells with only two exceedances (2005 and 2006), but has not exceeded the HRL since that time.

In addition to the annual ambient groundwater samples, MPCA staff collect 40 samples for contaminants of emerging concern (CECs). CECs are predominantly manmade chemicals, although some may be naturally-occurring or endocrine active chemicals, and include pharmaceuticals, fire retardants, pesticides, personal-care products, hormones, and detergents (Erickson et al., 2014). These samples were collected all of the wells throughout 2010 to 2016 and analyzed for 267 analytes. There were seven detections of these chemicals, the most common being sulfamethoxazole (an antibiotic) with three detections. Also detected were atrazine (herbicide), metolachlor (herbicide), and tris (2-

chloroethyl) phosphate (flame retardant in plastics). There were no exceedances to applicable water quality guidelines.

Perfluorinated chemicals (PFCs) were also sampled at five of the wells within the watershed during 2006, 2013 and 2017. PFCs are chemicals that are manmade for products that resist heat, oil, stains, grease and water, such as nonstick cookware, coatings on some food packaging, and fire-fighting foam (MDH, 2018). Exposure to elevated levels of PFCs may cause higher cholesterol, changes to liver function, reduced immune response, thyroid disease, and increased risk of kidney and testicular cancer (MDH, 2018). PFC samples were tested for 13 contaminants, such as perfluorooctane sulfonate (PFOS), perfluorooctanoic acid (PFOA), perfluorobutanoic acid (PFBA). There were detections of PFBA identified in four of the wells during sampling in 2013, but all detections were below the HBV for PFBA.

MDH hosts information on a <u>List of Contaminants in Water</u>

(www.health.state.mn.us/communities/environment/water/contaminants/index.html), as well as <a href="CECs">CECs</a> (www.health.state.mn.us/communities/environment/risk/guidance/dwec/index.html).




Figure 16: Zumbro River Watershed - MPCA Ambient Groundwater Monitoring Well Network

#### **Potential Contaminant Sources**

Some land use practices make it easier for contaminants to get into groundwater. Key land uses that are potential contaminant sources in the ZRW are described below.

#### **Animal Feedlots**

MPCA regulates the land application and storage of manure generated from animal feedlots in accordance with Minnesota Rule Chapter 7020. The MPCA <u>Feedlots Program</u> (https://www.pca.state.mn.us/quick-links/feedlots) requires that the land application and storage of manure be conducted in a manner that prevents nitrate contamination to both groundwater and surface water. Animal manure contains significant quantities of nitrogen and pathogens. Improper management of manure, especially in places with high pollution sensitivity, can contaminate groundwater.

MDA hosts an interactive map that provides information on local ordinances regulating animal agriculture in Minnesota's counties. The information includes the most common areas of regulations, such as setbacks and separation distances, conditional use permits, feedlot size limitations, and minimum acreage requirements. For more information, visit the <a href="Local Ordinances Regulating Livestock">Local Ordinances Regulating Livestock</a> - Web Mapping (www.mda.state.mn.us/local-ordinances-regulating-livestock-minnesota).

MDA developed a new tool in collaboration with the National Weather Service called the Minnesota Runoff Risk Advisory Forecast (RRAF) system

(www.mda.state.mn.us/protecting/cleanwaterfund/toolstechnology/runoffrisk). RRAF is designed to help farmers and commercial applicators determine the best time to apply manure to reduce the probability of off target movement of valuable nutrients and protect water resources.

#### Where Are Animal Feedlots in Zumbro River Watershed?

The ZRW has 1817 active feedlots. Minnesota Rule 7020 allows the MPCA to transfer or 'delegate' regulatory authority and administration of certain parts of the feedlot program to a county. A delegated county regulates feedlots with less than 1,000 animal units; MPCA regulates anything above that threshold. County feedlot programs have responsibility for implementing state feedlot regulations including: registration, permitting, inspections, education/assistance and complaint follow-up. Goodhue, Rice and Steele counties are delegated entities within the ZRW. The counties of Dodge, Olmsted, and Wabasha rely on the MPCA to administer the feedlot program locally.

<u>Table 5</u> outlines the number of registered feedlots in the ZRW for each county. <u>Figure 17</u> contains a grid that depicts the number of active feedlots in each six by six-mile section of the watershed. Darker colors correspond to a higher concentration of active feedlots.

	Number of Registered	
Counties	Feedlots per County	Delegated County
Dodge	373	No
Goodhue	483	Yes
Olmsted	407	No
Rice	60	Yes
Steele	48	Yes
Wabasha	444	No

Table 5: Number of registered feedlots and the delegated counties




Figure 17: Zumbro River Watershed – Active Feedlots. There are 1817 active feedlots within the watershed

#### **How to Protect Groundwater from Contamination**

Manure management plans, feedlot inspections, permitting, technical assistance and record keeping are all used to manage nitrogen impacts to water quality. It is important to prioritize activities in the areas most sensitive to groundwater first. <u>Table 9</u> provides a more comprehensive list of specific actions partners in can take to protect groundwater from nitrate and pathogen contamination.

#### Row Crop Agriculture

Dataset: MPCA What's In My Neighborhood Basemap: ESRI World Street Map

Row crop agriculture or cultivated crops (Figure 3) are the largest land cover within the ZRW covering 68 percent of the watershed. Impacts from row crop production to water resources include nitrogen loss in the form of nitrate to groundwater, which can move downward to aquifers or be laterally dispersed to lakes and rivers. Tile drainage is another pathway for nitrogen to reach surface water systems, however this is not a focus of the GRAPS report being the TMDL and WRAPS reports assess impacts. Agricultural chemicals, including pesticides, are another risk for groundwater contamination from row crop agriculture. Both nitrate and pesticides are addressed in the Groundwater Quality Issues and Concerns section of this report.

#### Subsurface Sewage Treatment Systems (SSTS)

Of the approximately 450,000 SSTS (commonly called septic systems) across the state, slightly over 100,000 of them are estimated to be failing. As more time passes, additional systems are likely to fail. Failing SSTS can pollute both surface and groundwater. A failing system is one that does not provide adequate separation between the bottom of the drain field and seasonally saturated soil. The wastewater in SSTS contains bacteria, viruses, parasites, nutrients, and some chemicals. SSTS infiltrate treated sewage into the ground, which ultimately travels to groundwater.

#### Where Are SSTS in the Zumbro River Watershed?

SSTS are found in all six counties in the ZRW. Information reported by counties indicate a relatively small to high number of failing SSTS in the watershed (Table 6). State regulations require each county to adopt a local SSTS ordinance and that eminent health threats or failing systems be replaced and brought up to current standards. Even with a required ordinance, some counties still have identified gaps in their SSTS program, ranging from lack of records on treatment system age, type or function, known unsewered communities, and lack of a point of sale requirement triggering an inspection through a property sale.

Table 6: Reported number of failing SSTS in each county within the	Zumbro River Watershea
--	------------------------

County	Estimated number of failing SSTS per 1,000 acres
Dodge	3 – 4
Goodhue	2 – 3
Olmsted	2-3
Rice	4 – 7.7
Steele	2 – 3
Wabasha	1 - 2

#### How to Protect Groundwater from SSTS Contamination

SSTS must be properly sited, designed, constructed and maintained to minimize the potential for disease transmission and groundwater contamination. Each county carries out permitting, inspections and operation of the SSTS program locally. <a href="Table 9">Table 9</a> provides a more comprehensive list of specific actions the ZRW can take to assure SSTS do not contaminate groundwater. You can find more information about building and maintaining SSTS at <a href="Subsurface Sewage Treatment Systems">Subsurface Sewage Treatment Systems</a> (https://www.pca.state.mn.us/water/subsurface-sewage-treatment-systems).

#### **Contaminated Sites**

The MPCA identified 546 active tank, 15 leak sites and three closed landfills in the ZRW. These types of contaminated sites (also referred to as point sources) have the potential to contaminate groundwater with a variety of chemicals.

#### Where Are Contaminated Sites in the Zumbro River Watershed?

<u>Figure 18</u>, maps active tank and leak sites compared to pollution sensitivity of near-surface materials in the ZRW. <u>Figure 19</u> provides a map of the closed landfill in the ZRW. The following sites also provide maps to help identify contaminated sites.

- What's in My Neighborhood (https://www.pca.state.mn.us/data/whats-my-neighborhood):
   This app identifies potential contamination sites for water quality, feedlots, hazardous waste, investigation and clean up, air quality and solid waste.
- Landfill Cleanup Act Participants
   (http://mpca.maps.arcgis.com/apps/Solutions/s2.html?appid=6470bb44bd83497993da583633 3d1cb3): This site has an interactive map that shows closed landfills and the corresponding groundwater plumes and groundwater areas of concern.




Figure 18: Zumbro River Watershed - MPCA Active Tank and Leak Sites and Pollution Sensitivity of Near-Surface Materials




Figure 19: Zumbro River Watershed - MPCA Closed Landfill

## **How to Protect Groundwater from Contaminated Sites**

Contaminated sites should be identified before making or changing any land use plans, zoning maps, and/or ordinances. <u>Table 9</u> provides a more comprehensive list of specific actions the ZRW can do to assure contamination sites do not further contaminate groundwater.

## **Stormwater**

The MPCA <u>Stormwater Program</u> (https://www.pca.state.mn.us/water/stormwater) regulates the discharge of stormwater and snowmelt runoff from municipal separate storm sewer systems (MS4s), construction activities and industrial facilities, mainly through the administration of the National Pollutant Discharge Elimination System (NPDES)/State Disposal System (SDS) Program. All MS4 permitted systems are located around the Rochester area in the ZRW, including Haverhill, Marion, Cascade, Rochester townships, the city of Rochester, Rochester Community and Technical College, and MNDOT. Entities with an MS4 permit require the treatment and management of stormwater runoff.

The management of stormwater runoff is increasingly reliant on the infiltration of stormwater into the soil to control the volume of runoff. A number of stormwater practices concentrate runoff and force infiltration into the soil where it can recharge groundwater aquifers. The impacts of these practices on groundwater quality have not been thoroughly evaluated.

## How to Manage Potential Stormwater Infiltration Risk

Caution should be observed when infiltrating stormwater, especially in areas with vulnerable drinking water sources. Use the MDH <u>Stormwater Guidance for Sites in Drinking Water Supply Management Areas</u> (https://stormwater.pca.state.mn.us/images/d/d3/Flow\_Chart\_-

\_MDH\_Stormwater\_Guidance\_for\_Sites\_in\_Drinking\_Water\_Supply\_Management\_Areas.pdf) to better understand when infiltration is appropriate in wellhead protection areas. <u>Table 9</u> provides a more comprehensive list of additional actions the ZRW can take to prevent stormwater infiltration from contaminating groundwater.

## **Household Hazardous Waste**

Many household products you use to clean your home, maintain your yard, and control animals and insects contain hazardous materials. When these products are disposed of improperly, it may lead to groundwater contamination.

Minnesota's household hazardous waste (HHW) program is a partnership with the MPCA and the counties. Together, they provide education about HHW storage and disposal as well as maintain a network of regional, local and mobile facilities to collect HHW statewide. In addition, many counties offer temporary collection sites, including one-day events. The MPCA has a searchable database to find HHW collection sites for your county, <a href="Household Hazardous Waste Collection Sites">Household Hazardous Waste Collection Sites</a> (https://www.pca.state.mn.us/living-green/find-your-household-hazardous-waste-collection-site).

Similar to the partnership for HHW, MDA partners with counties to provide a means to safely dispose of unwanted and unusable pesticides through the Waste Pesticide Collection Program. Through this program, pesticide users in every county around the state have opportunities to dispose of unwanted agricultural pesticides through county HHW facilities, mobile collection events or by attending MDA schedule events. Participants can drop off up to 300 pounds free of charge. MDA manages a waste pesticide collection schedule to learn about partnerships and scheduled events, MDA Waste Pesticide Collection Schedule (www.mda.state.mn.us/chemicals/spills/wastepesticides/schedule.aspx).

## How to Protect Groundwater from Household Hazardous Waste Contamination

Promote HHW and the pesticide collection program availability to residents, and evaluate opportunities to expand services to increase participation. <u>Table 9</u> provides a more comprehensive list of specific actions the ZRW can take to assure consumer products do not contaminate groundwater.

### **Pharmaceuticals**

The presence of pharmaceuticals in water is of increasing concern because they may cause harm to humans and aquatic life. Pharmaceuticals enter rivers, lakes and groundwater when human waste, animal waste or discarded medications move from stormwater systems, sewer systems or septic tanks into water. Wastewater and drinking water treatment may not completely remove pharmaceuticals. As a result, these chemicals can be found in drinking water sources.

## How to Protect Groundwater from Pharmaceutical Contamination

Do not flush old or unwanted prescription or over the counter medications down the toilet or drain, and do not put them in the trash. There are more than 240 medication collection boxes located at law enforcement facilities and pharmacies in Minnesota. These collection sites do not charge for disposal. You can use the Earth 911 website to identify collection sites by zip code, *Locations that take medications* (search.earth911.com/?what=Medications&where=MN). If a disposal site is not available, follow the MPCA guidance to minimize risk to the environment, *Medication Disposal Guidance* (https://www.pca.state.mn.us/living-green/managing-unwanted-medications).

# **Groundwater Quantity Issues and Concerns**

Permitted groundwater use reports suggest that overall use is stable. One exception is increased dewatering from the Prairie du Chien Group in the Goldberg Quarry starting in 2006, when the quarry was deepened to quarry further into the Prairie du Chien. There is no water level trend in the one well that has a long enough record to statistically estimate a trend. Most observation wells were drilled in the last few years.

# **Groundwater Use**

A water-use appropriation permit is required from the DNR for groundwater users withdrawing more than 10,000 gallons of water per day or 1 million gallons per year. This provides the DNR with the ability to assess which aquifers are being used and for what purpose. Permits require annual water-use reporting. This information is recorded using Minnesota Permitting and Reporting System (MPARS), which helps the DNR track the volume, source aquifer, and type of water use. The DNR has records of reported water use from 1988 to the present.

<u>Figure 20</u> - <u>Figure 22</u> show graphs of water use over time from 1988 to 2017. A summary of reported 2017 water use by use category versus source aquifer is shown in <u>Table 7</u>. <u>Figure 23</u> and <u>Figure 24</u> show the distribution of permitted wells with reported 2017 water use, categorized by use category and aquifer type, respectively.

Groundwater use in the ZRW totals between 7000 and 9000 million gallons per year (Figure 20). Groundwater use accounts for approximately 64 percent of reported water use for 2017. Dewatering at the Goldberg Quarry accounts for most of the surface water withdrawals starting in 2006. The withdrawal is considered surface water because the water is pumped out of a sump in the quarry floor. However the ultimate source of most of this water is the Prairie du Chien aquifer.

Most permitted groundwater withdrawal is pumped from bedrock aquifers with a small amount sourced from the water table aquifer (Figure 21). Eighty-one percent of permitted groundwater withdrawals is used for public water supply, approximately 10 percent is used for industrial processing, and less than 9 percent is used for other purposes (Table 7, Figure 23).




Figure 20: Reported water use from the DNR permit holders by resource category. The increased surface water use after 2005 is due to quarry dewatering.




Figure 21: Reported groundwater use from DNR permit holders by aquifer category. Most permitted groundwater use is drawn from bedrock aquifers.




Figure 22: Reported groundwater use from DNR permit holders by use category. Most permitted groundwater withdrawals are used for water supply. Industrial processing is the next highest water use category.

Table 7  $\frac{11}{2}$ : Reported 2017 water use from DNR groundwater permit holders in million gallons per year.

Use Category	Surficial Sand Aquifer (Water Table)	Buried Sand & Gravel Aquifer (Confined)	Bedrock Aquifer	Unknown	Total (mgy)	Total (percent)
Agricultural Irrigation	17.5	_	116.3	43.9	177.7	2.3
Heating/Cooling	_	_	28.9	_	28.9	0.4
Industrial Processing	_	_	814.9	5.0	819.9	10.5
Non-Crop Irrigation	15.1	_	103.3	14.9	133.3	1.7
Other Categories	_	_	186.9	61.8	248.6	3.2
Power Generation	_	_	_	_	_	_
Water Level Maintenance	0.0	_	_	52.0	52.0	0.7
Water Supply	275.6	62.8	5984.3	5.1	6327.8	81.2
Total (mgy)	308.2	62.8	7234.7	182.6	7788.3	_
Total (percent)	4.0	0.8	92.9	2.3	_	100 *

 $<sup>^{11}</sup>$  Data from MPARS; mgy, million gallons per year; dash marks (-) indicate no use in those categories; \* percentages may not equal 100 due to rounding.




Figure 23: Zumbro River Watershed - Distribution of groundwater appropriation permits for 2017 by volume reported and use category. More than eighty percent of permitted water use in the watershed was for public water supply.

# **Groundwater Level Monitoring**

The DNR maintains a statewide groundwater-level monitoring program for assessing groundwater resources, determining long-term trends, interpreting impacts of pumping and climate, planning for water conservation, evaluating water conflicts, and managing water resources.

There are 15 active groundwater-level monitoring wells in the watershed study area, 6 wells in Dodge County and 9 wells in Olmsted County (Figure 25). There is one long-term monitoring well that has been measured since the 1970s. Many new wells were installed in the 2010s. Only three wells had sufficient measurements to plot a meaningful hydrograph.

Only one well (20001) had enough measurements to calculate a statistical trend (<u>Figure 26</u>). <u>Figure 26</u> also shows the location of three wells with hydrographs in this report. <u>Figure 26</u> is a hydrograph of the same well (20001). Water levels have fluctuated over a range of about 15 feet. The changes in water levels approximately follows the changes in precipitation, but there is no long-term trend in water levels.

<u>Figure 26</u> shows hydrographs from a well nest with a sand and gravel (water table) aquifer and a bedrock aquifer. The water table well (20005) fluctuates more on a short time scale. The bedrock well

(20004) responds to pumping events in the same aquifer, but recovers quickly after pumping stops. The nearby pumping is of limited duration and volume.




Figure 24: Zumbro River Watershed – Distribution of groundwater appropriation permits for 2017 by volume reported and aquifer category. Most of the wells with large annual water use are completed in bedrock aquifers.

## Zumbro River Watershed - Active DNR Groundwater Monitoring Wells and Decade that Monitoring Began




Figure 25: Zumbro River Watershed – Active Groundwater-Level Monitoring Wells in the Zumbro Watershed by decade monitoring started. Most of the groundwater-level monitoring wells in the watershed have been monitored for three years or less.




Figure 26: Location of active groundwater-level monitoring wells with enough data to calculate a statistical trend. Trends are calculated by the Mann-Kendall non-parametric statistical method. Well 20001 (the only well with enough data) has no trend over the period of 1997 to 2017. Location of wells with hydrographs are also shown.

Freeborn

Basemap: ESRI World Street Map

Dataset: DNR

Mower

ONR Observation Well with Hydrograph Water Level Direction (Aquifer Type)

None (Bedrock)




Figure 27: Hydrograph of groundwater-level monitoring well 20001. The water level has no long-term trend..




Figure 28: Hydrographs of groundwater-level monitoring wells 20004 and 20005. These two wells form a well nest: 20005 is completed in the surficial sand (water table) aquifer and 20004 in the Galena bedrock aquifer. Local pumping intermittently draws down the water level in the Galena aquifer. Water use data not available for 2018.

## **Groundwater Connected Natural Features at Risk**

The Zumbro River watershed (ZRW) boundary includes significant natural features, including surface waters that depend on groundwater to sustain them (<u>Figure 29</u>). Groundwater appropriations and land-use changes can impact the health of these natural resources. If groundwater quantity or quality is degraded, these resources are at risk. The following features occur within the ZRW:

- Fourteen designated calcareous fens
- Twenty-four designated trout streams
- Wetland complexes across the entire area
- Lakes that may be susceptible to changing aquifer levels
- Nineteen kinds of native plant communities connected to groundwater
- Thirty-three rare plant and animal species connected with groundwater that are listed as endangered, threatened or special concern. This list includes state-listed species.

## Rare Natural Features Connected with Groundwater in the Zumbro River Watershed

Rare natural features (<u>Figure 29</u> and <u>Figure 30</u>) contribute to the health of the habitat and environment. Some even contribute directly to local economies in the form of recreation—including hunting/fishing, wildlife viewing, and camping. Rare natural features can include species of rare plants

and animals as well as native plant communities (habitats). These resources are at risk if groundwater quantity or quality is disrupted.

There are 14 designated calcareous fens in the ZRW. Calcareous fens are very rare prairie wetlands that only occur in 10 states and are fed by a constant supply of cool, calcium rich groundwater that supports a unique set of plants and animals. Calcareous fens support three of the rare plants and zero of the rare animals found in the ZRW. These fens are protected from harm under Minnesota Statute (103G.223). Their decline signals that an alteration to the groundwater, surficial water balance may have taken place. Once lost, these communities cannot be replaced. The Perch Creek WMA is one such example of a calcareous fen that has been lost. It was impacted by a change in groundwater supply and land use that led to periodic flooding, which contributed to its decline to the point that it is no longer recognizable as a viable calcareous fen community—in essence, it no longer exists on the landscape. Calcareous fens occurring in the ZRW include:

- Haverhill 19
- High Forest 15
- Joyce Park Fen
- Marion 30
- Marion 8
- Nelson Fen WMA
- Perched Valley Wetlands
- Pheasants Forever WMA
- Rochester 23
- Rock Dell 23 Fens (x3)
- Wanamingo 22
- Wasioja WMA

There are 24 designated trout streams in the ZRW, listed below. These streams are dependent on a constant supply of cold, oxygen-rich groundwater from springs or seeps. These streams are not only unique, but offer excellent recreation opportunities for fishing. Because surrounding land use changes and water appropriations can easily affect them, trout streams are waters designated by the DNR and protected from harm by law (Minnesota Rule 6264.0050).

- Bullard Creek (M-045)
- Clear Creek (M-043-006)
- Cold Spring Brook (M-034-048)
- Gilbert Creek (M-042)
- Hammond Creek (M-034-041)
- Hay Creek (M-046)
- Klair Creek (M-043-009)
- Long Creek (M-034-022)
- Middle Creek (M-034-021)
- Miller Creek (M-041)
- Second Creek (M-040)
- Spring Creek (M-034-020)
- Tompkins Creek (M-034-056-004-012)
- Trout Brook (M-034-009)
- Trout Brook (M-046-001)

- Trout Brook (M-034-049-001)
- Unnamed Creek (M-034-041-004)
- Unnamed Creek (M-034-049-001-006)
- Unnamed Creek (M-040-010)
- Unnamed Creek (M-042-009)
- Unnamed Creek (M-045-007) & Unnamed Creek (M-045-007-001)
- West Albany Creek (M-034-020-001)
- West Indian Creek (M-034-017)
- Zell Creek (M-034-013)

Groundwater connections to wildlife species are many and often complex. Wildlife groups as diverse as birds, bats, spiders, snakes, turtles, frogs, toads, fishes, and snails all contain species that require some form of surface water body to complete their life cycles and persist on the landscape. If groundwater fluctuations or depletions affect a significant number of surface water features in this area, important wildlife habitats may be impacted or lost.




Figure 29: Zumbro River Watershed - Native Plant Communities Connected with Groundwater

There are 19 kinds of native plant communities associated with or dependent on groundwater in the ZRW. They range from forested communities such as seepage swamp and floodplain forests, to open communities such as wet prairies and rich fens. Eight of these communities are considered critically imperiled or imperiled and four are considered vulnerable status. Two of the 19 native plant communities associated with or dependent on groundwater are considered apparently secure or secure. To learn more about <a href="Conservation Status Ranks for Native Plant Community Types and Subtypes">Conservation Status Ranks for Native Plant Community Types and Subtypes</a> (http://files.dnr.state.mn.us/natural\_resources/npc/s\_ranks\_npc\_types\_&\_subtypes).




Figure 30: Zumbro River Watershed - Rare Plants, Animals, and Native Plant Communities Connected with Groundwater

There are 33 species of animals and plants that are either endangered, threatened, special concern, a state listed "Species In Greatest Conservation Need," or fall on a State Watchlist, that are dependent

on habitats with groundwater or groundwater seepage areas in the ZRW. A detailed list of native plant communities and rare features is available in the <u>Additional Resources</u> section at the end of the report in <u>Table 12</u> through <u>Table 13</u>.




Figure 31: Zumbro River Watershed - Trout Streams, Public Waters, and Rarity of Native Plant Communities Connected with Groundwater. Native Plant Community S-ranks correspond to that community's rarity. S1=Critically Imperiled, S2=Imperiled, S3=Vulnerable to Extirpation, S4=apparently secure; uncommon but not rare, S5=Secure, common, widespread, and abundant.

Groundwater connections to wildlife species are many and often complex. Wildlife groups as diverse as birds, bats, spiders, snakes, turtles, frogs, toads, fishes, and snails all contain species that require some form of surface water body to complete their life cycles and persist on the landscape. If groundwater fluctuations or depletions affect a significant number of surface water features in this area, important wildlife habitats may be impacted or lost.

## **Groundwater Flow Dominated Lakes**

All lakes are connected to groundwater, but the specific interaction between lake water and groundwater depends on the geology, topography, and volume of surface-water inflow and outflow associated with the lake. There are three basic lake types (Petersen and Solstad, 2007):

- 1. Lakes dominated by surface water inflow and outflow resulting from a large ratio of contributing surface watershed area to lake area.
- 2. Lakes dominated by groundwater inflow and outflow resulting from a smaller ratio of contributing surface watershed area to lake area (10 or less). This lake type is often landlocked with no surface outlet. Although for the purposes of this GRAPS report, the lake level outlet elevation has not been studied. Lakes have been put into this classification solely by watershed to lake area ratio.
- 3. Lakes intermediate between the first and second types. This applies to lakes that typically have a large watershed to lake area ratio, but during times of drought, the lake level will drop below the outlet level. Groundwater often becomes a significant part of the inflow to these lakes during extended dry periods.

Only the groundwater-dominant lakes as defined in type 2 above are shown in this report (<u>Figure 32</u>). One lake in the ZRW has a watershed to lake area ratio of 10 or less and is considered a groundwater-dominated lake. Large-scale groundwater pumping near a lake will likely have more impact on groundwater-dominated lakes than on surface water-dominant lakes.




Figure 32: Groundwater-Dominated Lakes. Rice Lake is the only lake in the Zumbro River Watershed with a watershed/lake ratio of 10 or less.

# **How to Address Groundwater Quantity Issues**

Most groundwater quantity (sustainability) issues are the result of overuse of groundwater and/or reduction in recharge to the underlying aquifer. Therefore, the strategies to address water quantity issues are similar, regardless of the groundwater quantity issue. The two primary goals to assure water sustainability are:

- Water conservation: Reduce or limit the amount of groundwater used
- Promote or protect recharge: Find ways for water to infiltrate back into the ground

There are a variety of strategies to help meet water conservation and recharge goals. The type of strategy used depends on the primary factor affecting quantity in the area in question. Strategies include: conservation easements, cropland management, education and outreach, irrigation water management and land use planning and management. (<u>Table 9</u>) provides a more comprehensive list of specific actions the ZRW can take to conserve water and promote recharge.

# Zumbro River Watershed Strategies and Actions to Restore and Protect Groundwater

This section provides tips for prioritizing and targeting restoration and protection strategies and makes suggestions about what strategies and actions would be most appropriate within different areas of the watershed. Information on the geological, ecological and sociological conditions for each county and subwatershed (HUC-10) informs which strategies and actions would be effective for each HUC-10 and county.

# **Tips for Prioritizing and Targeting Strategies and Actions**

## **Determine Your Goal**

You may decide to address an issue because of known instances or threats in an area, or maybe you are working in a geographic area because of jurisdiction or some other factors. The Actions and Strategies Table (<u>Table 9</u>) will help you focus on the goal, for instance, reducing nitrate in groundwater. Then you will need to decide, using the table, if you would like to focus on conservation easements, outreach and education, nutrient management, or some other strategy.

# Match the Right Action with the Right Location

The Actions and Strategies Table (Table 9) will help you determine where the actions would be most effective. For instance, an activity that reduces nitrate in groundwater may be more valuable in sensitive areas or vulnerable wellhead protection areas. Or, if you are focused on a limited geography, the table will help you determine what actions are applicable to that area. Considering the sensitivity combined with the presence of drinking water wells and vulnerable wellhead protection areas can help further focus efforts. In another example, factors such as the presence of groundwater dependent features and a concentration of large appropriation wells can help determine where efforts to promote conservation and recharge would be most effective.

# **Know the Pollution Sensitivity**

Groundwater quality is impacted by both point and non-point source pollution. These potential contaminant sources need to be managed according to the pollution sensitivity of the aquifer (Figure 5). Examining the sensitivity of the aquifer as it relates to contamination risk helps determine the level of management necessary to protect groundwater quality. For example, a failing septic system has a greater potential to contaminate the aquifer in a highly sensitive setting with coarse textured material than an area with low sensitivity that has a protective clay layer that retards the movement of water into the aquifer.

# **Consider Multiple Benefits**

Oftentimes, the restoration and protection strategies identified for both groundwater and drinking water positively influence other ecosystem services, such as surface waters, habitat, and pollinators, among others. Managing water as 'one water', rather than parceling it out to reflect the different aspects of water as it moves through the hydrologic cycle, allows for better planning and allocation of

resources. The far right columns of the Actions and Strategies Table (<u>Table 9</u>) identifies the multiple benefits that could result from implementing the action.

# **Leverage Other Programs and Practices**

Utilize existing Federal and State programs that are already working in the ZRW to conserve land, prevent erosion and protect or improve surface water quality. Many of the practices that are being implemented have a benefit for groundwater. You can further target some of these efforts based on the information provided in this report to maximize the benefits by protecting groundwater. (Table 9) includes a column that identifies which agencies can assist with a specific action; the listed agencies typically have some type of program in place that you can leverage. The Descriptions of Supporting Strategies section of this report lists existing programs and resources for each of the suggested strategies.

# **Emphasize Protection**

There is often a bias in groundwater management towards strategies that emphasize protection because of the cost and difficulty of remediating already-contaminated resources. In contrast to surface water bodies, groundwater:

- is difficult to access;
- cannot be observed, sampled or measured easily;
- travels slowly, often along complex pathways and through aquifer media that can absorb and store contaminants over long time periods; and
- is very difficult and expensive to treat if contaminated.

Timeframes associated with groundwater cleanup activities are often measured in decades and cost millions of dollars. Groundwater management strategies that emphasize prevention and protection are critical.

Although the tide is changing within water resources management in Minnesota, many funding streams and priorities are focused on restoration activities that can show measureable outcomes. Even though it is difficult to demonstrate 'improvements' from protection strategies, it is important to stress the need to take a balanced approach and protect groundwater resources.

# Strategies and Actions for Zumbro River Watershed

This section provides a table of strategies and actions local partners in the ZRW can take to restore and protect groundwater resources. Many of the proposed actions require the participation of a willing landowner to execute. Other actions reflect opportunities to manage land use through local controls. Many of the proposed strategies and actions align with strategies to protect surface waters.

Each action aligns with one or more supporting strategies and goals.

- Goals identify how an action helps restore and/or protect groundwater.
- Supporting Strategies are key approaches to achieving the goal.
- Recommended Groundwater Actions are specific actions prescribed to a specific county or HUC-10 within the watershed that will help achieve the goal and pertains to the supporting strategy.

<u>Figure 33</u> provides a visual representation of the relationship between goals, supporting strategies, and recommended groundwater actions. Note that each goal is supported by many supporting strategies, and each supporting strategy may have a variety of recommended groundwater actions.




Figure 33: Visual representation of the relationship between goals, supporting strategies, and recommended groundwater action.

# How to Use the Table of Actions and Strategies

The Table of Actions and Strategies (<u>Table 9</u>) is designed so that you can find actions and strategies related to whatever your priorities may be when it comes to restoring and protecting groundwater. There are a variety of columns to facilitate the following:

- finding actions for specific geographic areas (counties or HUC-10s);
- finding actions or strategies that would help achieve a specific goal;
- learning the additional benefits of implementing a specific action; and
- tips for determining where to target a specific action if you cannot implement the action in the entire recommended area.

The following list defines what each of the columns in <u>Table 9</u> represent:

- Goal: How the action in this row helps restore and/or protect groundwater. The goals have been sorted alphabetically as much as possible. Each goal identifies the main objective—such as whether it protects groundwater quality or sustains the amount of water available—and includes a keyword to explain how the goal is achieved. For example, a goal that is listed as 'Protect Groundwater and Drinking Water Quality: Closed Landfills' can be interpreted as: Protect groundwater and drinking water quality from landfill contamination.
- **Supporting Strategies**: Identifies and links you to general strategies that help accomplish the goal for the action in this row. Each strategy is hyperlinked to a section of the report that

provides more information about the strategy and connects you with existing tools and programs that may assist you in implementing this strategy or implementing actions related to this strategy.

- **Recommended Groundwater Action**: A specific action you can take to help achieve the goal to the left in the row and is informed by the strategy to the left in the same row.
- Target \_\_\_\_\_\_ Co.: The 'X's' denote which counties should consider using the action described in the corresponding row. An 'X' denotes the action would be most beneficial for that county. The addition of the counties helps to further prioritize and target where recommended groundwater actions should be implemented, narrowing the focus from a larger subwatershed to a specific geographic area. For example, many of the subwatersheds identify the need to work with irrigators; by adding the additional filter of counties, you are able to eliminate specific counties that do not have irrigators, targeting where implementation should occur. It also works as a quick reference to identify groundwater actions specific to the county in which you work.
- HUC-10s Involved: This column denotes which HUC-10 subwatershed(s) within the ZRW to consider using the action described in the corresponding row. There are 19 HUC-10s within the watershed. Table 8 provides the name and the HUC-10 number assigned to each major watershed. Figure 2 is a map of the HUC-10s.
- Agencies that can assist <sup>12</sup>: This column lists agencies that may be able to assist with implementing the strategy through existing programs or providing more information or technical assistance.
- Tips for Targeting & Helpful Maps: This column helps identify the areas that should be targeted for the specific action if it is not feasible to implement the action in all the recommended counties or HUC-8s. The column also includes links to maps within the GRAPS report that may be helpful in identifying which specific areas within a county or HUC-8 to target. The maps are listed in italicized font. You can click on the blue text that says the figure number for the map to hyperlink directly to the map being referenced.
- Benefit:\_\_\_\_\_\_ <sup>13</sup>: This series of 'X' marks whether the corresponding action may have additional benefits. An 'X' denotes the action could create the described additional benefit.

Table 8: HLIC 10 subwatersheds within the 7umbro River Watershed

HUC-10 Name	Reference Name in	HUC-10 Number
	Implementation Table	
Hay Creek – Mississippi River	Hay	0704000104
Lake Pepin	Pepin	0704000107
Wells Creek	Wells	0704000106
Middle Fork Zumbro River	Middle Fork	0704000403
North Fork Zumbro River	North Fork	0704000404
South Branch Middle Fork Zumbro River	South Branch	0704000402

<sup>&</sup>lt;sup>12</sup> BWSR=Board of Soil and Water Resources; FSA=Farm Service Agency; MDA=Minnesota Department of Agriculture; MDH=Minnesota Department of Health; MPCA=Minnesota Pollution Control Agency; NRCS=Natural Resources Conservation Service; UMN=University of Minnesota Extension (not a comprehensive list of agencies/partners)

<sup>&</sup>lt;sup>13</sup> Habitat=Improve/Protect Habitat, including pollinators; GWCF=Improve/Protect Groundwater Connected Features; Soil Health=Improve/Protect Soil Health; Erosion=Control Erosion; Carbon=Carbon Sequestration; Nutrient Runoff=Control Nutrient Runoff, including pesticides (*The multiple benefits achieved are dependent on the placement and type of BMPs implemented; seed mixes planted; and other site conditions*).

HUC-10 Name	Reference Name in Implementation Table	HUC-10 Number
South Fork Zumbro River	South Fork	0704000401
Zumbro River	Zumbro	0704000405

# **Summary of Key Findings and Issues**

Below is a summary of key groundwater quality and quantity findings found in the ZRW. This summary can be used to help target groundwater actions during the 1W1P exercise.

## **Key Groundwater Quality Findings and Issues**

- Nitrate nearly seven percent of tested drinking water wells had levels at or above the SDWA standard of 10 mg/L. The shallower wells represented all of the exceedances.
  - There are no MDA ambient monitoring well in the ZRW.
  - MDA TTP sampled four counties drinking water wells for nitrate in 44 townships in the ZRW. Nitrate exceedances were detected in many of the townships where row crop production combined with vulnerable geology has resulted in samples exceeding the SDWA standard.
  - One MPCA ambient monitoring well detected nitrate, recording two exceedances in 2005 and 2006.
- Arsenic none of the 177 tested wells had levels exceeding the SDWA standard of 10  $\mu$ g/L. The EPA has set a goal of 0  $\mu$ g/L for arsenic in drinking water because there is no safe level of arsenic in drinking water.
- Pesticides there are no MDA monitoring wells within the watershed.
- DWSMAs cover over 57,000 acres in the watershed. Twenty-three of the 35 community public water suppliers are engaged in the wellhead protection planning process or are implementing their plans. Of the 23 systems with approved plans, the vulnerability varies across the watershed from very low to very high. Fourteen of the approved wellhead protection plans exhibit a high to very high vulnerability in all or part of their DWSMA and are considered vulnerable to contamination from the land surface, with all others exhibiting moderate or low vulnerability.
  - Nearly 80 percent of the people living in the watershed get their drinking water from a community public water supply system.
- Private wells there are 2419 private drinking water wells with known locations ranging from 15 ft. to 1250 ft. deep.
- Flood events can threaten the safety and availability of drinking water by washing pathogens and chemical contamination into source aquifers. Olmsted and Wabasha County has the greatest number of wells at risk within the 100 year flood zone.
- Animal feedlots there are 1817 active feedlots in the watershed with the greatest concentration in Goodhue County. Goodhue, Rice and Steele counties are delegated counties in the watershed that manages the feedlot program locally. All others rely on the MPCA to administer the feedlot rule.
- **Row crop agriculture** accounts for nearly 70 percent of land cover in the watershed. In areas with high pollution sensitivity, agricultural inputs can contaminate the underlying aquifer.
- **SSTS** are found throughout the watershed. Information reported by counties indicate Rice County has the highest number of failing SSTS at four to seven per 1,000 acres. Wabasha County reported the fewest number of failing SSTS.

- Contaminated sites there are 546 active tank sites that could leak chemicals into the
  environment and 15 leak sites that may cause localized groundwater pollution if not properly
  managed. The risk to groundwater is greatest in areas of high pollution sensitivity.
  - Three closed landfill with a known groundwater contamination plume is found within the watershed.

## **Key Groundwater Quantity Findings and Issues**

- The ZRW depends on bedrock aquifers for drinking water. Permitted groundwater use reports suggest that overall use is stable.
- Groundwater accounts for approximately 64 percent of the total appropriated water use within the watershed.
  - Water supply is the largest groundwater user at just over 81 percent, followed by industrial processing at over 10 percent.
- DNR observation well report water levels have fluctuated over a range of about 15 feet. The changes in water levels approximately follows the changes in precipitation, but there are no long-term trend in water levels.
- ZRW has 14 designated calcareous fens and 24 designated trout streams.
- Rice Lake is the only lake in the ZRW with a watershed to lake ratio of 10 or less and are considered groundwater dependent lakes, susceptible to changing aquifer levels.
- Wetland complexes across the entire watershed are susceptible to changing aquifer levels.
- Nineteen kinds of native plant communities, eight of these communities are considered critically imperiled or imperiled and four are considered vulnerable status. In addition, 33 statelisted endangered, threatened, or special concern plant and animal species connected to groundwater that are at risk to changing aquifer levels and degraded groundwater quality.

# **Table of Actions and Strategies to Restore and Protect Groundwater**

Table 9: Actions and Strategies to Restore and Protect Groundwater

			7 4	DIC J.	Action	s una .	Julie	jies to	Restore and Protect Grou	nawater							
Goal	Supporting Strategy	Recommended Groundwater Actions	Target Dodge Co.	Target Goodhue Co.	Target Olmsted Co.	Target Rice Co.	Target Steele Co.	Target Wabasha Co.	HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & <i>Helpful Maps</i>	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
Protect Private Well Users: Arsenic	Education and Outreach	<ul> <li>Educate well users about the health risks of elevated arsenic levels in drinking water.</li> <li>Promote testing of private wells through education or cost share.</li> <li>Provide information from MDH about arsenic in Minnesota's well water to private well users to help answer health related questions and information on arsenic removal.</li> </ul>	X	X	X	X	X	X	All	MDH Well MGMT	Prioritize areas with a high density of private wells and areas with evidence of high levels of arsenic in private wells.  Arsenic Map (Figure 15)  Drinking Water Wells Map (Figure 11)						
Protect Private Well Users: Well Testing	Education and Outreach	Make information available to private well users about local drinking water quality and well testing. Host a well testing clinic or provide resources to well users to have their water tested for:  Coliform Bacteria (every year) Nitrate (every other year) Arsenic (at least once) Lead (at least once) Manganese (at least once)	X	X	X	X	X	X	All	MDH Well MGMT	Prioritize areas with a high density of private wells, high pollution sensitivity, karst geology and/or where there are known groundwater contaminants.  Pollution Sensitivity Map (Figure 5) Pollution Sensitivity Wells (Figure 7) Arsenic Map (Figure 15) Drinking Water Wells Map (Figure 11) Nitrate Map (Figure 13)						
Protect Private Well Users: Manage Wells Protect Groundwater and	Education and Outreach	Promote proper management of wells through MDH tools, such as the 'Well Owners Handbook' in landowner outreach efforts.	Х	X	X	X	X	X	All	MDH Well MGMT	Prioritize areas with a high density of private wells  Drinking Water Wells Map (Figure 15)						

Goal	Supporting Strategy	<ul> <li>Recommended Groundwater Actions</li> </ul>	Target Dodge Co.	Target Goodhue Co.	Target Olmsted Co.	Target Rice Co.	Target Steele Co.	Target Wabasha Co.	HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & <i>Helpful Maps</i>	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
<b>Drinking Water Quality:</b> Manage Wells																	
Protect Groundwater and Drinking Water Quality: Well Sealing	Education and Outreach	<ul> <li>Provide cost share to well owners for sealing of unsealed, unused wells.</li> <li>Provide educational materials on well sealing.</li> </ul>	Х	Х	X	Х	X	Х	All	MDH Well MGMT	Prioritize areas with a high density of private wells and DWSMAs.  Drinking Water Wells Map (Figure 11)  DWSMA Map (Figure 10)						
Protect Groundwater and Drinking Water Quality: Well Inventory	Land Use Planning and Management	To understand water quality trends, establish a well inventory to record baseline data or changes in groundwater quality. An example of a successful model is the Southeast MN Domestic Well Network.	Х	X	X	X	X	Х	All	MDH Well MGMT	N/A						
Protect Groundwater and Drinking Water Quality: Closed Landfills	Contaminant Planning and Management  Land Use Planning and Management	<ul> <li>Identify MPCA closed landfill locations and groundwater areas of concern in comprehensive land use plans, zoning maps and ordinances. Identifying the location will help assure drinking water and public health implications are considered when evaluating future growth or development near these sites.</li> <li>Consult and review the MPCA Closed Landfill Program to make sure any proposed changes in zoning districts or new land use planning proposals are not in conflict with the State Closed Landfill Plan.</li> <li>Contact the MPCA Closed Landfill Program for current information and any concerns</li> </ul>	X	X	X				Wells South Branch Zumbro	MPCA CLP Land Manager	Closed Landfill Map (Figure 19)						

Goal	Supporting Strategy	<ul> <li>Recommended Groundwater Actions</li> <li>or changes to the groundwater area of concern when considering land use changes or developments near the area.</li> <li>Request to be notified regarding any changes in the migration or movement of contaminants.</li> <li>Educate residents about the proper disposal of HHW, pharmaceuticals and personal care products that can contaminant landfills.</li> </ul>	Target Dodge Co.	Target Goodhue Co.	Target Olmsted Co.	Target Rice Co.	Target Steele Co.	Target Wabasha Co.	HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & <i>Helpful Maps</i>	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
Protect Groundwater and Drinking Water Quality: Leaky Tanks	Contaminant Planning and Management  Land Use Planning and Management	<ul> <li>Identify leaky and active tank sites in your area in comprehensive land use plans, zoning maps and ordinances. Identifying these locations will help assure drinking water and public health implications are considered when evaluating future growth or development near these sites.</li> <li>Contact the MPCA Tank Compliance and Assistance Program for current information and any concerns or changes to the groundwater area of concern when considering land use changes or developments near these areas. Request to be notified regarding any changes in the migration or movement of contaminants.</li> </ul>	X	X	X	X	X	X	All	MPCA Tanks Program	Focus in areas with high pollution sensitivity, karst geology and highly vulnerable DWSMAs.  Pollution Sensitivity Map (Figure 5)  Pollution Sensitivity Wells (Figure 7)  DWSMA Map (Figure 10)  Tank & Leak Site Map (Figure 18)						
Protect Groundwater and Drinking Water Quality: Feedlots	Contaminant Planning and Management	Prioritize feedlot inspections, regardless of size, in areas of greatest risk to pollution, to minimize the loss of nitrate and harmful bacteria.	Х	X	X	Х	Х	Х	All	MPCA Feedlot Program	Focus in areas with high pollution sensitivity, karst geology and highly vulnerable DWSMAs.						X

Goal	Supporting Strategy	Recommended Groundwater Actions	Target Dodge Co.	Target Goodhue Co.	Target Olmsted Co.	Target Rice Co.	Target Steele Co.	Target Wabasha Co.	HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & <i>Helpful Maps</i> Pollution Sensitivity Map (Figure 5)  Pollution Sensitivity Wells (Figure 7)	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
											DWSMA Map ( <u>Figure 10</u> )  Active Feedlot Map ( <u>Figure 17</u> )						
Protect Groundwater and Drinking Water Quality: Manure Management	Education and Outreach  Nutrient  Management	<ul> <li>In delegated counties, all feedlots that apply manure in areas of high risk will conduct a Level 2 records review completed regardless of the size of facility.</li> <li>In delegated counties, conduct annual Level 3 review of manure acres in areas of high risk.</li> <li>Assist feedlot owners, especially sites with 300 or fewer animal units, in the development of a manure management plan.</li> <li>Host field days that promote; emergency response training, manure crediting, calibration of equipment, and the manure testing process.</li> <li>Evaluate local ordinances and revise to include manure timing guidelines to protect from nitrate loss. Follow the UMN Extension guidelines, including no summer application and fall application only after soil temperature is below 50 degrees.</li> </ul>	X	X	X	X	X	X	All	MPCA Feedlot Program	Focus in areas with high pollutions sensitivity, karst geology and highly vulnerable DWSMAs.  Pollution Sensitivity Map (Figure 5)  Pollution Sensitivity Wells (Figure 7)  DWSMA Map (Figure 10)  Active Feedlot Map (Figure 17)			X	X		X

Goal	Supporting Strategy	<ul> <li>Recommended Groundwater Actions</li> </ul>	Target Dodge Co.	Target Goodhue Co.	Target Olmsted Co.	Target Rice Co.	Target Steele Co.	Target Wabasha Co.	HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & <i>Helpful Maps</i>	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
Protect Groundwater and Drinking Water Quality: Manure Management	Education and Outreach  Nutrient Management  Contaminant Planning and Management	Promote actions to prepare for field application of manure:  Inspect equipment to ensure everything is functioning properly to avoid leaks or spills  Get manure sampled and analyzed for nutrient availability  Plan applications for each field  Determine any setbacks needed in fields and mark locations of sensitive features to avoid  Use the Minnesota Runoff Risk Advisory Forecast system tool to determine the best time to apply manure.  Put together an emergency action plan that identifies leak and spill containment	X	X	X	X	X	X	All	MPCA Feedlot Program	Focus in areas with high pollution sensitivity, karst geology and highly vulnerable DWSMAs.  Pollution Sensitivity Map (Figure 5)  Pollution Sensitivity Wells (Figure 7)  DWSMA Map (Figure 10)  Active Feedlot Map (Figure 17)			X	X		X
Protect Groundwater and Drinking Water Quality: Nitrate	Nutrient Management  Education and Outreach	Promote implementation of nutrient management practices to improve farm profitability and reduce nitrogen loss. Practices include:  Improve nitrogen efficiency by practicing the 4 R's of nitrogen stewardship (right source, right rate, right timing, and right place)  Adopt and use of the UMN 'Best Management Practices for Nitrogen use in Minnesota	X	X	X	X	X	X	All	MDA Pesticide & Fertilizer Division	Focus on areas with high pollution sensitivity, karst geology, highly vulnerable DWMSAs, and vulnerable townships identified by MDA through their township testing program.  Pollution Sensitivity Map (Figure 5)  Pollution Sensitivity Wells (Figure 7  DWSMA Map (Figure 10)  Township Testing Map (Figure 14)						X

Goal	Supporting Strategy	<ul> <li>Recommended Groundwater Actions</li> </ul>	Target Dodge Co.	Target Goodhue Co.	Target Olmsted Co.	Target Rice Co.	Target Steele Co.	Target Wabasha Co.	HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & <i>Helpful Maps</i>	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
		<ul> <li>Properly credit nitrogen sources         (soil/manure tests, past crops, &amp;         mineralization)</li> <li>Implement comprehensive nutrient         management plans to improve nitrogen         crediting, equipment calibration, and         record keeping</li> <li>Spoon feed nitrogen to sync with plant         growth through side dressing and split         fertilizer application</li> </ul>															
Protect Groundwater and Drinking Water Quality: Nitrate	Nutrient Management  Education and Outreach	Increase the number of farmers enrolled in the Nutrient Management Initiative Program to evaluate alternative nutrient management practices.	X	X	X	X	X	X	All	MDA Pesticide & Fertilizer Division	Focus on areas with high pollution sensitivity, karst geology, highly vulnerable DWMSAs, and vulnerable townships identified by MDA through their township testing program.  Pollution Sensitivity Map (Figure 5)  Pollution Sensitivity Wells (Figure 7  DWSMA Map (Figure 10)  Township Testing Map (Figure 14)						X
Protect Groundwater and Drinking Water Quality: Nitrate	Nutrient Management  Education and Outreach	Identify programs and opportunities for growers to test and implement new nitrogen practices, innovative technology or cropping systems that protect groundwater quality that prevent or reduce nitrogen loss. (E.g. Cover Crops, Alternative Crops, Precision Ag / New Technologies, Nutrient Management Initiative, etc.)	X	X	X	X	X	X	All	MDA Pesticide & Fertilizer Division	Focus on areas with high pollution sensitivity, karst geology, highly vulnerable DWMSAs, and vulnerable townships identified by MDA through their township testing program.  Pollution Sensitivity Map (Figure 5)  Pollution Sensitivity Wells (Figure 7)	X		X		X	X

Goal	Supporting Strategy	Recommended Groundwater Actions	Target Dodge Co.	Target Goodhue Co.	Target Olmsted Co.	Target Rice Co.	Target Steele Co.	Target Wabasha Co.	HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & <i>Helpful Maps</i>	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
	<u>Cropland</u> <u>Management</u>										DWSMA Map ( <u>Figure 10</u> )  Township Testing Map ( <u>Figure 14</u> )						
Protect Groundwater and Drinking Water Quality: Nitrate	Nutrient Management  Education and Outreach	Promote the adoption of cover crops for scavenging nutrients under row crops.	X	X	X	X	X	X	All	MDA Pesticide & Fertilizer Division	Focus on areas with high pollution sensitivity, karst geology, irrigated row crops, highly vulnerable DWSMAs, and vulnerable townships identified by MDA through their township testing program.  Pollution Sensitivity Map (Figure 5) Pollution Sensitivity Wells (Figure 7) DWSMA Map (Figure 10) Township Testing Map (Figure 14) Drinking Water Wells Map (Figure 11)	X		X	X	X	X
Protect Groundwater and Drinking Water Quality: Nitrate	Education and Outreach  Nutrient Management  Irrigation Water Management	Promote the use of chemigation/fertigation to synchronize nitrogen application to crop demand.	X	X	X		X	X	Pepin Wells North Fork South Branch South Fork Zumbro	MDA Pesticide & Fertilizer Division	Focus on irrigators in areas with high pollution sensitivity, karst geology, and highly vulnerable DWSMAs.  Pollution Sensitivity Map (Figure 5)  Pollution Sensitivity Wells (Figure 7)  DWSMA Map (Figure 10)  Township Testing Map (Figure 14)  Monitoring Wells/Pumping (Figure 25)						X

Goal	Supporting Strategy Education	<ul> <li>Recommended Groundwater Actions</li> </ul>	Target Dodge Co.	Target Goodhue Co.	Target Olmsted Co.	Target Rice Co.	Target Steele Co.	Target Wabasha Co.	HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & <i>Helpful Maps</i>	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
Protect Groundwater and Drinking Water Quality: Nitrate Groundwater Sustainability: Water Conservation	Anagement  Cropland Management	Promote the benefits of farming using soil health principles that increase soil moisture holding capacity, organic matter, and nutrient cycling.	X	X	X	X	X	X	All	NRCS Field Office	Focus on areas with high pollution sensitivity, karst geology, highly vulnerable DWMSAs, and vulnerable townships identified by MDA through their township testing program.  Pollution Sensitivity Map (Figure 5)  Pollution Sensitivity Wells (Figure 7)  DWSMA Map (Figure 10)  Township Testing Map (Figure 14)  Nitrate in Wells Maps (Figure 13)			X	X	X	X
Protect Groundwater and Drinking Water Quality: Nitrate Groundwater Sustainability: Water Conservation	Education and Outreach  Nutrient Management  Cropland Management	Contact state and federal agency resource partners and coordinate opportunities for local field days, training and outreach for farmers, co-ops, and crop consultants. Focus on alternative nitrogen management practices, soil health, and second crops.	X	X	X	X	X	X	All	MDA Pesticide & Fertilizer Division	Focus on areas with high pollution sensitivity, karst geology, highly vulnerable DWMSAs, and vulnerable townships identified by MDA through their Township Testing program.  Pollution Sensitivity Map (Figure 5) Pollution Sensitivity Wells (Figure 7) DWSMA Map (Figure 10) Township Testing Map (Figure 14) Nitrate in Wells Maps (Figure 13)						
Protect Groundwater and	Education and Outreach	Promote the benefits of crop diversity and rotation, which include high yields for each	X	X	Х	Х	Х	X	All	MDA Pesticide & Fertilizer Division	Focus on areas with high pollution sensitivity, karst geology, highly vulnerable DWMSAs, and vulnerable		Х	Χ	Х	Х	X

Goal  Drinking Water	Supporting Strategy Cropland	<ul> <li>Recommended Groundwater Actions</li> <li>crop in the rotation, pest and weed control,</li> </ul>	Target Dodge Co.	Target Goodhue Co.	Target Olmsted Co.	Target Rice Co.	Target Steele Co.	Target Wabasha Co.	HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & <i>Helpful Maps</i> townships identified by MDA through	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
Quality: Nitrate Protect Groundwater and Drinking Water Quality: Pesticides	Integrated Pest Management	and enhanced soil fertility.									their township testing program.  Pollution Sensitivity Map (Figure 5)  Pollution Sensitivity Wells (Figure 7  DWSMA Map (Figure 10)  Township Testing Map (Figure 14)  Nitrate in Wells Maps (Figure 13)						
Protect Groundwater and Drinking Water Quality: Nitrate  Protect Groundwater and Drinking Water Quality: Pesticides Groundwater Sustainability: Water Conservation	Education and Outreach  Irrigation Water Management	Provide information on best practices for turf management to the public. Include information on fertilizer application, crediting for grass clippings, lawn watering and herbicide and pesticide application.	X	X	X			X	Pepin North Fork Middle Fork South Branch South Fork	UMN Lawns & Turfgrass MGMT Team	Focus in MS4 communities and residential developments with high pollution sensitivity, karst geology, along with highly vulnerable DWSMAs.  Pollution Sensitivity Map (Figure 5)  Pollution Sensitivity Wells (Figure 7)  DWSMA Map (Figure 10)			X	X	X	X
Protect Groundwater and Drinking Water Quality: Pesticides	Education and Outreach	Promote the adoption and use of MDA's water quality BMPs for agricultural pesticides and insecticides.	Х	Х	X	X	Х	X	All	MDA Pesticide & Fertilizer Division	Focus in areas of pesticide detection in MDA's monitoring wells, along with areas of high pollution sensitivity, karst geology, highly vulnerable DWMSAs, and vulnerable townships						Х

Goal	Supporting Strategy	Recommended Groundwater Actions	Target Dodge Co.	Target Goodhue Co.	Target Olmsted Co.	Target Rice Co.	Target Steele Co.	Target Wabasha Co.	HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & <i>Helpful Maps</i>	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
	Integrated Pest Management										identified by MDA through their Township Testing program.  Pollution Sensitivity Map (Figure 5)  Pollution Sensitivity Wells (Figure 7)  DWSMA Map (Figure 10)  Township Testing Map (Figure 14)						
Protect Groundwater and Drinking Water Quality: Pesticides	Education and Outreach	Promote to farmers and area businesses the Agricultural and Non-Agricultural Waste Pesticide Collection Program to dispose of unwanted and unusable pesticides.	X	X	X	X	X	X	All	MDA Pesticide & Fertilizer Division	Focus in areas of pesticide detection in MDA's monitoring wells, along with areas of high pollution sensitivity, karst geology, highly vulnerable DWMSAs, and vulnerable townships identified by MDA through their Township Testing program.  Pollution Sensitivity Map (Figure 5)  Pollution Sensitivity Wells (Figure 7)  DWSMA Map (Figure 10)  Township Testing Map (Figure 14)						
Protect Groundwater and Drinking Water Quality: SSTS	SSTS Management	<ul> <li>Enforce state and locally adopted SSTS ordinances for the protection of groundwater and drinking water sources.</li> <li>Evaluate existing SSTS ordinances and identify opportunities to enhance groundwater protection. Activities may include adding a Point of Sale requirement</li> </ul>	X	X	X	Х	X	X	All	MPCA SSTS Field Staff	Focus in areas with high pollution sensitivity, karst geology, highly vulnerable DWSMAs, and areas with a density of SSTS. You can use the Well Density Map as an imperfect surrogate for SSTS density.  Drinking Water Wells Map (Figure 15)						

Goal	Supporting Strategy	Recommended Groundwater Actions	Target Dodge Co.	Target Goodhue Co.	Target Olmsted Co.	Target Rice Co.	Target Steele Co.	Target Wabasha Co.	HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & <i>Helpful Maps</i>	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
		<ul> <li>to trigger a SSTS inspection during real estate transactions.</li> <li>Improve SSTS records by obtaining information on treatment system; age, type and function to understand potential risks to groundwater.</li> </ul>									Pollution Sensitivity Map (Figure 5)  Pollution Sensitivity Wells (Figure 7)  DWSMA Map (Figure 10)						
Protect Groundwater and Drinking Water Quality: SSTS	Education and Outreach SSTS Management	<ul> <li>Educate citizens about SSTS including:</li> <li>The basic principles of how a septic system works</li> <li>How to operate the system efficiently and effectively</li> <li>Risks to human health and the environment</li> <li>Financial options to repair or replace failing or non-compliant system</li> </ul>	X	X	X	X	X	X	All	MPCA SSTS Field Staff	Focus in areas with high pollution sensitivity, karst geology, highly vulnerable DWSMAs, and areas with a density of SSTS. You can use the Well Density Map as an imperfect surrogate for SSTS density.  Drinking Water Wells Map (Figure 15)  Pollution Sensitivity Map (Figure 5)  Pollution Sensitivity Wells (Figure 7)  DWSMA Map (Figure 10)						
Protect Groundwater and Drinking Water Quality: SSTS	Education and Outreach SSTS Management	Host local SSTS training and workshops for area contractors and citizens regarding SSTS technology, compliance, and maintenance.	X	X	X	X	X	X	All	MPCA SSTS Field Staff	Focus in areas with high pollution sensitivity, karst geology, highly vulnerable DWSMAs, and areas with a density of SSTS. You can use the Well Density Map as an imperfect surrogate for SSTS density.  Drinking Water Wells Map (Figure 15)  Pollution Sensitivity Map (Figure 5)  Pollution Sensitivity Wells (Figure 7)						

Goal  Protect Groundwater and Drinking Water Quality: Wellhead Protection (WHP)	Supporting Strategy  Education and Outreach  Cropland Management  Land Use Planning and Management	Recommended Groundwater Actions  Serve on WHP planning teams to assist public water suppliers with planning and implementation activities to address land use planning concerns.	× Target Dodge Co.	× Target Goodhue Co.	× Target Olmsted Co.	Target Rice Co.	Target Steele Co.	× Target Wabasha Co.	HUC-10s Involved All	Lead Agency that can assist MDH SWP Unit	Tip(s) for Targeting & Helpful Maps  DWSMA Map (Figure 10)  Wellhead Protection Plan Development Status (Figure 9)  DWSMA Map (Figure 10)	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
Protect Groundwater and Drinking Water Quality: Wellhead Protection	Land Use Planning and Management	Integrate WHP plan strategies into local plans, such as the 1W1P and land use plans.	X	X	X			X	All	MDH SWP Unit	DWSMA Map ( <u>Figure 10</u> )						
Protect Groundwater and Drinking Water: Household Hazardous Waste (HHW)	Education and Outreach  Land Use Planning and Management	<ul> <li>Educate the public about the risks of improperly disposing of HHW and promote community-supported collection sites.</li> <li>Make disposal of HHW easy for the public by expanding collection sites through mobile units by stopping in different communities throughout the summer for free drop off.</li> <li>Promote other recycling options of various products at area businesses throughout the year.</li> </ul>	X	X	X	X	X	X	All	MPCA Hazardous Waste Program	Focus on areas with high pollution sensitivity, karst geology, and highly vulnerable DWMSAs  Pollution Sensitivity Map (Figure 5)  Pollution Sensitivity Wells (Figure 7)  DWSMA Map (Figure 10)						

Goal Protect Groundwater and	Supporting Strategy Education and Outreach	<ul> <li>Recommended Groundwater Actions</li> <li>Keep unused/unwanted medications out of drinking water supplies by educating the</li> </ul>	× Target Dodge Co.	× Target Goodhue Co.	× Target Olmsted Co.	× Target Rice Co.	× Target Steele Co.	× Target Wabasha Co.	HUC-10s Involved	Lead Agency that can assist MPCA Hazardous	Tip(s) for Targeting & Helpful Maps  Focus on areas with high pollution sensitivity, karst geology, and highly	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
Drinking Water: Pharmaceuticals		public about available safe and secure drop box locations at law enforcement facilities and pharmacies.								Waste Program	vulnerable DWMSAs  Pollution Sensitivity Map (Figure 5)  Pollution Sensitivity Wells (Figure 7)  DWSMA Map (Figure 10)						
Protect Groundwater and Drinking Water: Contaminants of Emerging Concern (CEC)	Education and Outreach	Enhance Minnesotans' understanding of CEC's by communicating the health impacts and exposure potential of emerging contaminants in drinking water. Outreach and Education Grants are available through the MDH CEC Initiative. See Outreach and Education Grants  (www.health.state.mn.us/divs/eh/risk/guidan ce/dwec/outreachproj.html) for opportunities.	X	X	X	X	X	X	All	MDH CEC Program	Focus on areas with high pollution sensitivity, karst geology and highly vulnerable DWMSAs  Pollution Sensitivity Map (Figure 5)  Pollution Sensitivity Wells (Figure 7)  DWSMA Map (Figure 10)						
Protect Groundwater and Drinking Water	Education and Outreach	Educate the public and decision makers about the hydrologic connectivity of groundwater and surface water and how this influences the vulnerability of drinking water resources.	Х	X	X	X	Х	X	All	DNR Ecological & Water Resources	Focus in areas with high pollution sensitivity and karst geology.  Pollution Sensitivity Map (Figure 5)  Pollution Sensitivity Wells (Figure 7)						
Protect Groundwater and	Education and Outreach	Develop a 'drinking water protection' page on the SWCD or county website or other communication tools that can be used to share information with citizens on what they	X	X	Х	X	X	X	All	MDH Well MGMT & SWP Unit	N/A						

Goal  Drinking Water Quality  Water Sustainability	Supporting Strategy	• Recommended Groundwater Actions  can do to protect both public and private sources of drinking water. Include information about the connection between surface and groundwater, well sealing and water conservation. Dakota County's webpage Water Quality (https://www.co.dakota.mn.us/Environment/WaterQuality/WellsDrinkingWater/Pages/def ault.aspx) is a good example.	Target Dodge Co.	Target Goodhue Co.	Target Olmsted Co.	Target Rice Co.	Target Steele Co.	Target Wabasha Co.	HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & <i>Helpful Maps</i>	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
Protect Groundwater and Drinking Water Quality Water Sustainability	Land Use Planning and Management	Develop ordinances, overlay districts, performance standards, etc. to further protect drinking water and groundwater connected features from future land use impacts for their long-term sustainability and use.	X	×	X	×	X	X	All	MN Assoc. of Counties	Focus in areas with high pollution sensitivity, karst geology, highly vulnerable DWSMAs and groundwater connected natural features  Pollution Sensitivity Map (Figure 5)  Pollution Sensitivity Wells (Figure 7)  DWSMA Map (Figure 10)  GWC Plants, Animals, Native Plant Communities Map (Figure 30)  Mapped Native Plant Communities (Figure 29)		X				
Protect Groundwater and Drinking Water Quality Water Sustainability	Land Use Planning and Management	Incorporate basic groundwater and drinking water information into local comprehensive plans and ordinances including:  Local geology and aquifer information	X	X	X	X	X	X	All	MDH SWP Unit	Pollution Sensitivity Map (Figure 5) Pollution Sensitivity Wells (Figure 7 DWSMA Map (Figure 10) GWC Plants, Animals, Native Plant Communities Map (Figure 30)						

Goal	Supporting Strategy	<ul> <li>Recommended Groundwater Actions</li> <li>The sources of drinking water and the pollution sensitivity of public and private wells</li> </ul>	Target Dodge Co.	Target Goodhue Co.	Target Olmsted Co.	Target Rice Co.	Target Steele Co.	Target Wabasha Co.	HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & Helpful Maps  Mapped Native Plant Communities (Figure 29)  Tank & Leak Site Map (Figure 24)	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
		<ul> <li>Maps of state approved WHP areas</li> <li>Groundwater dependent natural features</li> <li>Contaminant areas of concern</li> <li>Other local information needed to consider and protect groundwater and drinking water resources in local land use planning decisions</li> </ul>									rank a zeak site map <u>ingare 2 r</u>						
Groundwater Sustainability: Water Conservation	Land Use Planning and Management	Plan for future population growth by reflecting drinking water quality and quantity issues in land use plans. Use planning tools such as setbacks, performance standards, conditional use permits, zoning districts, etc. that protect aquifer health and yield.	X	X	X			X	All	MN Assoc. of Counties	Prioritize highly vulnerable DWSMAs and areas of high water use:  DWSMA Map (Figure 10)  Monitoring Wells/Pumping (Figure 25)		X				
Protect Groundwater and Drinking Water Quality	Land Use Planning and Management	Conduct a survey of property owners within the flood plain to identify unused/unsealed wells. Seal those wells identified to prevent contamination of the aquifer.		X	X	X	X	X	All	MDH Well MGMT	Prioritize areas of greatest risk to flooding:  Drinking Water Wells and Flood Risk (Figure 12)						
Protect Groundwater and Drinking Water Quality	Land Use Planning and Management	Request flooded well test kits from MDH Well Management to distribute to private well owners after a flood event.		X	X	X	X	X	All	MDH Well MGMT	Prioritize areas impacted by recent flooding that may be at risk to contamination:  Drinking Water Wells and Flood Risk (Figure 12)						

Goal	Supporting Strategy	<ul> <li>Recommended Groundwater Actions</li> </ul>	Target Dodge Co.	Target Goodhue Co.	Target Olmsted Co.	Target Rice Co.	Target Steele Co.	Target Wabasha Co.	HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & <i>Helpful Maps</i>	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
Protect Groundwater and Drinking Water Quality Water Sustainability: Recharge	<u>Conservation</u> <u>Easements</u>	Enroll private lands in land acquisition programs or conservation easements. Programs may include: Continuous CRP, RIM Reserve for wellhead protection, and CREP.	X	X	X	X	X	X	All	BWSR	Prioritize areas of high pollution sensitivity, karst geology and highly vulnerable DWSMAs. Target areas of high water use, known groundwater connected natural features. Examine areas where you can expand on existing easements and protected lands to increase protections.  Pollution Sensitivity Map (Figure 5)  Pollution Sensitivity Wells (Figure 7)  DWSMA Map (Figure 10)  Monitoring Wells/Pumping (Figure 25)  GWC Plants, Animals, Native Plant Communities Map (Figure 30)  Mapped Native Plant Communities (Figure 29)  RIM Easements Map (Figure 34)	X	X	X	X	X	X
Protect Groundwater and Drinking Water Quality Water Sustainability: Recharge	Conservation Easements	Maintain and expand set-aside acres in sensitive areas, including areas in publicly supported conservation programs like CRP, from being converted to high intensity uses, such as corn and soybeans.	X	X	X	X	X	X	All	FSA	Prioritize private lands with existing CRP contracts, along with state and federal easement, such as RIM and DNR and USFW habitat easements. Target areas of known groundwater dependent features, areas of high pollution sensitivity, and highly vulnerable DWSMAs.	X	X	X	X	X	X

Goal	Supporting Strategy	Recommended Groundwater Actions	Target Dodge Co.	Target Goodhue Co.	Target Olmsted Co.	Target Rice Co.	Target Steele Co.	Target Wabasha Co.	HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & Helpful Maps  RIM Easements Map (Figure 34)  GWC Plants, Animals, Native Plant Communities Map (Figure 30)  Mapped Native Plant Communities (Figure 29)  Pollution Sensitivity Map (Figure 5)  DWSMA Map (Figure 10)	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
Protect Groundwater and Drinking Water Quality: Stormwater Management Water Sustainability: Recharge	Land Use Planning and Management  Education and Outreach	Manage stormwater runoff to minimize adverse impacts to groundwater. Refer to the Minnesota Stormwater Manual for infiltration guidance on project sites located in wellhead protection areas.			X			X	Pepin South Fork	MPCA MS4 Program	Prioritize MS4 communities, target highly sensitive areas, karst geology and highly vulnerable DWSMAs.  Pollution Sensitivity Map (Figure 5)  DWSMA Map (Figure 10)	X	X		X		X
Protect Groundwater and Drinking Water Quality: Nitrate Groundwater Sustainability: Water Conservation	Education and Outreach Irrigation Water Management	Promote and encourage the adoption of irrigation water management BMPs that increase water conservation and decrease conditions for nitrogen loss beyond the root zone by utilizing:  Irrigation water scheduling to control the volume, frequency, and application of irrigation water  Conversion to low flow pressure irrigation nozzles	X	X	X		X	X	Pepin Wells North Fork South Branch South Fork Zumbro	MDA Pesticide & Fertilizer Division	Prioritize areas of high water use intensity by agricultural irrigators, highly sensitive areas, karst geology and highly vulnerable DWSMAs.  Monitoring Wells/Pumping (Figure 25)  Pollution Sensitivity Map (Figure 5)  Pollution Sensitivity Wells (Figure 7)  DWSMA Map (Figure 10)		Х		X		X

Goal	Supporting Strategy	Recommended Groundwater Actions	Target Dodge Co.	Target Goodhue Co.	Target Olmsted Co.	Target Rice Co.	Target Steele Co.	Target Wabasha Co.	HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & <i>Helpful Maps</i>	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
		<ul> <li>Proper timing of irrigation through the use of online tools that identify local climate, growing degree days (GDD) and evapotranspiration (ET) conditions</li> <li>Test irrigation water and take credit for nitrate present as a fertilizer source</li> </ul>															
Groundwater Sustainability: Water Conservation	Education and Outreach	Provide education on water conservation practices that can be adopted in people's homes and businesses. Use the Met Council's Water Conservation Toolbox.	X	Х	Х	X	X	Х	All	DNR Ecological & Water Resources	N/A		Х				
Groundwater Sustainability: Water Conservation	Land Use Planning and Management	Assist communities serving over 1,000 people with water conservation measures outlined in their DNR municipal water supply plans.			Х			Х	Pepin South Fork	DNR Ecological & Water Resources	N/A		Х				
Groundwater Sustainability: Water Conservation	Land Use Planning and Management  Education and Outreach	Assist farmers with a water appropriation permit by developing a water resource plan that identifies water conservation measures that improve water use efficiencies and reduce water demand.	X	X	X		X	X	Pepin Wells North Fork South Branch South Fork Zumbro	DNR Ecological & Water Resources	Prioritize areas of high water use intensity by agricultural irrigators.  Monitoring Wells/Pumping (Figure 25)		X				X
Water Sustainability: Recharge	Land Use Planning and Management	Promote and increase the adoption of recharge BMPs including wetland construction/restoration, perennial	X	X	X	Х	X	Х	All	DNR Ecological & Water Resources	Target areas near sensitive features and groundwater fed lakes.  GWC Plants, Animals, Native Plant Communities Map (Figure 30)	X	Х	Х	Х	Х	Х

Goal	Supporting Strategy	Recommended Groundwater Actions	Target Dodge Co.	Target Goodhue Co.	Target Olmsted Co.	Target Rice Co.	Target Steele Co.	Target Wabasha Co.	HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & <i>Helpful Maps</i>	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
Water Sustainability: Rare or Declining Habitats		establishment, riparian buffers, and conservation easements.		·			·				Mapped Native Plant Communities (Figure 29) Groundwater Dominated Lakes Map (Figure 32)						

# **Descriptions of Supporting Strategies**

#### **Conservation Easements**

Conservation easements are a legal agreement between a landowner and a land trust or government agency that permanently limits uses of the land in order to protect its conservation values. Easements allow landowners to continue to own and use their land. They can also sell it or pass it on to heirs. Maintaining and expanding set-aside acres, including areas in publicly supported conservation programs (like CRP) from being converted to high intensity land uses, such as row crop agriculture, will help protect groundwater quantity and quality.

- BWSR <u>Conservation Reserve Program</u> (https://bwsr.state.mn.us/conservation-reserve-program): A voluntary program designed to help farmers restore and protect environmentally sensitive land.
- BWSR <u>Conservation Reserve Enhancement Program CREP</u> (https://bwsr.state.mn.us/mn-crep-landowners): This project is a federal, state and local partnership and will voluntarily retire environmentally sensitive land using the nationally-recognized Reinvest in Minnesota (RIM) Reserve. Figure 34 shows where RIM easements are in the watershed.




Figure 34: Zumbro River Watershed – BWSR RIM easements

## **Contaminant Planning and Management**

Protect groundwater and drinking water supplies from contaminant releases in the environment through land use planning, ordinances, and collaboration with state regulatory agencies.

#### **Existing Programs and Resources**

- MDA What's in My Neighborhood? Agricultural Interactive Mapping
   (www.mda.state.mn.us/chemicals/spills/incidentresponse/neighborhood.aspx): A tool that
   tracks and maps spills of agricultural chemicals and sites contaminated with agricultural
   chemicals.
- MPCA <u>Manure Management</u> (https://www.pca.state.mn.us/quick-links/feedlot-nutrient-and-manure-management): Resources such as fact sheets, guidelines, computer tools and forms for feedlot nutrient and manure management.
- MPCA Tank Compliance and Assistance Program--Storage Tanks (https://www.pca.state.mn.us/waste/storage-tanks): A program that provides information and assistance to tank owners and others regarding technical standards required of all regulated underground storage tanks and aboveground storage tank systems.
- MPCA <u>Closed Landfill Program</u> (https://www.pca.state.mn.us/waste/closed-landfill-program):
   A voluntary program to properly close, monitor, and maintain Minnesota's closed municipal sanitary landfills.
- MPCA <u>Feedlots</u> (https://www.pca.state.mn.us/quick-links/feedlot-program): Information about feedlot rules, permits, and management.
- MPCA <u>What's in My Neighborhood</u> (https://www.pca.state.mn.us/data/whats-my-neighborhood): An online tool for searching information about contaminated sites and facilities all around Minnesota.
- UMN Extension <u>Manure Management in Minnesota</u> (https://extension.umn.edu/animals-and-livestock#manure-management): Information about manure characteristics, application, and economics.
- MDH <u>Contaminants of Emerging Concern</u> (www.health.state.mn.us/cec): A program that investigates and communicates the health and exposure potential of contaminants of emerging concern (CECs) in drinking water.

## **Cropland Management**

Voluntary practices to manage resource concerns while minimizing environmental loss. Practices may include conservation tillage, cover crops, soil health and other agricultural BMPs.

- MDA <u>The Agricultural BMP Handbook for Minnesota</u> (https://www.mda.state.mn.us/protecting/cleanwaterfund/research/handbookupdate): A literature review of empirical research on the effectiveness of 30 conservation practices.
- NRCS <u>Conservation Stewardship Program</u>
   (www.nrcs.usda.gov/wps/portal/nrcs/main/mn/programs/financial/csp/): A voluntary conservation program that encourages producers to address resource concerns in a comprehensive manner.
- NRCS <u>Environmental Quality Incentives Program</u>
   (https://www.nrcs.usda.gov/wps/portal/nrcs/main/mn/programs/financial/eqip/): A program
   that provides financial and technical assistance to agricultural producers so they can implement

structural and management conservation practices that optimize environmental benefits on working agricultural land.

- NRCS <u>Cover Crops</u>
   (www.nrcs.usda.gov/wps/portal/nrcs/detail/mn/technical/?cid=nrcs142p2\_023671):\_Provides information, fact sheets, and tools about cover crops.
- NRCS <u>Soil Health</u> (https://www.nrcs.usda.gov/wps/portal/nrcs/main/mn/soils/health/):
   Provides information about the basics and benefits of soil health.
- Midwest Cover Crop Council (mccc.msu.edu/statesprovince/minnesota/): Provides resources to help with technical support and answer questions from a local perspective at no cost.
- MDA Minnesota Agricultural Water Quality Certification Program
   ()https://www.mda.state.mn.us/environment-sustainability/minnesota-agricultural-water-quality-certification-program A voluntary program for farmers to implement conservation practices to protect water quality.

#### **Education and Outreach**

Educate landowners, private well users, and other stakeholders about how their actions impact groundwater quality and quantity. Provide information about potential health risks related to groundwater quality. Identify actions individuals, households, and partner agencies can take to sustain groundwater and protect or improve drinking water quality. Some ideas include managing household hazardous waste, maintaining household septic systems, and household water conservation measures.

For educational materials and programs related to a specific topic, go to the strategy about that topic. For example, go to 'nutrient management' to learn more about potential education opportunities regarding reducing nitrogen use. The list below provides some additional tools that may be helpful.

- Metropolitan Council <u>Water Conservation Toolbox</u> (https://metrocouncil.org/Wastewater-Water/Planning/Water-Supply-Planning/Guidance-Planning-Tools/Water-Conservation/Toolbox.aspx): Information about how residents and businesses, suppliers, learners, and communities can conserve water.
- Minnesota Rural Water Association <u>Source Water Protection Resources</u>
   (www.mrwa.com/sourcewater.html): Resources to help public water suppliers develop plans to use local community resources to protect drinking water quality.
- MPCA <u>Waste</u> (https://www.pca.state.mn.us/waste): Information about managing waste, recycling, composting, and preventing waste and pollution.
- MPCA <u>Manual for Turfgrass Maintenance with Reduced Environmental Impacts</u>
   (https://www.pca.state.mn.us/sites/default/files/p-tr1-04.pdf): Practical advice for those who manage turfgrass (golf courses and athletic fields excluded).
- MDH Wells Laws and Rules
   (https://www.health.state.mn.us/communities/environment/water/wells/rules/index.html):
   Minnesota State Well Code (MR 4725.0050 4725.7605).
- MDH <u>Wells and Borings Well Management Program</u>
   (https://www.health.state.mn.us/communities/environment/water/wells/index.html):
   Information about proper well construction, maintenance, testing, and sealing.
- MDH <u>Well Owner's Handbook</u>
   (https://www.health.state.mn.us/communities/environment/water/docs/wells/construction/h andbook.pdf): A consumer's guide to water wells in Minnesota.

- MDH <u>Arsenic in Well Water</u> (https://www.health.state.mn.us/communities/environment/water/wells/waterquality/arsenic.html): Information about arsenic in Minnesota.
- MDH <u>Water Treatment Units for Arsenic Reduction</u>
   (https://www.health.state.mn.us/communities/environment/water/docs/wells/waterquality/a rsenictreat.pdf)
- MDA <u>Waste Pesticide Collection Program</u> (https://www.mda.state.mn.us/pesticide-fertilizer/waste-pesticide-collection-program): Information about the safe disposal of unwanted and unusable pesticides from farms and area businesses.
- MPCA <u>Managing Unwanted Medications</u> (https://www.pca.state.mn.us/living-green/managing-unwanted-medications): Information about the safe disposal of unwanted or unused medications from households.

## **Integrated Pest Management**

Integrated Pest Management (IPM) is a balanced approach to pest management which incorporates the many aspects of plant health care/crop protection in ways that mitigate harmful environmental impacts and protect human health. Some of the IPM program activities include generating and distributing IPM information for growers, producers, land managers, schools, and the general public. Information should help them make alternative choices in their pest management decisions.

#### **Existing Programs and Resources**

- MDA <u>Integrated Pest Management Program</u> (www.mda.state.mn.us/pesticidefertilizer/pesticide-best-management-practices): A program that develops and implements statewide strategies for the increased use of IPM on private and state managed lands.
- MDA <u>Groundwater and Surface Water Protection from Agricultural Chemicals</u> (www.mda.state.mn.us/protecting/bmps/herbicidebmps.aspx): Information to address pesticide use and water resource protection.

# **Irrigation Water Management**

The process of determining and controlling the volume, frequency, and application rate of irrigation water in a planned, efficient manner (NRCS Codes 442 & 449).

#### **Existing Programs and Resources**

- MDA <u>Irrigation Management</u> (https://www.mda.state.mn.us/irrigation-outreach-farm-nitrogen-management-central-minnesota): Provides information about irrigation management, similar practices, guidance from NRCS, and links to additional resources.
- DNR <u>Minnesota Water Use Data</u>
   (www.dnr.state.mn.us/waters/watermgmt\_section/appropriations/wateruse.html): Data gathered from permit holders who report the volume of water used each year.

# **Land Use Planning and Management**

This broad strategy encompasses many different concepts including regulations, ordinances, BMP implementation, conservation measures, and education to protect groundwater levels, quality, and contributions to groundwater-dependent features.

Land use planning focuses on the application of city or county government planning and regulations to restore and protect groundwater and groundwater levels. Local planning and regulations can help

restrict land uses in groundwater sensitive areas, areas of high aquifer sensitivity, or regions of limited water supply to prevent conflict.

Land management implements voluntary practices that manage resource concerns while minimizing environmental loss. This may include the efficient use of groundwater through conservation measures and use of emerging technology to increase water conservation at the field or local level.

- Association of Minnesota Counties (www.mncounties.org/): A voluntary, non-partisan statewide organization that helps provide effective county governance to Minnesotans. The Association works closely with the legislative and administrative branches of government in seeing that legislation and policies favorable to counties are enacted.
- DNR <u>Water Supply Plans</u>
   (www.dnr.state.mn.us/waters/watermgmt\_section/appropriations/eandc\_plan.html): Provides information about Minnesota public water supply plans.
- DNR MPARS (MNDNR Permitting and Reporting System)
   (www.dnr.state.mn.us/mpars/index.html): DNR is the permitting authority for high capacity water use.
- DNR <u>Water Conservation</u>
   (www.dnr.state.mn.us/waters/watermgmt\_section/appropriations/conservation.html):
   Provides tips and tools for promoting water conservation at home, public water supply systems, and other environments.
- <u>League of Minnesota Cities</u> (https://www.lmc.org): Promotes excellence in local government through effective advocacy, expert analysis, and trusted guidance for all Minnesota cities.
- MPCA <u>Condition Groundwater Monitoring</u> (https://www.pca.state.mn.us/water/condition-groundwater-monitoring).
- MPCA <u>Stormwater and Wellhead Protection</u>
   (stormwater.pca.state.mn.us/index.php/Stormwater\_and\_wellhead\_protection): Guidance and recommendations for determining the appropriateness of infiltrating stormwater in a Drinking Water Supply Management Area.
- MPCA <u>Minnesota Stormwater Manual</u> (stormwater.pca.state.mn.us/index.php/Main\_Page): A manual to help the everyday user better manage stormwater.
- MPCA <u>Enhancing Stormwater Management in Minnesota</u>
   (https://www.pca.state.mn.us/water/enhancing-stormwater-management-minnesota):
   Information about standards and tools for minimal impact designs for stormwater management.
- MPCA <u>Stormwater</u> (https://www.pca.state.mn.us/water/stormwater): MPCA regulates the discharge of stormwater and snowmelt runoff from municipal separate storm sewer systems, construction activities, and industrial facilities.
- MDH <u>Source Water Protection</u> (https://www.health.state.mn.us/communities/environment/water/swp/index.htm): MDH works with communities to protect the source(s) of their drinking water.
- DNR and Minnesota Geological Survey <u>County Geologic Atlas Program</u>
   (www.dnr.state.mn.us/waters/groundwater\_section/mapping/index.html): Provides additional information on the groundwater resources and hydrogeology of the watershed through maps and reports of geology, groundwater, pollution sensitivity, and special studies.
- MPCA <u>Household Hazardous Waste</u> (www.pca.state.mn.us/waste/household-hazardous-waste-managers-and-operators): Resources for HHW managers and operators, education resources, searchable by county HHW facilities.

#### **Nutrient Management**

This strategy addresses both nutrient and manure management.

Nutrient management concepts are centered on applying crop fertilizer or manure using the right source, right rate, right time, and right place (NRCS Codes 327, 340, 345, 393, 590, 656).

Manure management targets the collection, transportation, storage, processing, and disposal of animal manure.

- MDA <u>Fertilizer</u> (https://www.mda.state.mn.us/pesticide-fertilizer/fertilizers). MDA is the lead state agency for all aspects of pesticide and fertilizer environmental and regulatory functions. This page provides information on nutrient management programs, reports, publications, factsheets, and related external sources.
- MDA <u>NUTRIENT MANAGEMENT INITIATIVE PROGRAM IN MINNESOTA (NMI)</u>
   (https://www.mda.state.mn.us/protecting/cleanwaterfund/onfarmprojects/nmi): The program assists farmers and crop advisers in evaluating alternative nutrient management practices for their fields.
- MDA <u>Township Testing Program</u> (www.mda.state.mn.us/township-testing-program): The
  program tests private wells for nitrate and pesticides in areas of the state with the greatest
  potential for nitrate and pesticide contamination.
- MDA <u>Nitrogen Fertilizer Best Management Practices</u> (www.mda.state.mn.us/pesticidefertilizer/nitrogen-fertilizer-best-management-practices-agricultural-lands)): Provides nitrogen BMPs for various areas within Minnesota.
- MDA <u>Minnesota Nitrogen Fertilizer Management Plan</u> (www.mda.state.mn.us/pesticide-fertilizer/minnesota-nitrogen-fertilizer-management-plan): The state's blueprint for preventing or minimizing impacts of nitrogen fertilizer on groundwater.
- MDA Monitoring & Assessment for Agricultural Chemicals in the Environment (www.mda.state.mn.us/node/2696): Information about agricultural chemical monitoring and assessment programs and additional resources.
- UMN Extension <u>Nutrient Management</u> (https://extension.umn.edu/crop-production#nutrient-management): The page focuses on helping farmers and agriculture professionals optimize crop production using appropriate nutrient inputs while minimizing effects on the environment.
- UMN Extension <u>Nitrogen Application with Irrigation Water: Chemigation</u>
   (https://extension.umn.edu/irrigation/applying-nitrogen-irrigation-water-chemigation):
   Information about risks, benefits, and methods.
- MDA <u>The Agricultural BMP Handbook for Minnesota</u>
   (https://www.mda.state.mn.us/protecting/cleanwaterfund/research/handbookupdate): A
   literature review of empirical research on the effectiveness of 30 conservation practices.
- Nutrient Stewardship What are the 4Rs (www.nutrientstewardship.com/4rs): Information about the 4Rs of Nutrient Stewardship.
- MPCA <u>Manure Management</u> (https://www.pca.state.mn.us/quick-links/feedlot-nutrient-and-manure-management): Resources such as fact sheets, guidelines, computer tools, and forms for feedlot nutrient and manure management.
- UMN Extension <u>Manure Management in Minnesota</u> (https://extension.umn.edu/animals-and-livestock#manure-management): Information about manure characteristics, application, and economics.

## **SSTS Management**

Monitoring, maintenance, and/or upgrading of individual septic treatment systems to maintain proper operation and treatment of septage by the system. In some areas, the intensity of use may require upgrading to a sanitary sewer to eliminate risks to the environment.

- MPCA <u>Subsurface Sewage Treatment Systems</u>
   (https://www.pca.state.mn.us/water/subsurface-sewage-treatment-systems). This program protects public health and the environment through adequate dispersal and treatment of domestic sewage from dwellings or other establishments generating volumes less than 10,000 gallons per day.
- UMN Extension <u>Septic System Owner's Guide</u> (https://septic.umn.edu/septic-system-owners): Provides information about the basic principles of how a septic systems works and how to operate and maintain the system.

# Making Sense of the Regulatory Environment

State agencies and programs play a variety of roles in restoring and protecting groundwater. Understanding the groundwater-related authorities and resources available at the state level and leveraging strengths of local water resource professionals are key to implementing effective groundwater protection strategies. <u>Figure 35</u> provides a very basic introduction into the roles Minnesota state agencies have for groundwater.

- MDA works with groundwater that is or could be affected by pesticides and/or fertilizers.
- MDH focuses on proper well construction, assessing health risks related to groundwater, and protecting drinking water supplies.
- MPCA works with groundwater that is or could be affected by chemical releases and/or industrial pollutants.
- DNR focuses on assuring the availability of groundwater and protecting groundwater dependent features.




Figure 35: Minnesota State Agency Roles in Groundwater

Each of the state agencies listed above has a variety of programs to help meet their role in groundwater restoration and protection. Programs each of the agencies manage are referenced in the <u>Descriptions of Supporting Strategies</u> Section. Programs are listed under the restoration or protection strategy they mostly closely correspond to.

<u>Figure 36</u> provides a more detailed overview of the different roles agencies play within Minnesota's Water Management Framework. Principal water resource management agencies are DNR, MPCA, MDA, BWSR, and MDH. These agencies are responsible for state or federal programs, including:

- the Clean Water Act for MPCA,
- the Safe Drinking Water Act for MDH, and
- Appropriation Permitting for the DNR.

The strength of these programs is that they provide technical assistance and regulatory oversight (including enforcement) to safeguard public health, natural resources, ecological needs, and the environment. These programs are generally effective at managing most types of point sources of contamination in the state and at managing quantity issues at the local and regional level. In addition, these programs often set standards for performance that can be used to drive action.

Two weaknesses of state or federal programs are that they (with few exceptions) are ineffective against non-point sources of contamination and lack authority relative to managing general land use practices. Non-point source management is a difficult issue for water resource managers at all levels. With few regulatory options available, the most common approaches involve the use of financial incentives, technical assistance, and education and communication about sound land and water stewardship. Seldom are representatives from state agencies able to spend the necessary time in the local community to build trust among landowners. As a result, these approaches benefit greatly from the perspectives and relationships that local water resource professionals can forge by working locally.




Figure 36: Roles agencies play within the Minnesota Water Management Framework

# **Appendices**

# **List of Acronyms**

BMP Best Management Practices

BWSR Board of Soil and Water Resources

CAFO Concentrated Animal Feeding Operation

CRP Conservation Reserve Program

DWSMA Drinking Water Supply Management Area

EPA United States Environmental Protection Agency

GRAPS Groundwater Restoration and Protection Strategies

HUC Hydrologic Unit Code

IPM Integrated Pest Management

MCL Maximum Contaminant Level

MDA Minnesota Department of Agriculture

MDH Minnesota Department of Health

DNR Minnesota Department of Natural Resources

MPCA Minnesota Pollution Control Agency

MS4 Municipal Separate Storm Sewer Systems

MWI Minnesota Well Index

NRCS United States Department of Agriculture Natural Resources Conservation Service

NLCD National Land Cover Database

NPDES National Pollutant Discharge Elimination System

PFA Public Facilities Authority

QBAA Quaternary Buried Artesian Aquifer

QWTA Quaternary Water Table Aquifer

RIM Reinvest in Minnesota Program

SSTS Subsurface Sewage Treatment System

SDWA Safe Drinking Water Act

SWCD Soil and Water Conservation District

TTP MDA Township Testing Program

UMN University of Minnesota Extension

USDA United States Department of Agriculture

USGS United States Geological Survey

WIMN What's in My Neighborhood

WHP Wellhead Protection

WHPAS Wellhead Protection Areas

WRAPS Watershed Restoration and Protection Strategy

# **Glossary of Key Terms**

## **Aquifer**

An aquifer is an underground layer of water-bearing permeable rock, rock fractures or unconsolidated materials (gravel, sand, or silt) from which groundwater can be extracted using a water well.

## **Aquifer Vulnerability**

Defined as the ease with which recharge and contaminants from the ground surface can be transmitted into the subsurface aquifer. MDH uses the terminology 'vulnerability'; whereas the MNDNR references 'sensitivity'. Both terms cite the risk to groundwater degradation.

## **Community Public Water Supply System**

A public water supply system that serves at least 25 persons or 15 service connections year-round, which includes municipalities (cities), manufactured mobile home parks, nursing homes, etc.

# **Drinking Water Supply Management Area (DWSMA)**

The surface and subsurface area surrounding a public water supply well, including the wellhead protection area that must be managed by the entity identified in a wellhead protection plan. The boundaries of the DWSMA are roads, public land survey and fractions thereof, property lines, political boundaries, etc. (See MN WHP Rules 4720.5100, Subp. 13.)

# **Groundwater recharge**

The process through which water moves downward from surface water to groundwater. Groundwater recharge is the main way water enters an aquifer.

# **Hydrologic Unit Code (HUC)**

HUCs are assigned by the USGS for each watershed. HUCs are organized in a nested hierarchy by size. For example, the St. Croix River Basin is assigned a HUC-4 of 0703 and the Sunrise River Watershed is assigned a HUC-8 of 07030005.

# **Maximum Contaminant Level (MCL)**

The highest level of a contaminant that EPA allows in drinking water. MCLs ensure that drinking water does not pose either a short-term or long-term health risk. EPA sets MCLs at levels that are economically and technologically feasible.

#### **Protection**

This term is used to characterize actions taken in watersheds to maintain conditions and beneficial uses of waters not known to be impaired.

## **Pollution Sensitivity**

The ease with which recharge and contaminants from the ground surface can be transmitted into the subsurface.

## **Public Water System**

A water system with 15 or more service connections or regularly serves at least 25 people for 60 or more days a year. A system that serves water 60 or mores day a year is considered to 'regularly serve' water. Public water systems can be publicly or privately owned. Public water systems are subdivided into two categories: community and noncommunity water systems. This division is based on the type of consumer served and the frequency the consumer uses the water.

#### Restoration

This term is used to characterize actions taken in watersheds to improve conditions to eventually meet water quality standards and achieve beneficial uses of impaired waters.

## **Source (or Pollutant Source)**

Actions, places, or entities that deliver/discharge pollutants (e.g., sediment, phosphorus, nitrogen, pathogens).

#### **Source Water Protection**

Protecting sources of water used for drinking, such as streams, rivers, lakes, or underground aquifers.

# **Transient Noncommunity System**

A public water system that serves at least 25 people at least 60 days of the year but does not serve the same 25 people over 6 months of the year (places such as restaurants, campgrounds, hotels, and churches).

## **Water Budget**

An accounting of all the water that flows into and out of a particular area. This area can be a watershed, wetland, lake, or any other point of interest.

#### **Water Table**

The boundary between the water filled rock and sediment of an aquifer and the dry rock and sediment above it. The depth to the water table is highly variable. It can range from zero when it is at land surface, such as at a lake or wetland, to hundreds or even thousands of feet deep. In Minnesota, the water table is generally close to the land surface, typically within a few tens of feet in much of the state.

# Wellhead Protection (WHP)

A method of preventing well contamination by effectively managing potential contaminant sources in all or a portion of a well's recharge area. This recharge area is known as the wellhead protection area.

# Wellhead Protection Area (WHPA)

The surface and subsurface area surrounding a well or well field that supplies a public water system, through which contaminants are likely to move toward and reach the well or well field. This definition is the same for

the federal Safe Drinking Water Act (40 Code of Federal Regulations, Section 1428) and the Minnesota Groundwater Protection Act (Minnesota Statute 103I).

## **Dataset Sources**

- Adams, R., (2016), Pollution sensitivity of near-surface materials [electronic file], Minnesota
  Department of Natural Resources, St. Paul, Minn., Minnesota Hydrogeology Atlas Series HG-02, 15
  p., 1 plate, scale 1:1,000,000. Available via Minnesota Department of Natural Resources: Minnesota
  Hydrogeology Atlas (MHA)
  - (www.dnr.state.mn.us/waters/programs/gw\_section/mapping/platesum/mha\_ps-ns.html). [August 8, 2016].
- Jirsa, M.A., Boerboom, T.J., Chandler, V.W., Mossler, J.H., Runkel, A.C., and Setterholm, D.R. (2011), Geologic Map of Minnesota-Bedrock Geology [electronic file], Minnesota Geological Survey, St. Paul, Minn., State Map Series S-21, 1 plate, scale 1:500,000. Available via University of Minnesota Digital Conservancy: S-21 Geologic Map of Minnesota-Bedrock Geology (http://hdl.handle.net/11299/101466). [August 9, 2011].
- Minnesota Board of Water and Soil Resources (2018), State Funded Conservation Easement (RIM Reserve) [electronic file], St. Paul, Minn.
- Minnesota Department of Health (2017), *Minnesota Drinking Water Information System* [electronic file], St. Paul, Minn.
- Minnesota Department of Health (2017), Water Chemistry Database [electronic file], St. Paul, Minn.
- Minnesota Department of Health (2017), Well Management Section Data System [electronic file], St. Paul, Minn.
- Minnesota Department of Natural Resources (2017), MNDNR Permitting and Reporting System 1988-2016 [electronic file], St. Paul, Minn. Available via Minnesota Department of Natural Resources: Minnesota Water Use Data
  - (dnr.state.mn.us/waters/watermgmt section/appropriations/wateruse.html). [August 7, 2017].
- Minnesota Geological Survey and Minnesota Department of Health (2017), Minnesota County Well Index [electronic file], Minnesota Department of Health, St. Paul, Minn. Available via Minnesota Geological Survey: Index of /pub2/cwi4/
  - (http://arcgis.dnr.state.mn.us/arcgis/rest/services/lam/app dcl wells/MapServer). [2016-2017].
- Minnesota Pollution Control Agency (2017), Closed Landfill Program Facilities [electronic file], St. Paul, Minn. Available via Minnesota Geospatial Commons: MPCA Closed Landfill Facilities (https://gisdata.mn.gov/dataset/env-closed-landfill). [June 15, 2017].
- Minnesota Pollution Control Agency (2016), What's In My Neighborhood [electronic file], St. Paul, Minn. Available via Minnesota Pollution Control Agency: What's in My Neighborhood (https://www.pca.state.mn.us/data/whats-my-neighborhood). [December 19, 2016].
- Multi-Resolution Land Characteristics Consortium (2011), National Land Cover Database 2011
  [electronic file], U.S. Geological Survey, Reston, Va. Available via USDA-NRCS Geospatial Data
  Gateway: 1-Where (http://datagateway.nrcs.usda.gov/GDGOrder.aspx/). [August 25, 2014].

# **Additional Resources**

The following resources may be helpful for gathering data and learning more about groundwater in the watershed. The resources are listed alphabetically by the topic they address.

Type of Informatio n	Where you can get more information
Aquifer Vulnerabilit Y	For information on aquifer vulnerability ratings DWSMA, please contact MDH or the public water supplier in question.  • health.drinkingwater@state.mn.us  • 651-201-4700
Groundwat er Quality Data	Find water-related monitoring data on Minnesota streams, lakes, wells, Superfund Program, closed landfills, other remediation sites, open landfills, data from MDA, MPCA, and USGS.   Environmental Quality Information System (EQuIS) (https://www.pca.state.mn.us/quick-links/environmental-quality-information-system-equis)  Environmental data (https://www.pca.state.mn.us/environmental-data) Groundwater (https://www.pca.state.mn.us/water/state-groundwater)
Drinking Water Annual Reports	MDH has issued a report regarding the state of drinking water in Minnesota each year since 1995. These reports provide test results, an overview on the role of the Department's drinking water program in monitoring and protecting drinking water, and an examination emerging issues.  Drinking Water Protection Annual Reports (https://www.health.state.mn.us/communities/environment/water/dwar.html)
DWSMA maps and Shapefiles	PDF maps and shape files of the DWSMAs can be downloaded from the MDH website.  Source Water Assessments (https://www.health.state.mn.us/communities/environment/water/swp/swa.html)  Maps and Geospatial Data (https://www.health.state.mn.us/communities/environment/water/swp/maps/index.htm)
Point Source Pollution	Visit the following sites for more information on point source pollution:  Nonpoint Source Pollution (oceanservice.noaa.gov/education/kits/pollution/03pointsource.html) Point Source Pollution (www.mncenter.org/point-source-pollution.html) Water Permits and Forms (https://www.pca.state.mn.us/water/water-permits-and-forms)
Well Constructio	Most of the construction and use data pertaining to wells in the state is housed in the Minnesota Well Index (MWI), an online database. All of the key data in the MWI is also

Type of Informatio n	Where you can get more information
n and Use Data	available in spatial datasets, designed for use in geographic information systems (GIS). The Minnesota Geological Survey and MDH work together to maintain and update the data in the Index. MWI provides basic information, such as location, depth, geology, construction and static water level, for many wells and borings drilled in Minnesota. It by no means contains information for all the wells and borings and the absence of information about a well on a property does not mean there is no well on that property.  * Welcome to the Minnesota Well Index (MWI)  (https://www.health.state.mn.us/communities/environment/water/mwi/index.ht mI)
Wellhead Protection Plans	These plans can be obtained directly from the communities or from MDH with permission from the communities. Water chemistry data collected from these systems can be provided by request to MDH.  • health.drinkingwater@state.mn.us • 651-201-4700




Figure 37: Sensitivity Assessment and Calculation for Pollution Sensitivity of Wells (Figure 9)




Figure 38: Sensitivity Assessment and Calculation for Pollution Sensitivity of Wells (Figure 9) continued

Table 10: Rare Species Connected with Groundwater in the Zumbro River Watershed <sup>14</sup>

Scientific Name	Common Name	Species Class	Listing Status <sup>15</sup>	AQUATIC (Y OR N)	WETLAND (Y OR N)	GROUND-WATER DEPENDENT (Y OR N)	General Habitat Type
Rare Plant: Asclepias sullivantii	Sullivant's Milkweed	Terrestrial Plant	THR	N	N	Sometimes	Mesic tallgrass prairies; sometimes wet prairies; Can occur in Southern Wet Prairie, which is dependent on groundwater associated with consistently high water tables
Rare Plant: Carex crus-corvi	Raven's Foot Sedge	Terrestrial Plant	Watch List	N	Υ	Maybe	Occurs in wet habitat; river banks, floodplain forest, wet meadows, marshes
Rare Plant: Carex laevivaginata	Smooth-	Terrestrial Plant	THR	N	Y	Y	Prefers cold, calcareous seepage flows or seepage- fed wet meadows, usually in narrow valleys along upper reaches of trout streams
Rare Plant: Carex sterilis	Sterile Sedge	Terrestrial Plant	THR	N	Υ	Υ	Calcareous fens that are mineral rich
Rare Plant: Cyrto-hypnum pygmaeum	Pygmy Plume Moss	Terrestrial Plant	SPC	N	Sometimes	Y	Moist woods, growing over moist rocks in streambeds, usually limestone but less often sandstone and quartzite
Rare Plant: Floerkea proserpinacoides	False Mermaid	Terrestrial Plant	THR	N	Y	Y	Seepage areas along wooded hillsides and in narrow valleys, and secondarily in ephemerally moist areas and low drainages in deciduous forest; sometimes extend from the seep into adjacent seepage swamps
Rare Plant: Lycopus virginicus	Virginia Water Horehound	Terrestrial Plant	Watch List	N	Υ	Maybe	A forest floodplain species; floodplains, moist woods, along shores, wet meadows
Rare Plant: Oxypolis rigidior	Cowbane	Terrestrial Plant	Watch List	N	Υ	Likely	Calcareous fens, wet prairies, sedge meadows, swamps, and marshes

<sup>&</sup>lt;sup>14</sup> Last Updated 02/27/2019

<sup>&</sup>lt;sup>15</sup> END =State Endangered; THR = State Threatened; SPC = State Special Concern; Watch list = Species the DNR is tracking because they are in suspected decline SGCN= Species of Greatest Conservation Need

Scientific Name	Common Name	Species Class	Listing Status <sup>15</sup>	AQUATIC (Y OR N)	WETLAND (Y OR N)	GROUND-WATER DEPENDENT (Y OR N)	General Habitat Type
Rare Plant: Platanthera flava var. herbiola	Tubercled Rein-orchid	Terrestrial Plant	THR	N	Υ	Υ	Moist or wet meadows or sunny swales in savanna; also occurs at the margins of shallow marshy lakes
Rare Plant: Rhynchospora capillacea	Hair-like Beak Rush	Terrestrial Plant	THR	N	Υ	Υ	Calcareous fens; spring fens
Rare Plant: Scleria verticillata	Whorled Nut-rush	Terrestrial Plant	THR	N	Υ	Υ	Calcareous fens
Rare Plant: Valeriana edulis var. ciliata	Valerian	Terrestrial Plant	THR	N	Υ	Sometimes	Moist, sunny, calcareous fens, springs, seeps
	Blanchard's Cricket Frog	Amphibian	END; SGCN	Y	Y		Shallow wetlands, lakes, streams, or rivers with emergent vegetation and muddy shores; Breeding sites often consist of wetland basins adjacent to rivers
Rare Animal: Necturus maculosus	Mudpuppy	Amphibian	SPC; SGCN	Y	N	Unlikely	Freshwater lakes, rivers, streams, and ponds; If lakes and river levels are impacted by the loss of groundwater, this species would be impacted
Rare Animal: Parkesia motacilla	Louisiana Waterthrush	Bird	SPC; SGCN	N	Y	Maybe	Mature, riparian forests; Needs relatively high-quality forest adjoining: (a) coldwater stream, (b) seepage areas associated with larger streams/rivers, or (c) small channels associated with larger streams/rivers
Rare Animal: Grus canadensis	Sandhill Crane	Bird	Watch List	N	Υ	Sometimes	Open prairies, grasslands, and wetlands
Clinostomus elongatus	Dace	Fish	SPC; SGCN	Υ	N	Y?	Small streams with shade; Found in clear, cool streams often near headwaters
Rare Animal: Etheostoma microperca	Least darter	Fish	SPC; SGCN	Υ	Sometimes	N?	Freshwater streams and lakes with excellent water clarity; prefer pools with dense aquatic vegetation; occupies areas of still water, possibly using wetlands which are permanently or seasonally connected to streams

Scientific Name	Common Name	Species Class	Listing Status <sup>15</sup>	AQUATIC (Y OR N)	WETLAND (Y OR N)	GROUND-WATER DEPENDENT (Y OR N)	General Habitat Type
Rare Animal: Ichthyomyzon fossor	Northern Brook Lamprey	Fish	SPC; SGCN	Y	N	N?	Found in clear small to medium sized streams, with moderately warm water
Rare Animal: Notropis nubilus	Ozark Minnow	Fish	SPC; SGCN	Y	N	N?	Found in clear, small to medium sized streams; sensitive to turbidity
Rare Animal: Actinonaias ligamentina	Mucket	Mussel	THR; SGCN	Y	N	Y	Medium to large rivers with sand and gravel substrates; Some populations are found in headwaters. These populations are susceptible to lower water table or decline ground water input that affect stream permanence
Rare Animal: Alasmidonta marginata	Elktoe	Mussel	THR; SGCN	Y	N	Y	Medium to large rivers with sand and gravel substrates; some populations are found in headwaters; these populations are susceptible to lower water table or decline ground water input that affect stream permanence
Rare Animal: Eurynia dilatata	Spike	Mussel	THR; SGCN	Y	N	Y	Some populations occur in headwaters; these populations are susceptible to lower water table or decline ground water input that affect stream permanence
Rare Animal: Lasmigona compressa	Creek heelsplitter	Mussel	SPC; SGCN	Υ	N	Y	Creeks, small rivers, and the upstream portions of large rivers with sand, fine gravel, or mud substrates; found mostly in headwaters.  Populations are susceptible to lower water table or decline ground water input that affect stream permanence

Scientific Name	Common Name	Species Class	Listing Status <sup>15</sup>	AQUATIC (Y OR N)	WETLAND (Y OR N)	GROUND-WATER DEPENDENT (Y OR N)	General Habitat Type
Rare Animal: Venustaconcha ellipsiformis	Ellipse	Mussel	THR; SGCN	Y	N	Y	Headwater reaches of rivers with gravel riffles and silty areas along stream banks; Found mostly in headwaters in southeastern MN. Populations are susceptible to lower water table or decline ground water input that affect stream permanence
Rare Animal: Pleurobema sintoxia	Round Pigtoe	Mussel	SPC; SGCN	Y	N	Y	Some populations are found in headwaters; these populations are susceptible to lower water table or decline ground water input that affect stream permanence
Rare Animal: Apalone mutica	Smooth Softshell	Reptile	SPC; SGCN	Υ	N	Unlikely	This species is associated with large rivers, if groundwater levels impact the river level then this species is groundwater dependent
Rare Animal: Coluber constrictor	North American Racer	Reptile	SPC; SGCN	N	Y	Possibly	May forage within or adjacent to wetlands. Ground water may be critical for overwintering
Rare Animal: Crotalus horridus	Timber Rattlesnake	Reptile	THR; SGCN	N	Y	Possibly	Forested bluffs, south-facing rock outcrops, and bluff prairies; particularly in the Mississippi River valley; May forage within or adjacent to wetlands
Rare Animal: Emydoidea blandingii	Blanding's turtle	Reptile	THR; SGCN	Y	Y	Possibly	Wetland complexes, small streams, and adjacent uplands, typically, but not always mapped as sandy soils; if groundwater levels impact wetland and/or river levels, then this species is groundwater dependent

Scientific Name	Common Name	Species Class	Listing Status <sup>15</sup>	AQUATIC (Y OR N)	WETLAND (Y OR N)	GROUND-WATER DEPENDENT (Y OR N)	General Habitat Type
Rare Animal: Glyptemys insculpta	Wood Turtle	Reptile	THR; SGCN	Y	Y	Possibly	Forested riverine systems and well-drained soils; If groundwater levels impact the river level, then this species is groundwater dependent
Rare Animal: Heterodon nasicus	Plains Hog- nosed Snake	Reptile	SPC; SGCN	N	Y	Possibly	Dry prairies; sometimes found in oak-savannas; May forage within or adjacent to wetlands. Need to improve our knowledge of moisture requirements for overwintering
Rare Animal: Pituophis catenifer	Gopher Snake	Reptile	SPC; SGCN	N	Y	Possibly	Dry sand prairies or bluff prairies; May forage within or adjacent to wetlands

Tables 11-13<sup>16</sup> show the documented wetland native plant communities connected to groundwater in the Zumbro River Watershed.

Table 11: Zumbro River Watershed – Documented wetland native plant communities dependent on sustained groundwater discharge

Native Plant Community Code	Native Plant Community Name	Conservation Status Rank
Fens and Seepage Wetlands		
OPp93c	Calcareous Fen (Southeastern)	S1
WMs83a	Seepage Meadow/Carr	S3
WMs83a1	Seepage Meadow/Carr, Tussock Sedge Subtype	S3

Table 12: Zumbro River Watershed documented wetland native plant communities dependent on groundwater associated with consistently high water tables

Native Plant Community Code	Native Plant Community Name	Conservation Status Rank
Forested Wetlands		
WFs57a	Black Ash - (Red Maple) Seepage Swamp	S1S2
WFs57b	Black Ash - Sugar Maple - Basswood - (Blue Beech) Seepage Swamp	S1
Wet Prairies		
WPs54a	Wet Seepage Prairie (Southern)	S1
Wet Meadow/Shrub Carr Wetlands		
OPn92	Northern Rich Fen (Basin)	S4
Marshes		
MRn83	Northern Mixed Cattail Marsh	S2
MRn93	Northern Bulrush-Spikerush Marsh	S2S3
MRn93b	Spikerush - Bur Reed Marsh (Northern)	S2

Table 13: Zumbro River Watershed documented wetland native plant communities dependent on groundwater associated with water tables that are high for some portion of the growing season

Native Plant Community Code	Native Plant Community Name	Conservation Status Rank
Forested Wetlands		

<sup>&</sup>lt;sup>16</sup> Updated 02/20/2019

Native Plant Community Code	Native Plant Community Name	Conservation Status Rank
FFs59	Southern Terrace Forest	S1S3
FFs59a	Silver Maple - Green Ash - Cottonwood Terrace Forest	S3
FFs59b	Swamp White Oak Terrace Forest	S1
FFs59c	Elm - Ash - Basswood Terrace Forest	S2
FFs68a	Silver Maple - (Virginia Creeper) Floodplain Forest	S3
Wet Meadow/Shrub Carr Wetlands		
WMn82a	Willow - Dogwood Shrub Swamp	S5
WMn82b	Sedge Meadow	S4 or S5
Wet Prairies		
WPs54	Southern Wet Prairie	S1S2
WPs54b	Wet Prairie (Southern)	S2

# References

Adams, Roberta; Barry, John; and Green, Jeff (2016). Minnesota Regions Prone to Surface Karst Feature Development (PDF) (files.dnr.state.mn.us/waters/groundwater\_section/mapping/gw/gw01\_report.pdf). Series GW-01.

Geologic Sensitivity Project Workgroup (1991), *Criteria and guidelines for assessing pollution sensitivity of ground water resources in Minnesota*, Minnesota Department of Natural Resources, Division of Waters, St. Paul, Minn., 122 p.

Harris, K.L.. (2003). C-15 Geologic atlas of Pope County, Minnesota [Part A]. Minnesota Geological Survey. Retrieved from the University of Minnesota Digital Conservancy, http://hdl.handle.net/11299/58560.

Kroening, S. and Ferrey, M. (2013), The Condition of Minnesota's Groundwater, 2007-2011. Document number: wq-am1-06

Meyer, G.N.. (1995). C-10 Geologic Atlas of Stearns County, Minnesota [Parts A and C]. Minnesota Geological Survey.Retrieved from the University of Minnesota Digital Conservancy, http://hdl.handle.net/11299/58515.

Minnesota State Agency Workgroup under the direction of the U.S. EPA (1998), Guidance or Mapping Nitrate in Minnesota Groundwater, p 7.

M.L. Erickson and R.J. Barnes, 'Arsenic in Groundwater: Recent Research and Implications for Minnesota,' CURA Reporter 34,2 (2004): 1–7; and M.L. Erickson and R.J. Barnes, 'Glacial Sediment Causing Regional-Scale Elevated Arsenic in Drinking Water,' Ground Water 43 (2005): 796–805.

Minnesota Department of Agriculture (2014), 2014 Water Quality Monitoring Report.

Minnesota Department of Agriculture (2015), 2015 Nitrogen Fertilizer Management Plan.

Minnesota Department of Natural Resource, MGS, UMD (1997), *Geomorphology of Minnesota, Scale* 1:100,000.

Morey, G.B.; Meints, J.P.. (2000). S-20 Geologic map of Minnesota, bedrock geology. Minnesota Geological Survey. Retrieved from the University of Minnesota Digital Conservancy, <u>S-20 Geologic map of Minnesota, bedrock geology</u> (http://hdl.handle.net/11299/60086).

Mueller, D.K., and Helsel, D.R., 1996, Nutrients in the Nation's water--Too much of a good thing?: U.S. Geological Survey Circular 1136, 24 p.

Setterholm, D.R.. (2007). C-18 Geologic atlas of Todd County, Minnesota [Part A]. Minnesota Geological Survey.Retrieved from the University of Minnesota Digital Conservancy, http://hdl.handle.net/11299/58719.

USGS. 2017. National Land Cover Database (NLCD) Land Cover Collection. Available at <a href="NLCD Land Cover Collection">NLCD Land Cover Collection</a>. (https://www.usgs.gov/centers/eros/science/national-land-cover-database?qt-science\_center\_objects=0#qt-science\_center\_objects).

Warner, K.L. and Arnold, T.L., 2010, <u>Relations that affect the probability and prediction of nitrate concentration in private wells in the glacial aquifer system in the United States</u> (https://pubs.usgs.gov/sir/2010/5100/): U.S. Geological Survey Scientific Investigations Report 2010-5100, 73 p.