

Data Tables

LOCAL COMMERCIAL TOBACCO PROFILES

Population estimates and adults who smoke cigarettes

Data are from the Behavioral Risk Factor Surveillance System (2022), PLACES: Local Data for Better Health, County Data (2024), and U.S. Censuses Population Estimates (2022).

| | Youth Population ¹ | Adult Population ¹ | Adults who Smoke ² | Total Residents ¹ |
|-----------|-------------------------------|-------------------------------|-------------------------------|------------------------------|
| MINNESOTA | 1,309,503 | 4,404,797 | 572,624 | 5,714,300 |

| County | Youth Population ¹ | Adult Population ¹ | Adults who Smoke ³ | Total Residents ¹ |
|------------|-------------------------------|-------------------------------|-------------------------------|------------------------------|
| AITKIN | 2,243 | 2,452 | 13,674 | 16,126 |
| ANOKA | 34,177 | 86,409 | 282,455 | 368,864 |
| BECKER | 3,850 | 8,259 | 27,112 | 35,371 |
| BELTRAMI | 5,827 | 11,485 | 35,314 | 46,799 |
| BENTON | 4,351 | 10,388 | 31,075 | 41,463 |
| BIG STONE | 663 | 1,104 | 4,040 | 5,144 |
| BLUE EARTH | 9,357 | 13,602 | 56,029 | 69,631 |
| BROWN | 3,254 | 5,636 | 20,087 | 25,723 |
| CARLTON | 4,366 | 7,982 | 28,726 | 36,708 |
| CARVER | 9,339 | 27,384 | 82,650 | 110,034 |
| CASS | 4,143 | 6,318 | 24,956 | 31,274 |
| CHIPPEWA | 1,209 | 2,987 | 9,297 | 12,284 |
| CHISAGO | 7,444 | 12,870 | 45,118 | 57,988 |
| CLAY | 6,658 | 16,242 | 49,687 | 65,929 |

¹ United States Censuses Population Estimates (2022)

² Behavioral Risk Factor Surveillance System (2022)

³ PLACES: Local Data for Better Health, County Data, 2024

DATA TABLES – LOCAL COMMERCIAL TOBACCO PROFILE

| County | Youth Population ¹ | Adult Population ¹ | Adults who Smoke ³ | Total Residents ¹ |
|-------------------|-------------------------------|-------------------------------|-------------------------------|------------------------------|
| CLEARWATER | 1,049 | 2,174 | 6,475 | 8,649 |
| COOK | 594 | 840 | 4,868 | 5,708 |
| COTTONWOOD | 1,401 | 2,863 | 8,493 | 11,356 |
| CROW WING | 8,070 | 13,784 | 54,164 | 67,948 |
| DAKOTA | 38,907 | 105,016 | 338,325 | 443,341 |
| DODGE | 1,989 | 5,197 | 15,784 | 20,981 |
| DOUGLAS | 4,997 | 8,439 | 31,229 | 39,668 |
| FARIBAUT | 1,545 | 3,046 | 10,880 | 13,926 |
| FILLMORE | 2,597 | 5,181 | 16,233 | 21,414 |
| FREEBORN | 4,140 | 6,651 | 24,067 | 30,718 |
| GOODHUE | 5,143 | 10,475 | 37,538 | 48,013 |
| GRANT | 784 | 1,412 | 4,724 | 6,136 |
| HENNEPIN | 118,025 | 268,313 | 991,808 | 1,260,121 |
| HOUSTON | 2,407 | 4,035 | 14,765 | 18,800 |
| HUBBARD | 2,625 | 4,574 | 17,386 | 21,960 |
| ISANTI | 5,259 | 9,861 | 32,866 | 42,727 |
| ITASCA | 5,426 | 9,030 | 36,175 | 45,205 |
| JACKSON | 1,014 | 2,092 | 7,801 | 9,893 |
| KANABEC | 2,365 | 3,539 | 12,924 | 16,463 |
| KANDIYOHI | 4,699 | 10,516 | 33,323 | 43,839 |
| KITTSOON | 522 | 877 | 3,182 | 4,059 |
| KOOCHICHING | 1,644 | 2,061 | 9,783 | 11,844 |
| LAC QUI PARLE | 765 | 1,411 | 5,278 | 6,689 |
| LAKE | 1,371 | 2,094 | 8,845 | 10,939 |
| LAKE OF THE WOODS | 490 | 751 | 3,120 | 3,871 |

DATA TABLES – LOCAL COMMERCIAL TOBACCO PROFILE

| County | Youth Population ¹ | Adult Population ¹ | Adults who Smoke ³ | Total Residents ¹ |
|------------|-------------------------------|-------------------------------|-------------------------------|------------------------------|
| LE SUEUR | 4,311 | 6,699 | 22,454 | 29,153 |
| LINCOLN | 684 | 1,302 | 4,278 | 5,580 |
| LYON | 2,811 | 6,648 | 18,614 | 25,262 |
| MAHNOMEN | 889 | 1,686 | 3,642 | 5,328 |
| MARSHALL | 1,102 | 2,018 | 6,843 | 8,861 |
| MARTIN | 2,227 | 4,400 | 15,250 | 19,650 |
| MCLEOD | 4,171 | 7,946 | 28,768 | 36,714 |
| MEEKER | 2,563 | 5,573 | 17,923 | 23,496 |
| MILLE LACS | 4,065 | 6,327 | 20,953 | 27,280 |
| MORRISON | 4,175 | 7,821 | 26,425 | 34,246 |
| MOWER | 4,941 | 10,013 | 30,127 | 40,140 |
| MURRAY | 1,075 | 1,737 | 6,323 | 8,060 |
| NICOLLET | 3,905 | 7,320 | 27,121 | 34,441 |
| NOBLES | 2,722 | 6,212 | 15,735 | 21,947 |
| NORMAN | 727 | 1,501 | 4,876 | 6,377 |
| OLMSTED | 15,525 | 38,819 | 125,201 | 164,020 |
| OTTER TAIL | 8,697 | 12,992 | 47,527 | 60,519 |
| PENNINGTON | 1,582 | 3,085 | 10,760 | 13,845 |
| PINE | 3,971 | 5,669 | 23,777 | 29,446 |
| PIPESTONE | 1,127 | 2,522 | 6,833 | 9,355 |
| POLK | 3,390 | 7,513 | 23,218 | 30,731 |
| POPE | 1,461 | 2,468 | 8,963 | 11,431 |
| RAMSEY | 63,740 | 122,516 | 413,897 | 536,413 |
| RED LAKE | 483 | 911 | 2,963 | 3,874 |
| REDWOOD | 1,741 | 3,831 | 11,530 | 15,361 |

DATA TABLES – LOCAL COMMERCIAL TOBACCO PROFILE

| County | Youth Population ¹ | Adult Population ¹ | Adults who Smoke ³ | Total Residents ¹ |
|-----------------|-------------------------------|-------------------------------|-------------------------------|------------------------------|
| RENVILLE | 1,957 | 3,342 | 11,183 | 14,525 |
| RICE | 7,390 | 14,144 | 53,549 | 67,693 |
| ROCK | 1,181 | 2,289 | 7,248 | 9,537 |
| ROSEAU | 1,718 | 3,606 | 11,686 | 15,292 |
| ST LOUIS | 16,435 | 39,589 | 114,931 | 154,520 |
| SCOTT | 11,253 | 25,805 | 75,019 | 100,824 |
| SHERBURNE | 1,869 | 3,349 | 11,606 | 14,955 |
| SIBLEY | 25,897 | 36,655 | 162,877 | 199,532 |
| STEARNS | 18,098 | 37,290 | 123,115 | 160,405 |
| STEELE | 3,665 | 8,986 | 28,412 | 37,398 |
| STEVENS | 1,018 | 2,151 | 7,486 | 9,637 |
| SWIFT | 1,121 | 2,183 | 7,572 | 9,755 |
| TODD | 3,150 | 6,091 | 19,447 | 25,538 |
| TRAVERSE | 378 | 720 | 2,555 | 3,275 |
| WABASHA | 2,156 | 4,681 | 16,977 | 21,658 |
| WADENA | 1,866 | 3,767 | 10,540 | 14,307 |
| WASECA | 2,241 | 4,248 | 14,645 | 18,893 |
| WASHINGTON | 18,515 | 65,515 | 210,397 | 275,912 |
| WATONWAN | 1,317 | 2,789 | 8,286 | 11,075 |
| WILKIN | 850 | 1,439 | 4,911 | 6,350 |
| WINONA | 5,603 | 8,582 | 40,896 | 49,478 |
| WRIGHT | 15,680 | 39,864 | 108,139 | 148,003 |
| YELLOW MEDICINE | 1,181 | 2,198 | 7,288 | 9,486 |

Commercial tobacco-related deaths

Data are from Minnesota Vital Statistics System, 2022.

| | Commercial Tobacco-related Deaths | Percent of Deaths that Are Commercial tobacco-related | Total Deaths |
|-----------|-----------------------------------|---|--------------|
| MINNESOTA | 45,675 | 19% | 245,495 |

Data are from Minnesota Vital Statistics System, 2018-2022.

| County | Commercial Tobacco-related Deaths | Percent of Deaths that Are Commercial tobacco-related | Total Deaths |
|------------|-----------------------------------|---|--------------|
| AITKIN | 373 | 31% | 1,205 |
| ANOKA | 2,971 | 23% | 12,837 |
| BECKER | 460 | 23% | 1,997 |
| BELTRAMI | 503 | 21% | 2,414 |
| BENTON | 328 | 16% | 2,081 |
| BIG STONE | 76 | 19% | 409 |
| BLUE EARTH | 453 | 17% | 2,671 |
| BROWN | 240 | 15% | 1,576 |
| CARLTON | 489 | 23% | 2,129 |
| CARVER | 464 | 15% | 3,091 |
| CASS | 428 | 22% | 1,908 |
| CHIPPEWA | 199 | 23% | 862 |
| CHISAGO | 603 | 25% | 2,458 |
| CLAY | 424 | 16% | 2,669 |
| CLEARWATER | 101 | 19% | 531 |
| COOK | 57 | 21% | 269 |
| COTTONWOOD | 134 | 17% | 781 |
| CROW WING | 824 | 21% | 3,835 |
| DAKOTA | 2,677 | 18% | 15,216 |
| DODGE | 105 | 13% | 804 |

DATA TABLES – LOCAL COMMERCIAL TOBACCO PROFILE

| County | Commercial Tobacco-related Deaths | Percent of Deaths that Are Commercial tobacco-related | Total Deaths |
|-------------------|--|--|---------------------|
| DOUGLAS | 402 | 17% | 2,378 |
| FARIBAULT | 127 | 14% | 916 |
| FILLMORE | 184 | 15% | 1,254 |
| FREEBORN | 292 | 15% | 1,925 |
| GOODHUE | 458 | 17% | 2,719 |
| GRANT | 77 | 21% | 375 |
| HENNEPIN | 8,522 | 18% | 48,285 |
| HOUSTON | 180 | 17% | 1,058 |
| HUBBARD | 276 | 23% | 1,208 |
| ISANTI | 475 | 25% | 1,901 |
| ITASCA | 811 | 28% | 2,898 |
| JACKSON | 95 | 17% | 574 |
| KANABEC | 218 | 24% | 898 |
| KANDIYOHI | 344 | 16% | 2,158 |
| KITTSOON | 73 | 21% | 347 |
| KOOCHICHING | 149 | 17% | 880 |
| LAC QUI PARLE | 105 | 22% | 482 |
| LAKE | 130 | 17% | 764 |
| LAKE OF THE WOODS | 51 | 22% | 231 |
| LE SUEUR | 246 | 19% | 1,273 |
| LINCOLN | 98 | 23% | 424 |
| LYON | 248 | 21% | 1,197 |
| MCLEOD | 93 | 25% | 375 |
| MAHNOMEN | 103 | 22% | 469 |
| MARSHALL | 197 | 15% | 1,322 |

DATA TABLES – LOCAL COMMERCIAL TOBACCO PROFILE

| County | Commercial Tobacco-related Deaths | Percent of Deaths that Are Commercial tobacco-related | Total Deaths |
|-------------|-----------------------------------|---|--------------|
| MARTIN | 343 | 17% | 1,967 |
| MEEKER | 300 | 24% | 1,229 |
| MILLE LACS | 411 | 24% | 1,696 |
| MORRISON | 332 | 18% | 1,874 |
| MOWER | 329 | 15% | 2,152 |
| MURRAY | 88 | 19% | 452 |
| NICOLLET | 237 | 17% | 1,427 |
| NOBLES | 130 | 13% | 992 |
| NORMAN | 122 | 27% | 452 |
| OLMSTED | 614 | 10% | 6,204 |
| OTTER TAIL | 726 | 20% | 3,706 |
| PENNINGTON | 223 | 30% | 750 |
| PINE | 458 | 27% | 1,716 |
| PIPESTONE | 99 | 16% | 620 |
| POLK | 386 | 20% | 1,935 |
| POPE | 128 | 18% | 703 |
| RAMSEY | 3,765 | 16% | 23,890 |
| RED LAKE | 41 | 21% | 191 |
| REDWOOD | 162 | 18% | 895 |
| RENVILLE | 170 | 19% | 917 |
| RICE | 530 | 19% | 2,821 |
| ROCK | 85 | 13% | 636 |
| ROSEAU | 169 | 21% | 809 |
| SAINT LOUIS | 2,635 | 23% | 11,424 |
| SCOTT | 790 | 19% | 4,155 |

DATA TABLES – LOCAL COMMERCIAL TOBACCO PROFILE

| County | Commercial Tobacco-related Deaths | Percent of Deaths that Are Commercial tobacco-related | Total Deaths |
|-----------------|--|--|---------------------|
| SHERBURNE | 628 | 20% | 3,212 |
| SIBLEY | 131 | 18% | 717 |
| STEARNS | 1,041 | 17% | 6,188 |
| STEELE | 283 | 16% | 1,737 |
| STEVENS | 45 | 11% | 425 |
| SWIFT | 117 | 20% | 577 |
| TODD | 248 | 21% | 1,166 |
| TRAVERSE | 56 | 18% | 306 |
| WABASHA | 183 | 17% | 1,071 |
| WADENA | 226 | 22% | 1,048 |
| WASECA | 192 | 20% | 963 |
| WASHINGTON | 1,629 | 17% | 9,541 |
| WATONWAN | 120 | 18% | 660 |
| WILKIN | 69 | 16% | 445 |
| WINONA | 462 | 21% | 2,223 |
| WRIGHT | 999 | 21% | 4,828 |
| YELLOW MEDICINE | 95 | 18% | 531 |

DATA TABLES – LOCAL COMMERCIAL TOBACCO PROFILE

Percent of youth who use commercial tobacco, by grade and product

Data are from the 2022 Minnesota Student Survey. Data are unavailable for counties with districts that did not participate in the survey, including Clearwater, Lake, Mahnomon, Nobles, Norman, Pope, and Rock counties.

| | 9th graders who use cigarettes | 9th graders who use e-cigarettes | 9th graders who use smokeless tobacco | 11th graders who use cigarettes | 11th graders who use e-cigarettes | 11th graders who use smokeless tobacco |
|-----------|--------------------------------|----------------------------------|---------------------------------------|---------------------------------|-----------------------------------|--|
| MINNESOTA | 2.1% | 7.4% | 0.8% | 3.6% | 13.9% | 1.5% |

| County | 9th graders who use cigarettes | 9th graders who use e-cigarettes | 9th graders who use smokeless tobacco | 11th graders who use cigarettes | 11th graders who use e-cigarettes | 11th graders who use smokeless tobacco |
|------------|--------------------------------|----------------------------------|---------------------------------------|---------------------------------|-----------------------------------|--|
| AITKIN | 2.8% | 11.1% | 0.0% | 2.9% | 17.6% | 0.0% |
| ANOKA | 1.4% | 5.0% | 0.3% | 2.2% | 10.0% | 0.6% |
| BECKER | 3.3% | 10.7% | 2.2% | 5.1% | 15.4% | 0.7% |
| BELTRAMI | 6.1% | 16.3% | 3.3% | 5.8% | 11.6% | 2.4% |
| BENTON | 2.6% | 11.3% | 1.1% | 5.7% | 20.0% | 0.6% |
| BIG STONE | 3.8% | 7.5% | 1.9% | 0.0% | 7.5% | 2.5% |
| BLUE EARTH | 1.4% | 6.4% | 0.5% | 1.3% | 8.2% | 0.8% |
| BROWN | 3.8% | 10.5% | 2.9% | 5.8% | 22.5% | 4.1% |
| CARLTON | 3.7% | 11.3% | 0.7% | 7.8% | 21.7% | 2.0% |

DATA TABLES – LOCAL COMMERCIAL TOBACCO PROFILE

| County | 9th graders who use cigarettes | 9th graders who use e-cigarettes | 9th graders who use smokeless tobacco | 11th graders who use cigarettes | 11th graders who use e-cigarettes | 11th graders who use smokeless tobacco |
|------------|--------------------------------|----------------------------------|---------------------------------------|---------------------------------|-----------------------------------|--|
| CARVER | 4.3% | 14.9% | 3.2% | 5.4% | 14.0% | 0.0% |
| CASS | 3.7% | 8.5% | 1.2% | 10.5% | 19.3% | 3.5% |
| CHIPPEWA | 2.7% | 8.1% | 2.7% | 5.9% | 9.1% | 0.0% |
| CHISAGO | 2.8% | 6.1% | 0.6% | 4.1% | 13.5% | 3.6% |
| CLAY | 1.3% | 6.2% | 0.2% | 2.1% | 10.0% | 0.9% |
| CLEARWATER | data unavailable | data unavailable | data unavailable | data unavailable | data unavailable | data unavailable |
| COOK | 11.5% | 11.5% | 3.8% | 11.5% | 34.6% | 0.0% |
| COTTONWOOD | 1.8% | 12.6% | 0.0% | 4.2% | 21.7% | 1.7% |
| CROW WING | 4.5% | 16.0% | 1.4% | 7.8% | 17.2% | 3.1% |
| DAKOTA | 1.3% | 5.6% | 0.7% | 2.7% | 12.0% | 0.8% |
| DODGE | 2.5% | 10.7% | 1.2% | 4.3% | 12.8% | 2.7% |
| DOUGLAS | 4.4% | 12.7% | 3.1% | 5.1% | 18.5% | 1.5% |
| FARIBAULT | 2.3% | 7.0% | 0.8% | 4.9% | 15.7% | 2.9% |
| FILLMORE | 1.3% | 8.0% | 1.4% | 13.3% | 23.3% | 3.3% |
| FREEBORN | 3.0% | 7.5% | 1.0% | 3.3% | 10.7% | 0.8% |
| GOODHUE | 2.6% | 10.6% | 1.8% | 0.7% | 8.6% | 1.4% |

DATA TABLES – LOCAL COMMERCIAL TOBACCO PROFILE

| County | 9th graders who use cigarettes | 9th graders who use e-cigarettes | 9th graders who use smokeless tobacco | 11th graders who use cigarettes | 11th graders who use e-cigarettes | 11th graders who use smokeless tobacco |
|-------------------|--------------------------------|----------------------------------|---------------------------------------|---------------------------------|-----------------------------------|--|
| GRANT | 4.5% | 7.6% | 3.0% | 11.9% | 23.8% | 2.4% |
| HENNEPIN | 1.2% | 4.5% | 0.5% | 2.8% | 10.6% | 1.1% |
| HOUSTON | 3.9% | 9.9% | 2.0% | 2.2% | 12.9% | 0.8% |
| HUBBARD | 5.8% | 13.5% | 0.0% | 6.6% | 23.0% | 1.6% |
| ISANTI | 2.0% | 10.3% | 0.3% | 6.0% | 23.3% | 2.6% |
| ITASCA | 4.0% | 12.0% | 0.8% | 10.4% | 24.0% | 4.7% |
| JACKSON | 8.2% | 13.7% | 4.2% | 1.6% | 12.7% | 0.0% |
| KANABEC | 2.4% | 10.3% | 1.6% | 3.3% | 17.4% | 2.2% |
| KANDIYOHI | 1.0% | 8.7% | 1.0% | 1.9% | 11.1% | 0.4% |
| KITSON | 0.0% | 14.3% | 0.0% | 10.0% | 40.0% | 10.0% |
| KOOCHICHING | 3.4% | 8.6% | 1.7% | 7.3% | 14.6% | 7.5% |
| LAC QUI PARLE | 1.1% | 8.0% | 0.0% | 4.9% | 14.8% | 3.3% |
| LAKE | data unavailable | data unavailable | data unavailable | data unavailable | data unavailable | data unavailable |
| LAKE OF THE WOODS | 6.5% | 9.7% | 0.0% | 13.0% | 30.4% | 13.0% |
| LE SUEUR | 0.4% | 4.2% | 0.0% | 7.8% | 17.0% | 4.1% |
| LINCOLN | 0.0% | 9.1% | 0.0% | 14.0% | 28.6% | 2.3% |

DATA TABLES – LOCAL COMMERCIAL TOBACCO PROFILE

| County | 9th graders who use cigarettes | 9th graders who use e-cigarettes | 9th graders who use smokeless tobacco | 11th graders who use cigarettes | 11th graders who use e-cigarettes | 11th graders who use smokeless tobacco |
|------------|--------------------------------|----------------------------------|---------------------------------------|---------------------------------|-----------------------------------|--|
| LYON | 2.1% | 4.8% | 0.0% | 0.8% | 6.6% | 0.0% |
| MAHNOMEN | NA | NA | NA | NA | NA | NA |
| MARSHALL | 5.3% | 5.3% | 0.0% | 4.3% | 13.0% | 4.3% |
| MARTIN | 4.5% | 7.1% | 0.9% | 9.9% | 22.5% | 4.4% |
| MCLEOD | 0.0% | 6.5% | 0.0% | 5.0% | 35.0% | 0.0% |
| MEEKER | 1.6% | 6.3% | 0.0% | 10.2% | 15.3% | 3.4% |
| MILLE LACS | 4.9% | 14.1% | 1.3% | 5.6% | 22.8% | 3.0% |
| MORRISON | 5.8% | 10.8% | 3.2% | 4.5% | 14.6% | 3.0% |
| MOWER | 1.9% | 10.1% | 0.8% | 3.2% | 19.3% | 1.6% |
| MURRAY | 6.7% | 8.3% | 1.7% | 1.8% | 7.3% | 0.0% |
| NICOLLET | 2.6% | 2.6% | 0.7% | 2.7% | 14.1% | 1.3% |
| NOBLES | data unavailable | data unavailable | data unavailable | data unavailable | data unavailable | data unavailable |
| NORMAN | data unavailable | data unavailable | data unavailable | data unavailable | data unavailable | data unavailable |
| OLMSTED | 1.3% | 7.0% | 1.0% | 2.2% | 11.7% | 0.8% |
| OTTER TAIL | 3.3% | 6.2% | 1.9% | 3.6% | 16.5% | 1.8% |
| PENNINGTON | 0.8% | 11.6% | 0.0% | 8.4% | 23.6% | 4.7% |

DATA TABLES – LOCAL COMMERCIAL TOBACCO PROFILE

| County | 9th graders who use cigarettes | 9th graders who use e-cigarettes | 9th graders who use smokeless tobacco | 11th graders who use cigarettes | 11th graders who use e-cigarettes | 11th graders who use smokeless tobacco |
|-----------|--------------------------------|----------------------------------|---------------------------------------|---------------------------------|-----------------------------------|--|
| PINE | 5.6% | 17.4% | 3.1% | 5.7% | 18.4% | 5.2% |
| PIPESTONE | 4.5% | 10.2% | 3.4% | 9.1% | 12.3% | 4.5% |
| POLK | 5.2% | 11.7% | 1.6% | 3.7% | 19.3% | 1.1% |
| POPE | data unavailable | data unavailable | data unavailable | data unavailable | data unavailable | data unavailable |
| RAMSEY | 1.5% | 6.0% | 0.2% | 2.7% | 12.1% | 1.2% |
| RED LAKE | 7.7% | 11.5% | 7.7% | 7.1% | 21.4% | 0.0% |
| REDWOOD | 5.2% | 11.7% | 1.3% | 1.6% | 10.9% | 0.0% |
| RENVILLE | 12.9% | 14.9% | 3.0% | 2.9% | 15.7% | 0.0% |
| RICE | 0.9% | 7.6% | 1.2% | 4.4% | 13.2% | 0.9% |
| ROCK | data unavailable | data unavailable | data unavailable | data unavailable | data unavailable | data unavailable |
| ROSEAU | 3.4% | 13.6% | 1.7% | 6.4% | 10.6% | 0.0% |
| SCOTT | 3.5% | 12.3% | 1.2% | 6.8% | 20.2% | 2.9% |
| SHERBURNE | 1.9% | 7.3% | 0.4% | 3.8% | 15.2% | 1.4% |
| SIBLEY | 2.0% | 7.9% | 0.4% | 2.3% | 16.3% | 1.5% |
| ST. LOUIS | 6.5% | 8.6% | 2.8% | 5.4% | 15.4% | 4.4% |
| STEARNS | 1.2% | 3.9% | 1.5% | 2.4% | 12.8% | 0.7% |

DATA TABLES – LOCAL COMMERCIAL TOBACCO PROFILE

| County | 9th graders who use cigarettes | 9th graders who use e-cigarettes | 9th graders who use smokeless tobacco | 11th graders who use cigarettes | 11th graders who use e-cigarettes | 11th graders who use smokeless tobacco |
|-----------------|--------------------------------|----------------------------------|---------------------------------------|---------------------------------|-----------------------------------|--|
| STEELE | 2.5% | 10.8% | 3.8% | 2.9% | 16.7% | 1.4% |
| STEVENS | 4.3% | 11.4% | 4.3% | 3.1% | 12.5% | 0.0% |
| SWIFT | data unavailable | data unavailable | data unavailable | data unavailable | data unavailable | data unavailable |
| TODD | 4.7% | 9.2% | 1.5% | 9.1% | 14.8% | 7.3% |
| TRAVERSE | 0.0% | 4.2% | 0.0% | 4.0% | 4.2% | 0.0% |
| WABASHA | 2.5% | 8.1% | 0.6% | 5.5% | 13.0% | 2.1% |
| WADENA | 3.4% | 10.2% | 0.8% | 7.5% | 20.8% | 6.5% |
| WASECA | 2.8% | 7.7% | 0.6% | 5.6% | 23.1% | 2.8% |
| WASHINGTON | 1.0% | 6.5% | 0.4% | 2.4% | 15.4% | 1.0% |
| WATONWAN | 2.4% | 8.3% | 1.2% | 0.0% | 17.0% | 0.0% |
| WILKIN | 3.9% | 17.6% | 0.0% | 6.1% | 22.4% | 6.1% |
| WINONA | 2.1% | 8.3% | 1.0% | 4.8% | 14.8% | 1.1% |
| WRIGHT | 1.9% | 8.3% | 1.0% | 3.6% | 13.3% | 2.0% |
| YELLOW MEDICINE | 2.2% | 13.2% | 0.0% | 5.1% | 14.1% | 2.5% |

Statewide disparities in youth commercial tobacco use

Data are from the 2022 Minnesota Student Survey for students in grades 8, 9, and 11. Disparity data are unavailable by county due to limited sample size and to protect student privacy.

| Condition, Community, or Racial and Ethnic Group | Percent who used any type of commercial tobacco |
|---|---|
| Students who binge drink | 72.1% |
| Students experiencing economic hardship | 24.7% |
| Students experiencing suicidal thoughts | 22.7% |
| Students who live in Greater Minnesota | 11.1% |
| Students who identify as bi/gay/lesbian | 15.0% |
| Students who identify as American Indian, non-Hispanic | 18.7% |
| Students who identify as Native Hawaiian/Pacific Islander (NHPI), non-Hispanic | 15.9% |
| Students who identify as multi-racial, non-Hispanic | 13.9% |
| Students who identify as Hispanic | 10.4% |
| Students who identify as White, non-Hispanic | 9.1% |
| Students who identify as Middle Eastern and North African (MENA), non-Hispanic | 9.0% |
| Students who identify as Black, non-Hispanic | 7.6% |
| Students who identify as Asian, non-Hispanic | 4.1% |

Minnesota Department of Health
 PO Box 64975
 St. Paul, MN 55164-0975
 651-201-3535
 tobacco@state.mn.us
 www.health.mn.gov/tobacco

4/14/2025

To obtain this information in a different format, call: 651-201-3535.