DEPARTMENT OF HEALTH

STI Quarterly Surveillance Report

JAN. 1 – MARCH 31, 2026

Overview

Table 1. Number of Cases and Rates (per 100,000 persons) of Chlamydia, Gonorrhea, Syphilis, and Chancroid – Minnesota, 2022 – Q1 2026

Disease	2022 Cases	2022 Rate	2023 Cases	2023 Rate	2024 Cases	2024 Rate	2025 Cases	2025 Rate	Q1 2026 Cases	Q1 2026 Rate
Chlamydia	22,079	386.7	21,767	380.7	19,703	344.6	18,179	318.0	4,262	74.5
Gonorrhea	8,161	153.9	7,717	135.0	7,131	124.7	5,960	104.2	1,394	24.4
All Stages of Syphilis	1831	34.5	1748	30.6	1478	25.9	1384	24.2	263	4.6
Primary/Secondary Syphilis	676	12.7	502	8.8	440	7.7	373	6.5	68	1.2
Early NP/NS	535	10.1	387	6.8	755	13.2	299	5.2	40	0.7
Late Unknown Duration[II]	601	11.3	830	14.5	694	12.1	682	11.9	148	2.6
Congenital Syphilis	20	31.7	26	42.7	29	47.5	30	47.5	7	11.5
Chancroid	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

Note: Data exclude cases diagnosed in federal or private correctional facilities.
U.S. Census Intercensal and U.S. 2020/2022 data is used to calculate rates.
[I]Includes unstaged neurosyphilis, latent syphilis of unknown duration, and late syphilis with clinical manifestations.
[II]Congenital syphilis rate per 100,000 live births.

Chlamydia

Note: Data exclude cases diagnosed in federal or private correctional facilities.

U.S. Census Intercensal and U.S. 2020/2022 data is used to calculate rates.

Table 2.A. Number of Cases and Rates (per 100,000 persons) of Chlamydia by Residence and Gender – Minnesota, Q1 2026

Residence[I]	Cases (Males)	% (Males)	Cases (Females)	% (Females)	Cases (Total)	% (Total)	Rate (Total)
Minneapolis	407	26%	532	20%	940	22%	221
St. Paul	162	10%	360	13%	524	12%	173
Suburban[II]	534	35%	950	35%	1,485	35%	61
Greater Minnesota	431	28%	851	31%	1,286	30%	50

Residence[I]	Cases (Males)	% (Males)	Cases (Females)	% (Females)	Cases (Total)	% (Total)	Rate (Total)
Unknown[III]	10	1%	17	1%	27	1%	x
Total[IV]	1,544	100%	2,710	100%	4,262	100%	75

[I]Residence missing for 27 cases of chlamydia.
[II]Suburban is defined as the seven-county metropolitan area (Anoka, Carver, Dakota, Hennepin, Ramsey, Scott, and Washington Counties, excluding the cities of Minneapolis and St. Paul).
[III]No comparable population data available to calculate rates.
[IV]Gender missing/other/unknown for 8 cases of chlamydia.

Table 2.B. Number of Cases and Rates of Chlamydia by Age and Gender – Minnesota, Q1 2026

Age	Cases (Males)	% (Males)	Cases (Females)	% (Females)	Cases (Total)	% (Total)	Rate (Total)
< 15 yrs	8	1%	19	1%	27	1%	4
15-19 yrs	293	19%	853	31%	1,147	27%	306
20-24 yrs	485	31%	964	36%	1,454	34%	392
25-29 yrs	290	19%	446	16%	736	17%	203
30-34 yrs	168	11%	187	7%	356	8%	94
35-39 yrs	123	8%	108	4%	231	5%	59
40-44 yrs	65	4%	69	3%	135	3%	36
45-49 yrs	55	4%	37	1%	92	2%	29
50-54 yrs	19	1%	15	1%	34	1%	10
55+ yrs	38	2%	12	0%	50	1%	3
Total[I]	1,544	100%	2,710	100%	4,262	100%	75

[I]Gender missing/other/unknown for 8 cases of chlamydia.

Table 2.C. Number of Cases and Rates of Chlamydia by Race/Ethnicity and Gender – Minnesota, Q1 2026

Age	Cases (Males)	% (Males)	Cases (Females)	% (Females)	Cases (Total)	% (Total)	Rate (Total)
White, Non-Hispanic	427	28%	864	32%	1,292	30%	29
Black, Non-Hispanic	526	34%	708	26%	1,237	29%	292
American Indian	31	2%	103	4%	134	3%	224
Asian/PI	52	3%	104	4%	159	4%	51
Other[I,II]	78	5%	137	5%	215	5%	x

Age	Cases (Males)	% (Males)	Cases (Females)	% (Females)	Cases (Total)	% (Total)	Rate (Total)
Unknown[II]	264	17%	447	16%	712	17%	x
Hispanic[IV]	166	11%	347	13%	513	12%	150
Total[IV]	1,544	100%	2,710	100%	4,262	100%	75

[I]Includes persons reported with more than one race.
[II]No comparable population data available to calculate rates.
[III]Persons of Hispanic origin may be of any race.
[IV]Gender missing/other/unknown for 8 cases of chlamydia.

Gonorrhea

Note: Data exclude cases diagnosed in federal or private correctional facilities.

U.S. Census Intercensal and U.S. 2020/2022 data is used to calculate rates.

Table 3.A. Number of Cases and Rates (per 100,000 persons) of Gonorrhea by Residence and Gender – Minnesota, Q1 2026

Residence[I]	Cases (Males)	% (Males)	Cases (Females)	% (Females)	Cases (Total)	% (Total)	Rate (Total)
Minneapolis	368	42%	188	38%	562	40%	132
St. Paul	138	16%	82	16%	221	16%	73
Suburban[II]	267	30%	155	31%	424	30%	18
Greater Minnesota	107	12%	71	14%	178	13%	7
Unknown[III]	6	1%	3	1%	9	1%	x
Total[IV]	886	100%	499	100%	1,394	100%	24

[I]Residence missing for 9 cases of gonorrhea.
[II]Suburban is defined as the seven-county metropolitan area (Anoka, Carver, Dakota, Hennepin, Ramsey, Scott, and Washington Counties, excluding the cities of Minneapolis and St. Paul).
[III]No comparable population data available to calculate rates.
[IV]Gender missing/other/unknown for 9 cases of gonorrhea.

Table 3.B. Number of Cases and Rates of Gonorrhea by Age and Gender – Minnesota, Q1 2026

Age	Cases (Males)	% (Males)	Cases (Females)	% (Females)	Cases (Total)	% (Total)	Rate (Total)
< 15 yrs	1	0%	6	1%	7	1%	1
15-19 yrs	67	8%	111	22%	179	13%	48
20-24 yrs	154	17%	128	26%	285	20%	77
25-29 yrs	150	17%	84	17%	235	17%	65
30-34 yrs	170	19%	59	12%	230	16%	61
35-39 yrs	130	15%	45	9%	177	13%	45
40-44 yrs	73	8%	37	7%	111	8%	29
45-49 yrs	55	6%	15	3%	70	5%	22
50-54 yrs	35	4%	9	2%	44	3%	13
55+ yrs	51	6%	5	1%	56	4%	3
Total[I]	886	100%	499	100%	1,394	100%	24

[I]Gender missing/other/unknown for 9 cases of gonorrhea.

Table 3.C. Number of Cases and Rates of Gonorrhea by Race/Ethnicity and Gender – Minnesota, Q1 2026

Age	Cases (Males)	% (Males)	Cases (Females)	% (Females)	Cases (Total)	% (Total)	Rate (Total)
White, Non-Hispanic	254	29%	136	27%	393	28%	9
Black, Non-Hispanic	330	37%	190	38%	523	38%	124
American Indian	16	2%	39	8%	55	4%	92
Asian/PI	24	3%	7	1%	32	2%	10
Other[I,II]	60	7%	18	4%	78	6%	x
Unknown[II]	124	14%	75	15%	200	14%	x
Hispanic[III]	78	9%	34	7%	113	8%	33
Total[IV,V]	886	100%	499	100%	1,394	100%	24

[I]Includes persons reported with more than one race.
[II]No comparable population data available to calculate rates.
[III]Persons of Hispanic origin may be of any race.
[V]Gender missing/other/unknown for 9 cases of gonorrhea.

Primary/Secondary Syphilis

Note: Data exclude cases diagnosed in federal or private correctional facilities.

U.S. Census Intercensal and U.S. 2022 data is used to calculate rates.

Table 4.A. Number of Cases and Rates (per 100,000 persons) of Primary/Secondary Syphilis by Residence and Gender – Minnesota, Q1 2026

Residence	Cases (Males)	% (Males)	Cases (Females)	% (Females)	Cases (Total)	% (Total)	Rate (Total)
Minneapolis	19	40%	7	37%	27	40%	6.4
St. Paul	7	15%	1	5%	8	12%	2.6
Suburban[I]	9	19%	5	26%	14	21%	0.6
Greater Minnesota	13	27%	6	32%	19	28%	0.7
Total[II]	48	100%	19	100%	68	100%	1.2

[I]Suburban is defined as the seven-county metropolitan area (Anoka, Carver, Dakota, Hennepin, Ramsey, Scott, and Washington Counties, excluding the cities of Minneapolis and St. Paul).
[II]Gender missing/other/unknown for 1 case of syphilis.

Table 4.B. Number of Cases and Rates of Primary/Secondary Syphilis by Age and Gender – Minnesota, Q1 2026

Age	Cases (Males)	% (Males)	Cases (Females)	% (Females)	Cases (Total)	% (Total)	Rate (Total)
< 15 yrs	0	0%	0	%	0	0%	0.0
15-19 yrs	0	0%	0	0%	0	0%	0.0
20-24 yrs	1	2%	2	11%	3	4%	0.8
25-29 yrs	12	25%	5	26%	17	25%	4.7
30-34 yrs	7	15%	3	16%	11	16%	2.9
35-39 yrs	10	21%	2	11%	12	18%	3.0
40-44 yrs	2	4%	3	16%	5	7%	1.3
45-49 yrs	5	10%	2	11%	7	10%	2.2
50-54 yrs	4	8%	1	5%	5	7%	1.5
55+ yrs	7	15%	1	5%	8	12%	0.5
Total[I]	48	100%	19	100%	68	100%	1.2

[I]Gender missing/other/unknown for 1 case of syphilis.

Table 4.C. Number of Cases and Rates of Primary/Secondary Syphilis by Race/Ethnicity and Gender – Minnesota, Q1 2026

Age	Cases (Males)	% (Males)	Cases (Females)	% (Females)	Cases (Total)	% (Total)	Rate (Total)
White, Non-Hispanic	11	23%	4	21%	15	22%	0.3
Black, Non-Hispanic	20	42%	8	42%	29	43%	6.9
American Indian	3	6%	2	11%	5	7%	8.3
Asian/PI	3	6%	1	5%	4	6%	1.3
Other[I,II]	2	4%	2	11%	4	6%	x
Unknown[II]	0	0%	0	0%	0	0%	x
Hispanic[III]	9	19%	2	11%	11	16%	3.2
Total[IV]	48	100%	19	100%	68	100%	1.2

[I]Includes persons reported with more than one race.
[II]No comparable population data available to calculate rates.
[III]Persons of Hispanic origin may be of any race.
[IV]Gender missing/other/unknown for 1 case of syphilis.

County STI Totals

Note: Data exclude cases diagnosed in federal or private correctional facilities.

County data missing for 27 chlamydia cases and 9 gonorrhea cases.

U.S. Census Intercensal and U.S. 2022 data is used to calculate rates.

Table 5. Number of Cases and Rates[I] (per 100,000 persons) of Chlamydia and Gonorrhea by County of Residence – Minnesota, Q1 2026

County	Cases (Chlamydia)	Rate (Chlamydia)	Cases (Gonorrhea)	Rate (Gonorrhea)
Aitkin	3	-	0	-
Anoka	238	65	56	15
Becker	21	59	1	-
Beltrami	43	92	5	11
Benton	26	63	4	-
Big Stone	2	-	1	-
Blue Earth	61	88	4	-
Brown	5	19	1	-
Carlton	10	27	2	-

County	Cases (Chlamydia)	Rate (Chlamydia)	Cases (Gonorrhea)	Rate (Gonorrhea)
Carver	39	35	4	-
Cass	15	48	2	-
Chippewa	6	49	0	-
Chisago	14	24	3	-
Clay	69	105	13	20
Clearwater	3	-	0	-
Cook	3	-	1	-
Cottonwood	6	53	0	-
Crow Wing	28	41	9	13
Dakota	271	61	74	17
Dodge	10	48	0	-
Douglas	14	35	2	-
Faribault	5	36	2	-
Fillmore	6	28	1	-
Freeborn	16	52	0	-
Goodhue	21	44	6	12
Grant	2	-	0	-
Hennepin	1,496	119	767	61
Houston	3	-	1	-
Hubbard	8	36	0	-
Isanti	13	30	5	12
Itasca	12	27	1	-
Jackson	2	-	0	-
Kanabec	5	30	0	-
Kandiyohi	26	59	3	-
Kittson	2	-	0	-
Koochiching	2	-	1	-
Lac qui Parle	2	-	0	-
Lake	3	-	0	-
Lake of the Woods	1	-	0	-
Le Sueur	11	38	3	-
Lincoln	1	-	0	-

County	Cases (Chlamydia)	Rate (Chlamydia)	Cases (Gonorrhea)	Rate (Gonorrhea)
Lyon	18	71	0	-
McLeod	11	30	0	-
Mahnomen	6	113	0	-
Marshall	2	-	0	-
Martin	7	36	1	-
Meeker	3	-	2	-
Mille Lacs	12	44	0	-
Morrison	11	32	4	-
Mower	28	70	1	-
Murray	5	62	0	-
Nicollet	14	41	1	-
Nobles	33	150	1	-
Norman	2	-	0	-
Olmsted	109	66	9	5
Otter Tail	22	36	2	-
Pennington	2	-	2	-
Pine	6	20	0	-
Pipestone	3	-	0	-
Polk	19	62	4	-
Pope	2	-	0	-
Ramsey	660	123	255	48
Red Lake	0	-	0	-
Redwood	6	39	0	-
Renville	4	-	0	-
Rice	31	46	5	7
Rock	3	-	0	-
Roseau	3	-	2	-
St. Louis	103	52	29	15
Scott	97	63	23	15
Sherburne	47	47	10	10
Sibley	7	47	0	-
Stearns	113	70	16	10

County	Cases (Chlamydia)	Rate (Chlamydia)	Cases (Gonorrhea)	Rate (Gonorrhea)
Steele	24	64	3	-
Stevens	7	73	1	-
Swift	5	51	0	-
Todd	16	63	1	-
Traverse	1	-	0	-
Wabasha	9	42	0	-
Wadena	6	42	1	-
Waseca	9	48	1	-
Washington	142	51	27	10
Watonwan	4	-	1	-
Wilkin	3	-	1	-
Winona	30	61	1	-
Wright	62	42	9	6
Yellow Medicine	4	-	0	-

[l]Rates not calculated for counties with fewer than five cases.

Note: County syphilis data is available at Newly Diagnosed Syphilis Cases by County (https://www.health.state.mn.us/diseases/stds/stats/county.html).

Minnesota Department of Health
651-201-5414
www.health.state.mn.us/std

10/28/2026

To obtain this information in a different format, call: 651-201-5414.