



HMO HEDIS® Quality Measures

Measurement Year 2022

South Country Health Alliance

Report Generated: 11/7/2025

Table of Contents

| Code | General Information / Disclaimers | Page |
|------|-----------------------------------|------|
| INFO | General Information / Disclaimers | 3 |

| Code | Effectiveness of Care (Prevention and Screening) | Page |
|------|---|------|
| WCC | Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents | 4 |
| CIS | Childhood Immunization Status | 7 |
| IMA | Immunizations for Adolescents | 13 |
| BCS | Breast Cancer Screening | 16 |
| CCS | Cervical Cancer Screening | 20 |
| COL | Colorectal Cancer Screening | 21 |
| CHL | Chlamydia Screening in Women | 48 |
| COA | Care for Older Adults | 51 |

| Code | Effectiveness of Care (Respiratory Conditions) | Page |
|------|---|------|
| SPR | Use of Spirometry Testing in the Assessment and Diagnosis of COPD | 52 |
| PCE | Pharmacotherapy Management of COPD Exacerbation | 53 |
| AMR | Asthma Medication Ratio | 57 |

| Code | Effectiveness of Care (Cardiovascular Conditions) | Page |
|------|--|------|
| CBP | Controlling High Blood Pressure | 60 |
| PBH | Persistence of Beta Blocker Treatment After Heart Attack | 75 |

| Code | Effectiveness of Care (Diabetes) | Page |
|------|---|------|
| HBD | Hemoglobin A1c Control for Patients With Diabetes | 76 |
| BPD | Blood Pressure Control for Patients With Diabetes | 111 |
| EED | Eye Exam for Patients With Diabetes | 112 |

| Code | Effectiveness of Care (Musculoskeletal Conditions) | Page |
|------|---|------|
| OMW | Osteoporosis Management in Women Who had a Fracture | 116 |

| Code | Effectiveness of Care (Behavioral Health) | Page |
|------|--|------|
| DMH | Diagnosed Mental Health Disorders | 117 |
| AMM | Antidepressant Medication Management | 124 |
| ADD | Follow-Up Care for Children Prescribed Attention-Deficit/Hyperactivity Disorder Medication | 126 |
| FUH | Follow-up After Hospitalization for Mental Illness | 129 |
| FUM | Follow-up After Emergency Visit for Mental Illness | 136 |
| DSU | Diagnosed Substance Use Disorder | 143 |
| FUA | Follow-up After Emergency Visit for Alcohol and Other Drug Abuse | 150 |

| Code | Effectiveness of Care (Medication Management and Care Coordination) | Page |
|------|---|------|
| TRC | Transitions of Care | 157 |

| Code | Effectiveness of Care (Overuse/Appropriateness) | Page |
|------|--|------|
| DDE | Potentially Harmful Drug-Disease Interactions in the Elderly | 160 |
| DAE | Use of High Risk Medications in the Elderly | 163 |
| HDO | Use of Opioids at High Dosage | 164 |
| UOP | Use of Opioids from Multiple Providers | 165 |
| COU | Risk of Continued Opioid Use | 172 |

| Code | Access / Availability of Care | Page |
|------|--|------|
| AAP | Adult's Access to Preventive/Ambulatory Health Services | 179 |
| ADV | Annual Dental Visit | 186 |
| IET | Initiation/Engagement of Alcohol & Other Drug Dependence Treatment | 189 |
| PPC | Prenatal and Postpartum Care | 196 |

| Code | Utilization and Risk Adjusted Utilization | Page |
|------|--|------|
| W30 | Well Child Visits in the First 30 Months of Life | 216 |
| WCV | Child and Adolescent Well-Care Visits | 217 |
| AMB | Ambulatory Care | 226 |
| PCR | Plan All-Cause Readmissions | 229 |

| Code | Health Plan Descriptive Information | Page |
|------|--|------|
| ENP | Enrollment by Product Line (Age & Sex) | 239 |

General Information / Disclaimers

• Special Needs Basic Care

Special Needs Basic Care (SNBC) is a voluntary managed care program for people with disabilities who are 18-64 years old and have Medical Assistance

- **Special Needs Plan (SNP)** - The plan integrates and provides both Medicaid and Medicare services.
- **Non-Special Needs Plan (Non-SNP)** - The plan provides Medicaid services only and Medicare is provided fee for service.

• Audit Designation & Rate Status

HEDIS Compliance Audits result in audited rates or calculations at the measure and indicator level, and indicate if the measures can be publicly reported. All measures selected for public reporting must have a final, audited result. The auditor approves the rate or report status of each measure and survey included in the audit, as shown below.

| Rate/ Result | Comment |
|-----------------|--|
| R | <i>Reportable.</i> A reportable rate was submitted for the measure. |
| NA | <i>Small Denominator.</i> The organization followed the specifications, but the denominator was too small (<1) to report a valid rate. a. For EOC and EOC-like measures, when the denominator is fewer than 30; and for HAI, when Total Inpatient Discharges is fewer than 30. b. For utilization measures that count member months, when the denominator is fewer than 360 member months. c. For all risk-adjusted utilization measures, except PCR and HPC, when the denominator is fewer than 150. |
| NB | <i>No Benefit.</i> The organization did not offer the health benefit required by the measure (e.g., mental health, chemical dependency). |
| NR | <i>Not Reported.</i> The organization chose not to report the measure. |
| NQ | <i>Not Required.</i> The organization was not required to report the measure. |
| BR | <i>Biased Rate.</i> The calculated rate was materially biased. |
| UN | <i>Unaudited.</i> The organization chose to report a measure that is not required to be audited. This result applies only to a limited set of measures (e.g., Board Certification, ECDS measures). |

• Disclaimers

Effectiveness of Care

Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents

Commercial

| Data Elements | BMI Percentage | | | Counseling for Nutrition | | | Counseling for Physical Activity | | |
|---|----------------|------------|-------|--------------------------|------------|-------|----------------------------------|------------|-------|
| | Ages 3-11 | Ages 12-17 | Total | Ages 3-11 | Ages 12-17 | Total | Ages 3-11 | Ages 12-17 | Total |
| Data Collection Methodology | | | | | | | | | |
| Eligible Member Population | | | | | | | | | |
| Number of Administrative Data Records Excluded | | | | | | | | | |
| Numerator events by admin data in eligible population | | | | | | | | | |
| Current Year's Admin Rate | | | | | | | | | |
| Minimum Required Sample Size | | | | | | | | | |
| Oversampling Rate | | | | | | | | | |
| Number of oversample records | | | | | | | | | |
| Number of Records Excluded Because of Valid Data Errors | | | | | | | | | |
| Number of optional administrative data records excluded | | | | | | | | | |
| Number of optional medical records excluded | | | | | | | | | |
| Number of employee/dependent records excluded | | | | | | | | | |
| Records Added from the Oversample List | | | | | | | | | |
| Denominator | | | | | | | | | |
| Numerator Events by Admin Data | | | | | | | | | |
| Numerator Events by Medical Record | | | | | | | | | |
| Numerator Events by Supplemental Data | | | | | | | | | |
| Reported Rate | | | | | | | | | |

Effectiveness of Care

Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents

Minnesota Health Care Programs - Managed Care (Families and Children)

| Data Elements | BMI Percentage | | | Counseling for Nutrition | | | Counseling for Physical Activity | | |
|---|----------------|------------|-------|--------------------------|------------|-------|----------------------------------|------------|-------|
| | Ages 3-11 | Ages 12-17 | Total | Ages 3-11 | Ages 12-17 | Total | Ages 3-11 | Ages 12-17 | Total |
| Data Collection Methodology | A | A | A | A | A | A | A | A | A |
| Eligible Member Population | 3963 | 2566 | 6529 | 3963 | 2566 | 6529 | 3963 | 2566 | 6529 |
| Number of Administrative Data Records Excluded | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Numerator events by admin data in eligible population | | | | | | | | | |
| Current Year's Admin Rate | | | | | | | | | |
| Minimum Required Sample Size | | | | | | | | | |
| Oversampling Rate | | | | | | | | | |
| Number of oversample records | | | | | | | | | |
| Number of Records Excluded Because of Valid Data Errors | | | | | | | | | |
| Number of optional administrative data records excluded | | | | | | | | | |
| Number of optional medical records excluded | | | | | | | | | |
| Number of employee/dependent records excluded | | | | | | | | | |
| Records Added from the Oversample List | | | | | | | | | |
| Denominator | 3963 | 2566 | 6529 | 3963 | 2566 | 6529 | 3963 | 2566 | 6529 |
| Numerator Events by Admin Data | 107 | 100 | 207 | 35 | 33 | 68 | 8 | 144 | 152 |
| Numerator Events by Medical Record | | | | | | | | | |
| Numerator Events by Supplemental Data | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Reported Rate | 2.70% | 3.90% | 3.17% | 0.88% | 1.29% | 1.04% | 0.20% | 5.61% | 2.33% |

Effectiveness of Care

Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents

Minnesota Health Care Programs - Managed Care (MN Care)

| Data Elements | BMI Percentage | | | Counseling for Nutrition | | | Counseling for Physical Activity | | |
|---|----------------|------------|--------|--------------------------|------------|-------|----------------------------------|------------|-------|
| | Ages 3-11 | Ages 12-17 | Total | Ages 3-11 | Ages 12-17 | Total | Ages 3-11 | Ages 12-17 | Total |
| Data Collection Methodology | A | A | A | A | A | A | A | A | A |
| Eligible Member Population | 10 | 5 | 15 | 10 | 5 | 15 | 10 | 5 | 15 |
| Number of Administrative Data Records Excluded | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Numerator events by admin data in eligible population | | | | | | | | | |
| Current Year's Admin Rate | | | | | | | | | |
| Minimum Required Sample Size | | | | | | | | | |
| Oversampling Rate | | | | | | | | | |
| Number of oversample records | | | | | | | | | |
| Number of Records Excluded Because of Valid Data Errors | | | | | | | | | |
| Number of optional administrative data records excluded | | | | | | | | | |
| Number of optional medical records excluded | | | | | | | | | |
| Number of employee/dependent records excluded | | | | | | | | | |
| Records Added from the Oversample List | | | | | | | | | |
| Denominator | 10 | 5 | 15 | 10 | 5 | 15 | 10 | 5 | 15 |
| Numerator Events by Admin Data | 0 | 2 | 2 | 0 | 1 | 1 | 0 | 1 | 1 |
| Numerator Events by Medical Record | | | | | | | | | |
| Numerator Events by Supplemental Data | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Reported Rate | 0.00% | 40.00% | 13.33% | 0.00% | 20.00% | 6.67% | 0.00% | 20.00% | 6.67% |

Effectiveness of Care

Childhood Immunization Status

Commercial (1 of 2)

| Data Elements | DTaP | IPV | MMR | HiB | Hepatitis B | VZV | Pneumo- coccal Conjugate | Hepatitis A | Rotavirus | Influenza |
|---|------|-----|-----|-----|-------------|-----|--------------------------------|-------------|-----------|-----------|
| Data Collection Methodology | | | | | | | | | | |
| Eligible Member Population | | | | | | | | | | |
| Number of Administrative Data Records Excluded | | | | | | | | | | |
| Numerator Events by Admin Data in Eligible Population | | | | | | | | | | |
| Current Year's Admin Rate | | | | | | | | | | |
| Minimum Required Sample Size | | | | | | | | | | |
| Oversampling Rate | | | | | | | | | | |
| Number of Oversample Records | | | | | | | | | | |
| Number of Records Excluded Because of Valid Data Errors | | | | | | | | | | |
| Number of Employee/Dependent Records Excluded | | | | | | | | | | |
| Records Added from the Oversample List | | | | | | | | | | |
| Denominator | | | | | | | | | | |
| Numerator Events by Administrative Data | | | | | | | | | | |
| Numerator Events by Medical Record | | | | | | | | | | |
| Numerator Events by Supplemental Data | | | | | | | | | | |
| Reported Rate | | | | | | | | | | |

Effectiveness of Care

Childhood Immunization Status

Commercial (2 of 2)

| Data Elements | Combo 3 | Combo 7 | Combo10 |
|---|---------|---------|---------|
| Data Collection Methodology | | | |
| Eligible Member Population | | | |
| Number of Administrative Data Records Excluded | | | |
| Numerator Events by Admin Data in Eligible Population | | | |
| Current Year's Admin Rate | | | |
| Minimum Required Sample Size | | | |
| Oversampling Rate | | | |
| Number of Oversample Records | | | |
| Number of Records Excluded Because of Valid Data Errors | | | |
| Number of Employee/Dependent Records Excluded | | | |
| Records Added from the Oversample List | | | |
| Denominator | | | |
| Numerator Events by Administrative Data | | | |
| Numerator Events by Medical Record | | | |
| Numerator Events by Supplemental Data | | | |
| Reported Rate | | | |

Effectiveness of Care

Childhood Immunization Status

Minnesota Health Care Programs - Managed Care (Families and Children) (1 of 2)

| Data Elements | DTaP | IPV | MMR | HiB | Hepatitis B | VZV | Pneumo- coccal Conjugate | Hepatitis A | Rotavirus | Influenza |
|---|--------|--------|--------|--------|-------------|--------|--------------------------------|-------------|-----------|-----------|
| Data Collection Methodology | H | H | H | H | H | H | H | H | H | H |
| Eligible Member Population | 555 | 555 | 555 | 555 | 555 | 555 | 555 | 555 | 555 | 555 |
| Number of Administrative Data Records Excluded | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Numerator Events by Admin Data in Eligible Population | 379 | 472 | 450 | 463 | 476 | 452 | 380 | 452 | 375 | 259 |
| Current Year's Admin Rate | 68.29% | 85.05% | 81.08% | 83.42% | 85.77% | 81.44% | 68.47% | 81.44% | 67.57% | 46.67% |
| Minimum Required Sample Size | 411 | 411 | 411 | 411 | 411 | 411 | 411 | 411 | 411 | 411 |
| Oversampling Rate | 10.00% | 10.00% | 10.00% | 10.00% | 10.00% | 10.00% | 10.00% | 10.00% | 10.00% | 10.00% |
| Number of Oversample Records | 42 | 42 | 42 | 42 | 42 | 42 | 42 | 42 | 42 | 42 |
| Number of Records Excluded Because of Valid Data Errors | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number of Employee/Dependent Records Excluded | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Records Added from the Oversample List | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Denominator | 411 | 411 | 411 | 411 | 411 | 411 | 411 | 411 | 411 | 411 |
| Numerator Events by Administrative Data | 169 | 247 | 304 | 244 | 67 | 301 | 169 | 305 | 186 | 164 |
| Numerator Events by Medical Record | 3 | 4 | 1 | 4 | 9 | 1 | 4 | 0 | 5 | 2 |
| Numerator Events by Supplemental Data | 115 | 102 | 29 | 101 | 288 | 35 | 111 | 28 | 97 | 33 |
| Reported Rate | 69.83% | 85.89% | 81.27% | 84.91% | 88.56% | 82.00% | 69.10% | 81.02% | 70.07% | 48.42% |

Effectiveness of Care

Childhood Immunization Status

Minnesota Health Care Programs - Managed Care (Families and Children) (2 of 2)

| Data Elements | Combo 3 | Combo 7 | Combo10 |
|---|---------|---------|---------|
| Data Collection Methodology | H | H | H |
| Eligible Member Population | 555 | 555 | 555 |
| Number of Administrative Data Records Excluded | 0 | 0 | 0 |
| Numerator Events by Admin Data in Eligible Population | 348 | 314 | 207 |
| Current Year's Admin Rate | 62.70% | 56.58% | 37.30% |
| Minimum Required Sample Size | 411 | 411 | 411 |
| Oversampling Rate | 10.00% | 10.00% | 10.00% |
| Number of Oversample Records | 42 | 42 | 42 |
| Number of Records Excluded Because of Valid Data Errors | 0 | 0 | 0 |
| Number of Employee/Dependent Records Excluded | 0 | 0 | 0 |
| Records Added from the Oversample List | 0 | 0 | 0 |
| Denominator | 411 | 411 | 411 |
| Numerator Events by Administrative Data | 49 | 49 | 33 |
| Numerator Events by Medical Record | 7 | 8 | 5 |
| Numerator Events by Supplemental Data | 209 | 186 | 128 |
| Reported Rate | 64.48% | 59.12% | 40.39% |

Effectiveness of Care

Childhood Immunization Status

Minnesota Health Care Programs - Managed Care (MN Care) (1 of 2)

| Data Elements | DTaP | IPV | MMR | HiB | Hepatitis B | VZV | Pneumo-coccal Conjugate | Hepatitis A | Rotavirus | Influenza |
|---|---------|---------|---------|---------|-------------|---------|-------------------------|-------------|-----------|-----------|
| Data Collection Methodology | H | H | H | H | H | H | H | H | H | H |
| Eligible Member Population | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Number of Administrative Data Records Excluded | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Numerator Events by Admin Data in Eligible Population | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Current Year's Admin Rate | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% |
| Minimum Required Sample Size | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Oversampling Rate | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Number of Oversample Records | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number of Records Excluded Because of Valid Data Errors | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number of Employee/Dependent Records Excluded | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Records Added from the Oversample List | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Denominator | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Numerator Events by Administrative Data | 0 | 1 | 1 | 1 | 0 | 1 | 0 | 1 | 0 | 1 |
| Numerator Events by Medical Record | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Numerator Events by Supplemental Data | 1 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| Reported Rate | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% |

Effectiveness of Care

Childhood Immunization Status

Minnesota Health Care Programs - Managed Care (MN Care) (2 of 2)

| Data Elements | Combo 3 | Combo 7 | Combo10 |
|---|---------|---------|---------|
| Data Collection Methodology | H | H | H |
| Eligible Member Population | 1 | 1 | 1 |
| Number of Administrative Data Records Excluded | 0 | 0 | 0 |
| Numerator Events by Admin Data in Eligible Population | 1 | 1 | 1 |
| Current Year's Admin Rate | 100.00% | 100.00% | 100.00% |
| Minimum Required Sample Size | 1 | 1 | 1 |
| Oversampling Rate | 0.00% | 0.00% | 0.00% |
| Number of Oversample Records | 0 | 0 | 0 |
| Number of Records Excluded Because of Valid Data Errors | 0 | 0 | 0 |
| Number of Employee/Dependent Records Excluded | 0 | 0 | 0 |
| Records Added from the Oversample List | 0 | 0 | 0 |
| Denominator | 1 | 1 | 1 |
| Numerator Events by Administrative Data | 0 | 0 | 0 |
| Numerator Events by Medical Record | 0 | 0 | 0 |
| Numerator Events by Supplemental Data | 1 | 1 | 1 |
| Reported Rate | 100.00% | 100.00% | 100.00% |

Effectiveness of Care

Immunizations for Adolescents

Commercial

| Data Elements | Meningococcal | Tdap | Combo 1 | Combo 2 | HPV |
|---|---------------|------|---------|---------|-----|
| Data Collection Methodology | | | | | |
| Eligible Member Population | | | | | |
| Number of Administrative Data Records Excluded | | | | | |
| Numerator Events by Admin Data on Eligible Population | | | | | |
| Current Year's Admin Rate | | | | | |
| Minimum Required Sample Size | | | | | |
| Oversampling Rate | | | | | |
| Number of oversample records | | | | | |
| Records Excluded because of Valid Data Errors | | | | | |
| Number of Employee/Dependent Medical Records Excluded | | | | | |
| Records Added from the Oversample List | | | | | |
| Denominator | | | | | |
| Numerator Events by Admin Data | | | | | |
| Numerator Events by Medical Record | | | | | |
| Numerator Events by Supplemental Data | | | | | |
| Reported Rate | | | | | |

Effectiveness of Care

Immunizations for Adolescents

Minnesota Health Care Programs - Managed Care (Families and Children)

| Data Elements | Meningococcal | Tdap | Combo 1 | Combo 2 | HPV |
|---|---------------|--------|---------|---------|--------|
| Data Collection Methodology | H | H | H | H | H |
| Eligible Member Population | 607 | 607 | 607 | 607 | 607 |
| Number of Administrative Data Records Excluded | 0 | 0 | 0 | 0 | 0 |
| Numerator Events by Admin Data on Eligible Population | 492 | 497 | 486 | 181 | 186 |
| Current Year's Admin Rate | 81.05% | 81.88% | 80.07% | 29.82% | 30.64% |
| Minimum Required Sample Size | 411 | 411 | 411 | 411 | 411 |
| Oversampling Rate | 10.00% | 10.00% | 10.00% | 10.00% | 10.00% |
| Number of oversample records | 42 | 42 | 42 | 42 | 42 |
| Records Excluded because of Valid Data Errors | 0 | 0 | 0 | 0 | 0 |
| Number of Employee/Dependent Medical Records Excluded | 0 | 0 | 0 | 0 | 0 |
| Records Added from the Oversample List | 0 | 0 | 0 | 0 | 0 |
| Denominator | 411 | 411 | 411 | 411 | 411 |
| Numerator Events by Admin Data | 303 | 304 | 294 | 87 | 90 |
| Numerator Events by Medical Record | 4 | 6 | 6 | 5 | 4 |
| Numerator Events by Supplemental Data | 39 | 39 | 42 | 36 | 37 |
| Reported Rate | 84.18% | 84.91% | 83.21% | 31.14% | 31.87% |

Effectiveness of Care

Immunizations for Adolescents

Minnesota Health Care Programs - Managed Care (MN Care)

| Data Elements | Meningococcal | Tdap | Combo 1 | Combo 2 | HPV |
|---|---------------|--------|---------|---------|--------|
| Data Collection Methodology | H | H | H | H | H |
| Eligible Member Population | 4 | 4 | 4 | 4 | 4 |
| Number of Administrative Data Records Excluded | 0 | 0 | 0 | 0 | 0 |
| Numerator Events by Admin Data on Eligible Population | 3 | 3 | 3 | 0 | 1 |
| Current Year's Admin Rate | 75.00% | 75.00% | 75.00% | 0.00% | 25.00% |
| Minimum Required Sample Size | 4 | 4 | 4 | 4 | 4 |
| Oversampling Rate | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Number of oversample records | 0 | 0 | 0 | 0 | 0 |
| Records Excluded because of Valid Data Errors | 0 | 0 | 0 | 0 | 0 |
| Number of Employee/Dependent Medical Records Excluded | 0 | 0 | 0 | 0 | 0 |
| Records Added from the Oversample List | 0 | 0 | 0 | 0 | 0 |
| Denominator | 4 | 4 | 4 | 4 | 4 |
| Numerator Events by Admin Data | 3 | 3 | 3 | 0 | 0 |
| Numerator Events by Medical Record | 0 | 0 | 0 | 0 | 0 |
| Numerator Events by Supplemental Data | 0 | 0 | 0 | 0 | 1 |
| Reported Rate | 75.00% | 75.00% | 75.00% | 0.00% | 25.00% |

Effectiveness of Care

Breast Cancer Screening

| Data Elements | Commercial | MHCP-MC (F&C) | MHCP-MC (MN Care) | SNBC Non-SNP |
|--|------------|------------------|----------------------|-----------------|
| Eligible Member Population | | 895 | 188 | 335 |
| Number of Optional Admin Data Records Excluded | | 2 | 1 | 5 |
| Number of Required Admin Data Records Excluded | | 4 | 1 | 7 |
| Numerator Events by Admin Data | | 534 | 116 | 200 |
| Numerator Events by Supplemental Data | | 0 | 0 | 0 |
| Rate Status | | R | R | R |
| Reported Rate | | 59.66% | 61.70% | 59.70% |

Effectiveness of Care

Breast Cancer Screening

Medicare Advantage

| Data Elements | Non-LIS/DE, Nondisability | LIS/DE | Disability | LIS/DE and Disability | Other | Unknown | Total |
|---|------------------------------|--------|------------|--------------------------|-------|---------|-------|
| Eligible Member Population | | | | | | | |
| Number of Optional Admin Data Records Excluded | | | | | | | |
| Number of Required Admin Data Records Excluded | | | | | | | |
| Numerator Events by Admin Data | | | | | | | |
| Numerator Events by Supplemental Data | | | | | | | |
| Rate Status | | | | | | | |
| Reported Rate | | | | | | | |

Effectiveness of Care

Breast Cancer Screening

Minnesota Senior Health Options

| Data Elements | Non-LIS/DE, Nondisability | LIS/DE | Disability | LIS/DE and Disability | Other | Unknown | Total |
|--|------------------------------|--------|------------|--------------------------|-------|---------|--------|
| Eligible Member Population | 0 | 113 | 0 | 111 | 0 | 0 | 224 |
| Number of Optional Admin Data Records Excluded | 0 | 2 | 0 | 1 | 0 | 0 | 3 |
| Number of Required Admin Data Records Excluded | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| Numerator Events by Admin Data | 0 | 65 | 0 | 79 | 0 | 0 | 144 |
| Numerator Events by Supplemental Data | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Rate Status | NA | R | NA | R | NA | NA | R |
| Reported Rate | | 57.52% | | 71.17% | | | 64.29% |

Effectiveness of Care

Breast Cancer Screening

Special Needs Basic Care - Special Needs Plan

| Data Elements | Non-LIS/DE, Nondisability | LIS/DE | Disability | LIS/DE and Disability | Other | Unknown | Total |
|--|------------------------------|--------|------------|--------------------------|-------|---------|--------|
| Eligible Member Population | 0 | 0 | 0 | 143 | 0 | 0 | 143 |
| Number of Optional Admin Data Records Excluded | 0 | 0 | 0 | 2 | 0 | 0 | 2 |
| Number of Required Admin Data Records Excluded | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Numerator Events by Admin Data | 0 | 0 | 0 | 110 | 0 | 0 | 110 |
| Numerator Events by Supplemental Data | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Rate Status | NA | NA | NA | R | NA | NA | R |
| Reported Rate | | | | 76.92% | | | 76.92% |

Effectiveness of Care

Cervical Cancer Screening

| Data Elements | Commercial | MHCP-MC (F&C) | MHCP-MC (MN Care) | SNBC Non-SNP |
|---|------------|------------------|----------------------|-----------------|
| Data Collection Methodology | | A | A | A |
| Eligible Member Population | | 5462 | 799 | 725 |
| Number of Required Admin Data Records Excluded | | 10 | 2 | 9 |
| Numerator Events by Admin Data on Eligible Population | | | | |
| Current Year's Admin Rate | | | | |
| Minimum Required Sample Size | | | | |
| Oversampling Rate | | | | |
| Number of oversample records | | | | |
| Records Excluded because of Valid Data Errors | | | | |
| Number of Optional Admin Data Records Excluded | | | | |
| Number of Medical Record Data Records Excluded | | | | |
| Number of Employee/Dependent Medical Records Excluded | | | | |
| Records Added from the Oversample List | | | | |
| Denominator | | 5462 | 799 | 725 |
| Numerator Events by Admin Data | | 2376 | 323 | 241 |
| Numerator Events by Medical Record | | | | |
| Numerator Events by Supplemental Data | | 0 | 0 | 0 |
| Reported Rate | | 43.50% | 40.43% | 33.24% |

Effectiveness of Care

Colorectal Cancer Screening

Commercial

| Data Elements | Total | | |
|---|-------|-------|-------|
| | 46-49 | 50-75 | Total |
| Data Collection Methodology | | | |
| Eligible Member Population | | | |
| Number of Required Admin Data Records Excluded | | | |
| Numerator Events by Admin Data on Eligible Population | | | |
| Current Year's Admin Rate | | | |
| Minimum Required Sample Size | | | |
| Oversampling Rate | | | |
| Number of Oversample Records | | | |
| Number of original sample records excluded because of valid data errors | | | |
| Number of Optional Admin Data Records Excluded | | | |
| Number of Medical Record Data Records Excluded | | | |
| Number of Employee/Dependent Medical Records Excluded | | | |
| Records Added from the Oversample List | | | |
| Denominator | | | |
| Numerator Events by Admin Data | | | |
| Numerator Events by Medical Record | | | |
| Numerator Events by Supplemental Data | | | |
| Reported rate | | | |

Effectiveness of Care

Colorectal Cancer Screening

Commercial - Race

| | White | | | Black or African American | | | American Indian and Alaska Native | | |
|-----------------------------|--------|----------|-------|---------------------------|----------|-------|-----------------------------------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | | | | | | | |
| Eligible Member Population | | | | | | | | | |
| Denominator | | | | | | | | | |
| Numerator | | | | | | | | | |
| Reported Rate | | | | | | | | | |

| | Asian | | | Native Hawaiian and Other Pacific Islander | | | Some Other Race | | |
|-----------------------------|--------|----------|-------|--|----------|-------|-----------------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | | | | | | | |
| Eligible Member Population | | | | | | | | | |
| Denominator | | | | | | | | | |
| Numerator | | | | | | | | | |
| Reported Rate | | | | | | | | | |

| | Two or More Races | | | Asked but No Answer | | | Unknown | | |
|-----------------------------|-------------------|----------|-------|---------------------|----------|-------|---------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | | | | | | | |
| Eligible Member Population | | | | | | | | | |
| Denominator | | | | | | | | | |
| Numerator | | | | | | | | | |
| Reported Rate | | | | | | | | | |

Effectiveness of Care

Colorectal Cancer Screening

Commercial - Ethnicity

| | Hispanic or Latino | | | Not Hispanic or Latino | | |
|-----------------------------|--------------------|----------|-------|------------------------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | | | | |
| Eligible Member Population | | | | | | |
| Denominator | | | | | | |
| Numerator | | | | | | |
| Reported Rate | | | | | | |

| | Asked but No Answer | | | Unknown | | |
|-----------------------------|---------------------|----------|-------|---------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | | | | |
| Eligible Member Population | | | | | | |
| Denominator | | | | | | |
| Numerator | | | | | | |
| Reported Rate | | | | | | |

Effectiveness of Care

Colorectal Cancer Screening

Medicare Advantage (1 of 3)

| Data Elements | Total | | |
|---|-------|-------|-------|
| | 46-49 | 50-75 | Total |
| Data Collection Methodology | | | |
| Eligible Member Population | | | |
| Number of Required Admin Data Records Excluded | | | |
| Numerator Events by Admin Data on Eligible Population | | | |
| Current Year's Admin Rate | | | |
| Minimum Required Sample Size | | | |
| Oversampling Rate | | | |
| Number of Oversample Records | | | |
| Number of original sample records excluded because of valid data errors | | | |
| Number of Optional Admin Data Records Excluded | | | |
| Number of Medical Record Data Records Excluded | | | |
| Number of Employee/Dependent Medical Records Excluded | | | |
| Records Added from the Oversample List | | | |
| Denominator | | | |
| Numerator Events by Admin Data | | | |
| Numerator Events by Medical Record | | | |
| Numerator Events by Supplemental Data | | | |
| Reported rate | | | |

Effectiveness of Care

Colorectal Cancer Screening

Medicare Advantage (2 of 3)

| Data Elements | Non-LIS/DE Nondisability | | | LIS/DE | | | Disability | | |
|---|--------------------------|-------|-------|--------|-------|-------|------------|-------|-------|
| | 46-49 | 50-75 | Total | 46-49 | 50-75 | Total | 46-49 | 50-75 | Total |
| Data Collection Methodology | | | | | | | | | |
| Eligible Member Population | | | | | | | | | |
| Number of Required Admin Data Records Excluded | | | | | | | | | |
| Numerator Events by Admin Data on Eligible Population | | | | | | | | | |
| Current Year's Admin Rate | | | | | | | | | |
| Minimum Required Sample Size | | | | | | | | | |
| Oversampling Rate | | | | | | | | | |
| Number of Oversample Records | | | | | | | | | |
| Number of original sample records excluded because of valid data errors | | | | | | | | | |
| Number of Optional Admin Data Records Excluded | | | | | | | | | |
| Number of Medical Record Data Records Excluded | | | | | | | | | |
| Number of Employee/Dependent Medical Records Excluded | | | | | | | | | |
| Records Added from the Oversample List | | | | | | | | | |
| Denominator | | | | | | | | | |
| Numerator Events by Admin Data | | | | | | | | | |
| Numerator Events by Medical Record | | | | | | | | | |
| Numerator Events by Supplemental Data | | | | | | | | | |
| Reported rate | | | | | | | | | |

Effectiveness of Care

Colorectal Cancer Screening

Medicare Advantage (3 of 3)

| Data Elements | LIS/DE and Disability | | | Other | | | Unknown | | |
|---|-----------------------|-------|-------|-------|-------|-------|---------|-------|-------|
| | 46-49 | 50-75 | Total | 46-49 | 50-75 | Total | 46-49 | 50-75 | Total |
| Data Collection Methodology | | | | | | | | | |
| Eligible Member Population | | | | | | | | | |
| Number of Required Admin Data Records Excluded | | | | | | | | | |
| Numerator Events by Admin Data on Eligible Population | | | | | | | | | |
| Current Year's Admin Rate | | | | | | | | | |
| Minimum Required Sample Size | | | | | | | | | |
| Oversampling Rate | | | | | | | | | |
| Number of Oversample Records | | | | | | | | | |
| Number of original sample records excluded because of valid data errors | | | | | | | | | |
| Number of Optional Admin Data Records Excluded | | | | | | | | | |
| Number of Medical Record Data Records Excluded | | | | | | | | | |
| Number of Employee/Dependent Medical Records Excluded | | | | | | | | | |
| Records Added from the Oversample List | | | | | | | | | |
| Denominator | | | | | | | | | |
| Numerator Events by Admin Data | | | | | | | | | |
| Numerator Events by Medical Record | | | | | | | | | |
| Numerator Events by Supplemental Data | | | | | | | | | |
| Reported rate | | | | | | | | | |

Effectiveness of Care

Colorectal Cancer Screening

Medicare Advantage - Race

| | White | | | Black or African American | | | American Indian and Alaska Native | | |
|-----------------------------|--------|----------|-------|---------------------------|----------|-------|-----------------------------------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | | | | | | | |
| Eligible Member Population | | | | | | | | | |
| Denominator | | | | | | | | | |
| Numerator | | | | | | | | | |
| Reported Rate | | | | | | | | | |

| | Asian | | | Native Hawaiian and Other Pacific Islander | | | Some Other Race | | |
|-----------------------------|--------|----------|-------|--|----------|-------|-----------------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | | | | | | | |
| Eligible Member Population | | | | | | | | | |
| Denominator | | | | | | | | | |
| Numerator | | | | | | | | | |
| Reported Rate | | | | | | | | | |

| | Two or More Races | | | Asked but No Answer | | | Unknown | | |
|-----------------------------|-------------------|----------|-------|---------------------|----------|-------|---------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | | | | | | | |
| Eligible Member Population | | | | | | | | | |
| Denominator | | | | | | | | | |
| Numerator | | | | | | | | | |
| Reported Rate | | | | | | | | | |

Effectiveness of Care

Colorectal Cancer Screening

Medicare Advantage - Ethnicity

| | Hispanic or Latino | | | Not Hispanic or Latino | | |
|-----------------------------|--------------------|----------|-------|------------------------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | | | | |
| Eligible Member Population | | | | | | |
| Denominator | | | | | | |
| Numerator | | | | | | |
| Reported Rate | | | | | | |

| | Asked but No Answer | | | Unknown | | |
|-----------------------------|---------------------|----------|-------|---------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | | | | |
| Eligible Member Population | | | | | | |
| Denominator | | | | | | |
| Numerator | | | | | | |
| Reported Rate | | | | | | |

Effectiveness of Care

Colorectal Cancer Screening

Minnesota Health Care Programs - Managed Care (Families and Children)

| Data Elements | Total | | |
|---|--------|--------|--------|
| | 46-49 | 50-75 | Total |
| Data Collection Methodology | | | |
| Eligible Member Population | 583 | 2076 | 2659 |
| Number of Required Admin Data Records Excluded | 0 | 7 | 7 |
| Numerator Events by Admin Data on Eligible Population | | | |
| Current Year's Admin Rate | | | |
| Minimum Required Sample Size | | | |
| Oversampling Rate | | | |
| Number of Oversample Records | | | |
| Number of original sample records excluded because of valid data errors | | | |
| Number of Optional Admin Data Records Excluded | 0 | 6 | 6 |
| Number of Medical Record Data Records Excluded | | | |
| Number of Employee/Dependent Medical Records Excluded | | | |
| Records Added from the Oversample List | | | |
| Denominator | 583 | 2076 | 2659 |
| Numerator Events by Admin Data | 84 | 549 | 633 |
| Numerator Events by Medical Record | | | |
| Numerator Events by Supplemental Data | 0 | 0 | 0 |
| Reported rate | 14.41% | 26.45% | 23.81% |

Effectiveness of Care

Colorectal Cancer Screening

Minnesota Health Care Programs - Managed Care (Families and Children) - Race

| | White | | | Black or African American | | | American Indian and Alaska Native | | |
|-----------------------------|--------|----------|--------|---------------------------|----------|--------|-----------------------------------|----------|--------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | | | | | | | |
| Eligible Member Population | 1704 | 0 | 1704 | 61 | 0 | 61 | 23 | 0 | 23 |
| Denominator | 1704 | 0 | 1704 | 61 | 0 | 61 | 23 | 0 | 23 |
| Numerator | 405 | 0 | 405 | 8 | 0 | 8 | 4 | 0 | 4 |
| Reported Rate | 23.77% | | 23.77% | 13.11% | | 13.11% | 17.39% | | 17.39% |

| | Asian | | | Native Hawaiian and Other Pacific Islander | | | Some Other Race | | |
|-----------------------------|--------|----------|--------|--|----------|--------|-----------------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | | | | | | | |
| Eligible Member Population | 17 | 0 | 17 | | | 2 | | | 0 |
| Denominator | | | 17 | | | 2 | | | 0 |
| Numerator | | | 4 | | | 1 | | | 0 |
| Reported Rate | 23.53% | | 23.53% | 50.00% | | 50.00% | | | |

| | Two or More Races | | | Asked but No Answer | | | Unknown | | |
|-----------------------------|-------------------|----------|--------|---------------------|----------|-------|---------|----------|--------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | | | | | | | |
| Eligible Member Population | 20 | 0 | 20 | | | 1 | | | 831 |
| Denominator | | | 20 | | | 1 | | | 831 |
| Numerator | | | 2 | | | 0 | | | 209 |
| Reported Rate | 10.00% | | 10.00% | 0.00% | | 0.00% | | 25.15% | 25.15% |

Effectiveness of Care

Colorectal Cancer Screening

Minnesota Health Care Programs - Managed Care (Families and Children) - Ethnicity

| | Hispanic or Latino | | | Not Hispanic or Latino | | |
|-----------------------------|--------------------|----------|--------|------------------------|----------|--------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | | | | |
| Eligible Member Population | 124 | 0 | 124 | | | 2193 |
| Denominator | | | 124 | | | 2193 |
| Numerator | | | 22 | | | 522 |
| Reported Rate | 17.74% | | 17.74% | 23.80% | | 23.80% |

| | Asked but No Answer | | | Unknown | | |
|-----------------------------|---------------------|----------|--------|---------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | | | | |
| Eligible Member Population | 342 | | 342 | | | 0 |
| Denominator | | | 342 | | | 0 |
| Numerator | | | 89 | | | 0 |
| Reported Rate | 26.02% | | 26.02% | | | |

Effectiveness of Care

Colorectal Cancer Screening

Minnesota Health Care Programs - Managed Care (MN Care)

| Data Elements | Total | | |
|---|--------|--------|--------|
| | 46-49 | 50-75 | Total |
| Data Collection Methodology | | | |
| Eligible Member Population | 105 | 447 | 552 |
| Number of Required Admin Data Records Excluded | 1 | 1 | 2 |
| Numerator Events by Admin Data on Eligible Population | | | |
| Current Year's Admin Rate | | | |
| Minimum Required Sample Size | | | |
| Oversampling Rate | | | |
| Number of Oversample Records | | | |
| Number of original sample records excluded because of valid data errors | | | |
| Number of Optional Admin Data Records Excluded | 0 | 1 | 1 |
| Number of Medical Record Data Records Excluded | | | |
| Number of Employee/Dependent Medical Records Excluded | | | |
| Records Added from the Oversample List | | | |
| Denominator | 105 | 447 | 552 |
| Numerator Events by Admin Data | 18 | 122 | 140 |
| Numerator Events by Medical Record | | | |
| Numerator Events by Supplemental Data | 0 | 0 | 0 |
| Reported rate | 17.14% | 27.29% | 25.36% |

Effectiveness of Care

Colorectal Cancer Screening

Minnesota Health Care Programs - Managed Care (MN Care) - Race

| | White | | | Black or African American | | | American Indian and Alaska Native | | |
|-----------------------------|--------|----------|--------|---------------------------|----------|-------|-----------------------------------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | | | | | | | |
| Eligible Member Population | 331 | 0 | 331 | 3 | 0 | 3 | 0 | 0 | 0 |
| Denominator | 331 | 0 | 331 | 3 | 0 | 3 | 0 | 0 | 0 |
| Numerator | 88 | 0 | 88 | 0 | 0 | 0 | 0 | 0 | 0 |
| Reported Rate | 26.59% | | 26.59% | 0.00% | | 0.00% | | | |

| | Asian | | | Native Hawaiian and Other Pacific Islander | | | Some Other Race | | |
|-----------------------------|--------|----------|--------|--|----------|-------|-----------------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | | | | | | | |
| Eligible Member Population | 8 | 0 | 8 | | | 2 | | | 0 |
| Denominator | | | 8 | | | 2 | | | 0 |
| Numerator | | | 5 | | | 0 | | | 0 |
| Reported Rate | 62.50% | | 62.50% | 0.00% | | 0.00% | | | |

| | Two or More Races | | | Asked but No Answer | | | Unknown | | |
|-----------------------------|-------------------|----------|--------|---------------------|----------|-------|---------|----------|--------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | | | | | | | |
| Eligible Member Population | 5 | 0 | 5 | | | 0 | | | 203 |
| Denominator | | | 5 | | | 0 | | | 203 |
| Numerator | | | 1 | | | 0 | | | 46 |
| Reported Rate | 20.00% | | 20.00% | | | | | 22.66% | 22.66% |

Effectiveness of Care

Colorectal Cancer Screening

Minnesota Health Care Programs - Managed Care (MN Care) - Ethnicity

| | Hispanic or Latino | | | Not Hispanic or Latino | | |
|-----------------------------|--------------------|----------|--------|------------------------|----------|--------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | | | | |
| Eligible Member Population | 28 | 0 | 28 | | | 418 |
| Denominator | | | 28 | | | 418 |
| Numerator | | | 7 | | | 100 |
| Reported Rate | 25.00% | | 25.00% | 23.92% | | 23.92% |

| | Asked but No Answer | | | Unknown | | |
|-----------------------------|---------------------|----------|--------|---------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | | | | |
| Eligible Member Population | 106 | | 106 | | | 0 |
| Denominator | | | 106 | | | 0 |
| Numerator | | | 33 | | | 0 |
| Reported Rate | 31.13% | | 31.13% | | | |

Effectiveness of Care

Colorectal Cancer Screening

Minnesota Senior Health Options (1 of 3)

| Data Elements | Total | | |
|---|--------|--------|--------|
| | 46-49 | 50-75 | Total |
| Data Collection Methodology | H | H | H |
| Eligible Member Population | 0 | 421 | 421 |
| Number of Required Admin Data Records Excluded | 0 | 1 | 1 |
| Numerator Events by Admin Data on Eligible Population | 0 | 233 | 233 |
| Current Year's Admin Rate | | | 55.34% |
| Minimum Required Sample Size | 411 | 411 | 411 |
| Oversampling Rate | 10.00% | 10.00% | 10.00% |
| Number of Oversample Records | 42 | 42 | 42 |
| Number of original sample records excluded because of valid data errors | 0 | 0 | 0 |
| Number of Optional Admin Data Records Excluded | 2 | 2 | 2 |
| Number of Medical Record Data Records Excluded | 0 | 0 | 0 |
| Number of Employee/Dependent Medical Records Excluded | 0 | 0 | 0 |
| Records Added from the Oversample List | 0 | 0 | 0 |
| Denominator | 0 | 411 | 411 |
| Numerator Events by Admin Data | 0 | 228 | 228 |
| Numerator Events by Medical Record | 0 | 42 | 42 |
| Numerator Events by Supplemental Data | 0 | 0 | 0 |
| Reported rate | | 65.69% | 65.69% |

Effectiveness of Care

Colorectal Cancer Screening

Minnesota Senior Health Options (2 of 3)

| Data Elements | Non-LIS/DE Nondisability | | | LIS/DE | | | Disability | | |
|---|--------------------------|--------|--------|--------|--------|--------|------------|--------|--------|
| | 46-49 | 50-75 | Total | 46-49 | 50-75 | Total | 46-49 | 50-75 | Total |
| Data Collection Methodology | H | H | H | H | H | H | H | H | H |
| Eligible Member Population | 0 | 0 | 0 | 0 | 224 | 224 | 0 | 0 | 0 |
| Number of Required Admin Data Records Excluded | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Numerator Events by Admin Data on Eligible Population | 0 | 0 | 0 | 0 | 118 | 118 | 0 | 0 | 0 |
| Current Year's Admin Rate | | | | | | | | | |
| Minimum Required Sample Size | 411 | 411 | 411 | 411 | 411 | 411 | 411 | 411 | 411 |
| Oversampling Rate | 10.00% | 10.00% | 10.00% | 10.00% | 10.00% | 10.00% | 10.00% | 10.00% | 10.00% |
| Number of Oversample Records | 42 | 42 | 42 | 42 | 42 | 42 | 42 | 42 | 42 |
| Number of original sample records excluded because of valid data errors | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number of Optional Admin Data Records Excluded | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| Number of Medical Record Data Records Excluded | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number of Employee/Dependent Medical Records Excluded | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Records Added from the Oversample List | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Denominator | 0 | 0 | 0 | 0 | 217 | 217 | 0 | 0 | 0 |
| Numerator Events by Admin Data | 0 | 0 | 0 | 0 | 115 | 115 | 0 | 0 | |
| Numerator Events by Medical Record | 0 | 0 | 0 | 0 | 18 | 18 | 0 | 0 | 0 |
| Numerator Events by Supplemental Data | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Reported rate | | | | | 61.29% | 61.29% | | | |

Effectiveness of Care

Colorectal Cancer Screening

Minnesota Senior Health Options (3 of 3)

| Data Elements | LIS/DE and Disability | | | Other | | | Unknown | | |
|---|-----------------------|--------|--------|--------|--------|--------|---------|--------|--------|
| | 46-49 | 50-75 | Total | 46-49 | 50-75 | Total | 46-49 | 50-75 | Total |
| Data Collection Methodology | H | H | H | H | H | H | H | H | H |
| Eligible Member Population | 0 | 197 | 197 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number of Required Admin Data Records Excluded | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| Numerator Events by Admin Data on Eligible Population | 0 | 115 | 115 | 0 | 0 | 0 | 0 | 0 | 0 |
| Current Year's Admin Rate | | | | | | | | | |
| Minimum Required Sample Size | 411 | 411 | 411 | 411 | 411 | 411 | 411 | 411 | 411 |
| Oversampling Rate | 10.00% | 10.00% | 10.00% | 10.00% | 10.00% | 10.00% | 10.00% | 10.00% | 10.00% |
| Number of Oversample Records | 42 | 42 | 42 | 42 | 42 | 42 | 42 | 42 | 42 |
| Number of original sample records excluded because of valid data errors | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number of Optional Admin Data Records Excluded | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| Number of Medical Record Data Records Excluded | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number of Employee/Dependent Medical Records Excluded | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Records Added from the Oversample List | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Denominator | 0 | 194 | 194 | 0 | 0 | 0 | 0 | 0 | 0 |
| Numerator Events by Admin Data | 0 | 113 | 113 | 0 | 0 | 0 | 0 | 0 | |
| Numerator Events by Medical Record | 0 | 24 | 24 | 0 | 0 | 0 | 0 | 0 | 0 |
| Numerator Events by Supplemental Data | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Reported rate | | 70.62% | 70.62% | | | | | | |

Effectiveness of Care

Colorectal Cancer Screening

Minnesota Senior Health Options - Race

| | White | | | Black or African American | | | American Indian and Alaska Native | | |
|-----------------------------|--------|----------|--------|---------------------------|----------|--------|-----------------------------------|----------|--------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | H | H | H | H | H |
| Eligible Member Population | 386 | 0 | 386 | 8 | 0 | 8 | 4 | 0 | 4 |
| Denominator | 377 | 0 | 377 | 8 | 0 | 8 | 4 | 0 | 4 |
| Numerator | 245 | 0 | 245 | 6 | 0 | 6 | 2 | 0 | 2 |
| Reported Rate | 64.99% | | 64.99% | 75.00% | | 75.00% | 50.00% | | 50.00% |

| | Asian | | | Native Hawaiian and Other Pacific Islander | | | Some Other Race | | |
|-----------------------------|--------|----------|--------|--|----------|-------|-----------------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | H | H | H | H | H |
| Eligible Member Population | 3 | 0 | 3 | | | 0 | | | 0 |
| Denominator | | | 2 | | | 0 | | | 0 |
| Numerator | | | 1 | | | 0 | | | 0 |
| Reported Rate | 50.00% | | 50.00% | | | | | | |

| | Two or More Races | | | Asked but No Answer | | | Unknown | | |
|-----------------------------|-------------------|----------|---------|---------------------|----------|-------|---------|----------|--------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | | H | | H | H |
| Eligible Member Population | 3 | 0 | 3 | | | 0 | | | 17 |
| Denominator | | | 3 | | | 0 | | | 17 |
| Numerator | | | 3 | | | 0 | | | 13 |
| Reported Rate | 100.00% | | 100.00% | | | | | 76.47% | 76.47% |

Effectiveness of Care

Colorectal Cancer Screening

Minnesota Senior Health Options - Ethnicity

| | Hispanic or Latino | | | Not Hispanic or Latino | | |
|-----------------------------|--------------------|----------|--------|------------------------|----------|--------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | H | H |
| Eligible Member Population | 18 | 0 | 18 | | | 402 |
| Denominator | | | 17 | | | 393 |
| Numerator | | | 9 | | | 261 |
| Reported Rate | 52.94% | | 52.94% | 66.41% | | 66.41% |

| | Asked but No Answer | | | Unknown | | |
|-----------------------------|---------------------|----------|-------|---------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | H | | H | H |
| Eligible Member Population | 1 | | 1 | | | 0 |
| Denominator | | | 1 | | | 0 |
| Numerator | | | 0 | | | 0 |
| Reported Rate | 0.00% | | 0.00% | | | |

Effectiveness of Care

Colorectal Cancer Screening

Special Needs Basic Care - Special Needs Plan (1 of 3)

| Data Elements | Total | | |
|---|--------|--------|--------|
| | 46-49 | 50-75 | Total |
| Data Collection Methodology | H | H | H |
| Eligible Member Population | 45 | 277 | 322 |
| Number of Required Admin Data Records Excluded | 0 | 1 | 1 |
| Numerator Events by Admin Data on Eligible Population | 15 | 190 | 205 |
| Current Year's Admin Rate | | | 63.66% |
| Minimum Required Sample Size | 321 | 321 | 321 |
| Oversampling Rate | 0.00% | 0.00% | 0.00% |
| Number of Oversample Records | 0 | 0 | 0 |
| Number of original sample records excluded because of valid data errors | 1 | 1 | 1 |
| Number of Optional Admin Data Records Excluded | 0 | 0 | 0 |
| Number of Medical Record Data Records Excluded | 2 | 2 | 2 |
| Number of Employee/Dependent Medical Records Excluded | 0 | 0 | 0 |
| Records Added from the Oversample List | 0 | 0 | 0 |
| Denominator | 45 | 273 | 318 |
| Numerator Events by Admin Data | 15 | 189 | 204 |
| Numerator Events by Medical Record | 2 | 15 | 17 |
| Numerator Events by Supplemental Data | 0 | 0 | 0 |
| Reported rate | 37.78% | 74.73% | 69.50% |

Effectiveness of Care

Colorectal Cancer Screening

Special Needs Basic Care - Special Needs Plan (2 of 3)

| Data Elements | Non-LIS/DE Nondisability | | | LIS/DE | | | Disability | | |
|---|--------------------------|-------|-------|--------|-------|-------|------------|-------|-------|
| | 46-49 | 50-75 | Total | 46-49 | 50-75 | Total | 46-49 | 50-75 | Total |
| Data Collection Methodology | H | H | H | H | H | H | H | H | H |
| Eligible Member Population | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number of Required Admin Data Records Excluded | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Numerator Events by Admin Data on Eligible Population | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Current Year's Admin Rate | | | | | | | | | |
| Minimum Required Sample Size | 321 | 321 | 321 | 321 | 321 | 321 | 321 | 321 | 321 |
| Oversampling Rate | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Number of Oversample Records | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number of original sample records excluded because of valid data errors | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Number of Optional Admin Data Records Excluded | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number of Medical Record Data Records Excluded | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| Number of Employee/Dependent Medical Records Excluded | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Records Added from the Oversample List | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Denominator | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Numerator Events by Admin Data | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Numerator Events by Medical Record | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Numerator Events by Supplemental Data | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Reported rate | | | | | | | | | |

Effectiveness of Care

Colorectal Cancer Screening

Special Needs Basic Care - Special Needs Plan (3 of 3)

| Data Elements | LIS/DE and Disability | | | Other | | | Unknown | | |
|---|-----------------------|--------|--------|-------|-------|-------|---------|-------|-------|
| | 46-49 | 50-75 | Total | 46-49 | 50-75 | Total | 46-49 | 50-75 | Total |
| Data Collection Methodology | H | H | H | H | H | H | H | H | H |
| Eligible Member Population | 45 | 277 | 322 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number of Required Admin Data Records Excluded | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| Numerator Events by Admin Data on Eligible Population | 15 | 190 | 205 | 0 | 0 | 0 | 0 | 0 | 0 |
| Current Year's Admin Rate | | | | | | | | | |
| Minimum Required Sample Size | 321 | 321 | 321 | 321 | 321 | 321 | 321 | 321 | 321 |
| Oversampling Rate | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Number of Oversample Records | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number of original sample records excluded because of valid data errors | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Number of Optional Admin Data Records Excluded | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number of Medical Record Data Records Excluded | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| Number of Employee/Dependent Medical Records Excluded | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Records Added from the Oversample List | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Denominator | 45 | 273 | 318 | 0 | 0 | 0 | 0 | 0 | 0 |
| Numerator Events by Admin Data | 15 | 189 | 204 | 0 | 0 | 0 | 0 | 0 | |
| Numerator Events by Medical Record | 2 | 15 | 17 | 0 | 0 | 0 | 0 | 0 | 0 |
| Numerator Events by Supplemental Data | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Reported rate | 37.78% | 74.73% | 69.50% | | | | | | |

Effectiveness of Care

Colorectal Cancer Screening

Special Needs Basic Care - Special Needs Plan - Race

| | White | | | Black or African American | | | American Indian and Alaska Native | | |
|-----------------------------|--------|----------|--------|---------------------------|----------|--------|-----------------------------------|----------|---------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | H | H | H | H | H |
| Eligible Member Population | 307 | 0 | 307 | 5 | 0 | 5 | 1 | 0 | 1 |
| Denominator | 304 | 0 | 304 | 4 | 0 | 4 | 1 | 0 | 1 |
| Numerator | 214 | 0 | 214 | 3 | 0 | 3 | 1 | 0 | 1 |
| Reported Rate | 70.39% | | 70.39% | 75.00% | | 75.00% | 100.00% | | 100.00% |

| | Asian | | | Native Hawaiian and Other Pacific Islander | | | Some Other Race | | |
|-----------------------------|--------|----------|-------|--|----------|-------|-----------------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | H | H | H | H | H |
| Eligible Member Population | 3 | 0 | 3 | | | 0 | | | 0 |
| Denominator | | | 3 | | | 0 | | | 0 |
| Numerator | | | 0 | | | 0 | | | 0 |
| Reported Rate | 0.00% | | 0.00% | | | | | | |

| | Two or More Races | | | Asked but No Answer | | | Unknown | | |
|-----------------------------|-------------------|----------|---------|---------------------|----------|-------|---------|----------|--------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | | H | | H | H |
| Eligible Member Population | 1 | 0 | 1 | | | 0 | | | 5 |
| Denominator | | | 1 | | | 0 | | | 5 |
| Numerator | | | 1 | | | 0 | | | 2 |
| Reported Rate | 100.00% | | 100.00% | | | | | 40.00% | 40.00% |

Effectiveness of Care

Colorectal Cancer Screening

Special Needs Basic Care - Special Needs Plan - Ethnicity

| | Hispanic or Latino | | | Not Hispanic or Latino | | |
|-----------------------------|--------------------|----------|--------|------------------------|----------|--------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | H | H |
| Eligible Member Population | 9 | 0 | 9 | | | 313 |
| Denominator | | | 9 | | | 309 |
| Numerator | | | 8 | | | 213 |
| Reported Rate | 88.89% | | 88.89% | 68.93% | | 68.93% |

| | Asked but No Answer | | | Unknown | | |
|-----------------------------|---------------------|----------|-------|---------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | H | | H | H |
| Eligible Member Population | 0 | | 0 | | | 0 |
| Denominator | | | 0 | | | 0 |
| Numerator | | | 0 | | | 0 |
| Reported Rate | | | | | | |

Effectiveness of Care

Colorectal Cancer Screening

Special Needs Basic Care - Non-Special Needs Plan

| Data Elements | Total | | |
|---|--------|--------|--------|
| | 46-49 | 50-75 | Total |
| Data Collection Methodology | | | |
| Eligible Member Population | 87 | 692 | 779 |
| Number of Required Admin Data Records Excluded | 1 | 11 | 12 |
| Numerator Events by Admin Data on Eligible Population | | | |
| Current Year's Admin Rate | | | |
| Minimum Required Sample Size | | | |
| Oversampling Rate | | | |
| Number of Oversample Records | | | |
| Number of original sample records excluded because of valid data errors | | | |
| Number of Optional Admin Data Records Excluded | 0 | 3 | 3 |
| Number of Medical Record Data Records Excluded | | | |
| Number of Employee/Dependent Medical Records Excluded | | | |
| Records Added from the Oversample List | | | |
| Denominator | 87 | 692 | 779 |
| Numerator Events by Admin Data | 9 | 234 | 243 |
| Numerator Events by Medical Record | | | |
| Numerator Events by Supplemental Data | 0 | 0 | 0 |
| Reported rate | 10.34% | 33.82% | 31.19% |

Effectiveness of Care

Colorectal Cancer Screening

Special Needs Basic Care - Non-Special Needs Plan - Race

| | White | | | Black or African American | | | American Indian and Alaska Native | | |
|-----------------------------|--------|----------|--------|---------------------------|----------|--------|-----------------------------------|----------|--------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | | | | | | | |
| Eligible Member Population | 684 | 0 | 684 | 47 | 0 | 47 | 4 | 0 | 4 |
| Denominator | 684 | 0 | 684 | 47 | 0 | 47 | 4 | 0 | 4 |
| Numerator | 220 | 0 | 220 | 13 | 0 | 13 | 1 | 0 | 1 |
| Reported Rate | 32.16% | | 32.16% | 27.66% | | 27.66% | 25.00% | | 25.00% |

| | Asian | | | Native Hawaiian and Other Pacific Islander | | | Some Other Race | | |
|-----------------------------|--------|----------|-------|--|----------|-------|-----------------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | | | | | | | |
| Eligible Member Population | 13 | 0 | 13 | | | 0 | | | 0 |
| Denominator | | | 13 | | | 0 | | | 0 |
| Numerator | | | 1 | | | 0 | | | 0 |
| Reported Rate | 7.69% | | 7.69% | | | | | | |

| | Two or More Races | | | Asked but No Answer | | | Unknown | | |
|-----------------------------|-------------------|----------|--------|---------------------|----------|-------|---------|----------|--------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | | | | | | | |
| Eligible Member Population | 4 | 0 | 4 | | | 0 | | | 27 |
| Denominator | | | 4 | | | 0 | | | 27 |
| Numerator | | | 1 | | | 0 | | | 7 |
| Reported Rate | 25.00% | | 25.00% | | | | | 25.93% | 25.93% |

Effectiveness of Care

Colorectal Cancer Screening

Special Needs Basic Care - Non-Special Needs Plan - Ethnicity

| | Hispanic or Latino | | | Not Hispanic or Latino | | |
|-----------------------------|--------------------|----------|--------|------------------------|----------|--------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | | | | |
| Eligible Member Population | 43 | 0 | 43 | | | 736 |
| Denominator | | | 43 | | | 736 |
| Numerator | | | 15 | | | 228 |
| Reported Rate | 34.88% | | 34.88% | 30.98% | | 30.98% |

| | Asked but No Answer | | | Unknown | | |
|-----------------------------|---------------------|----------|-------|---------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | | | | |
| Eligible Member Population | 0 | | 0 | | | 0 |
| Denominator | | | 0 | | | 0 |
| Numerator | | | 0 | | | 0 |
| Reported Rate | | | | | | |

Effectiveness of Care

Chlamydia Screening in Women

Commercial

| Data Elements | Ages 16-20 | Ages 21-24 | Total |
|---|------------|------------|-------|
| Eligible Member Population | | | |
| Number of optional administrative data records excluded | | | |
| Number of required administrative data records excluded | | | |
| Numerator Events by Admin Data | | | |
| Numerator Events by Supplemental Data | | | |
| Reported Rate | | | |

Effectiveness of Care

Chlamydia Screening in Women

Minnesota Health Care Programs - Managed Care (Families and Children)

| Data Elements | Ages 16-20 | Ages 21-24 | Total |
|---|------------|------------|--------|
| Eligible Member Population | 649 | 500 | 1149 |
| Number of optional administrative data records excluded | 39 | 15 | 54 |
| Number of required administrative data records excluded | 0 | 0 | 0 |
| Numerator Events by Admin Data | 220 | 226 | 446 |
| Numerator Events by Supplemental Data | 0 | 0 | 0 |
| Reported Rate | 33.90% | 45.20% | 38.82% |

Effectiveness of Care

Chlamydia Screening in Women

Minnesota Health Care Programs - Managed Care (MN Care)

| Data Elements | Ages 16-20 | Ages 21-24 | Total |
|---|------------|------------|--------|
| Eligible Member Population | 2 | 34 | 36 |
| Number of optional administrative data records excluded | 0 | 1 | 1 |
| Number of required administrative data records excluded | 0 | 0 | 0 |
| Numerator Events by Admin Data | 0 | 14 | 14 |
| Numerator Events by Supplemental Data | 0 | 0 | 0 |
| Reported Rate | 0.00% | 41.18% | 38.89% |

Effectiveness of Care

Care for Older Adults

Minnesota Senior Health Options

| Data Elements | Medication Review | Functional Status Assessment | Pain Screening |
|---|-------------------|------------------------------|----------------|
| Data Collection Methodology | H | H | H |
| Eligible Member Population | 1217 | 1217 | 1217 |
| Number of required administrative data records excluded | 43 | 43 | 43 |
| Numerator Events by Admin Data on Eligible Population | 85 | 1040 | 38 |
| Current Year's Admin Rate | 6.98% | 85.46% | 3.12% |
| Minimum Required Sample Size | 411 | 411 | 411 |
| Oversampling Rate | 10.00% | 10.00% | 10.00% |
| Number of oversample records | 42 | 42 | 42 |
| Records Excluded because of Valid Data Errors | 0 | 0 | 0 |
| Number of employee/dependent medical records excluded | 0 | 0 | 0 |
| Records Added from the Oversample List | 0 | 0 | 0 |
| Denominator | 411 | 411 | 411 |
| Numerator Events by Admin Data | 21 | 90 | 12 |
| Numerator Events by Medical Record | 358 | 93 | 366 |
| Numerator Events by Supplemental Data | 0 | 175 | 0 |
| Reported Rate | 92.21% | 87.10% | 91.97% |

Effectiveness of Care

Use of Spirometry Testing in the Assessment and Diagnosis of COPD

| Data Elements | Medicare Advantage | MSHO | SNBC SNP | SNBC Non-SNP |
|---|--------------------|--------|----------|--------------|
| Eligible Member Population | | 35 | 9 | 32 |
| Number of required administrative data records excluded | | 4 | 0 | 0 |
| Numerator Events by Admin Data | | 10 | 0 | 7 |
| Numerator Events by Supplemental Data | | 0 | 0 | 0 |
| Reported Rate | | 28.57% | 0.00% | 21.88% |

Effectiveness of Care

Pharmacotherapy Management of COPD Exacerbation

Medicare Advantage

| Data Elements | Systemic Corticosteroid | Bronchodilator |
|---|-------------------------|----------------|
| Eligible Member Population | | |
| Number of required administrative data records excluded | | |
| Numerator Events by Admin Data | | |
| Numerator Events by Supplemental Data | | |
| Reported Rate | | |

Effectiveness of Care

Pharmacotherapy Management of COPD Exacerbation

Minnesota Senior Health Options

| Data Elements | Systemic Corticosteroid | Bronchodilator |
|---|-------------------------|----------------|
| Eligible Member Population | 55 | 55 |
| Number of required administrative data records excluded | 6 | 6 |
| Numerator Events by Admin Data | 32 | 46 |
| Numerator Events by Supplemental Data | 0 | 0 |
| Reported Rate | 58.18% | 83.64% |

Effectiveness of Care

Pharmacotherapy Management of COPD Exacerbation

Special Needs Basic Care - Special Needs Plan

| Data Elements | Systemic Corticosteroid | Bronchodilator |
|---|-------------------------|----------------|
| Eligible Member Population | 16 | 16 |
| Number of required administrative data records excluded | 0 | 0 |
| Numerator Events by Admin Data | 13 | 15 |
| Numerator Events by Supplemental Data | 0 | 0 |
| Reported Rate | 81.25% | 93.75% |

Effectiveness of Care

Pharmacotherapy Management of COPD Exacerbation

Special Needs Basic Care - Non-Special Needs Plan

| Data Elements | Systemic Corticosteroid | Bronchodilator |
|---|-------------------------|----------------|
| Eligible Member Population | 50 | 50 |
| Number of required administrative data records excluded | 5 | 5 |
| Numerator Events by Admin Data | 26 | 24 |
| Numerator Events by Supplemental Data | 0 | 0 |
| Reported Rate | 52.00% | 48.00% |

Effectiveness of Care

Asthma Medication Ratio

Commercial

| Data Elements | Ages 5-11 | Ages 12-18 | Ages 19-50 | Ages 51-64 | Total |
|---|-----------|------------|------------|------------|-------|
| Eligible Member Population | | | | | |
| Number of required administrative data records excluded | | | | | |
| Numerator Events by Admin Data | | | | | |
| Numerator events by Supplemental Data | | | | | |
| Reported Rate | | | | | |

Effectiveness of Care

Asthma Medication Ratio

Minnesota Health Care Programs - Managed Care (Families and Children)

| Data Elements | Ages 5-11 | Ages 12-18 | Ages 19-50 | Ages 51-64 | Total |
|---|-----------|------------|------------|------------|--------|
| Eligible Member Population | 44 | 60 | 180 | 52 | 336 |
| Number of required administrative data records excluded | 5 | 2 | 28 | 60 | 95 |
| Numerator Events by Admin Data | 32 | 39 | 77 | 27 | 175 |
| Numerator events by Supplemental Data | 0 | 0 | 0 | 0 | 0 |
| Reported Rate | 72.73% | 65.00% | 42.78% | 51.92% | 52.08% |

Effectiveness of Care

Asthma Medication Ratio

Minnesota Health Care Programs - Managed Care (MN Care)

| Data Elements | Ages 5-11 | Ages 12-18 | Ages 19-50 | Ages 51-64 | Total |
|---|-----------|------------|------------|------------|--------|
| Eligible Member Population | 0 | 0 | 18 | 9 | 27 |
| Number of required administrative data records excluded | 0 | 0 | 2 | 6 | 8 |
| Numerator Events by Admin Data | 0 | 0 | 11 | 7 | 18 |
| Numerator events by Supplemental Data | 0 | 0 | 0 | 0 | 0 |
| Reported Rate | | | 61.11% | 77.78% | 66.67% |

Effectiveness of Care

Controlling High Blood Pressure

Commercial

| Data Elements | Commercial | Medicare Advantage | MHCP-MC (F&C) | MHCP-MC (MN Care) | MSHO | SNBC SNP | SNBC Non-SNP |
|---|------------|--------------------|---------------|-------------------|--------|----------|--------------|
| Data Collection Methodology | | | H | H | H | H | H |
| Eligible Member Population | | | 918 | 159 | 203 | 117 | 287 |
| Number of Required Admin Data Records Excluded | | | 2 | 1 | 0 | 0 | 2 |
| Numerator Events by Admin Data on Eligible Population | | | 380 | 67 | 89 | 68 | 65 |
| Current Year's Admin Rate | | | 41.39% | 42.14% | 43.84% | 58.12% | 22.65% |
| Minimum Required Sample Size | | | 411 | 158 | 197 | 111 | 273 |
| Oversampling Rate | | | 10.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Number of Oversample Records | | | 42 | 0 | 0 | 0 | 0 |
| Number of original sample records excluded because of valid data errors | | | 0 | 0 | 0 | 0 | 1 |
| Number of Optional Admin Data Records Excluded | | | 20 | 0 | 8 | 7 | 14 |
| Number of Medical Record Data Records Excluded | | | 0 | 0 | 0 | 0 | 0 |
| Number of Employee/Dependent Medical Records Excluded | | | 0 | 0 | 0 | 0 | 0 |
| Records Added from the Oversample List | | | 0 | 0 | 0 | 0 | 0 |
| Denominator | | | 411 | 158 | 197 | 111 | 272 |
| Numerator Events by Admin Data | | | 179 | 67 | 89 | 68 | 64 |
| Numerator Events by Medical Record | | | 105 | 55 | 72 | 30 | 146 |
| Numerator Events by Supplemental Data | | | 0 | 0 | 0 | 0 | 0 |
| Reported rate | | | 69.10% | 77.22% | 81.73% | 88.29% | 77.21% |

Effectiveness of Care

Controlling High Blood Pressure

Commercial - Race

| | White | | | Black or African American | | | American Indian and Alaska Native | | |
|-----------------------------|--------|----------|-------|---------------------------|----------|-------|-----------------------------------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | | | | | | | |
| Eligible Member Population | | | | | | | | | |
| Denominator | | | | | | | | | |
| Numerator | | | | | | | | | |
| Reported Rate | | | | | | | | | |

| | Asian | | | Native Hawaiian and Other Pacific Islander | | | Some Other Race | | |
|-----------------------------|--------|----------|-------|--|----------|-------|-----------------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | | | | | | | |
| Eligible Member Population | | | | | | | | | |
| Denominator | | | | | | | | | |
| Numerator | | | | | | | | | |
| Reported Rate | | | | | | | | | |

| | Two or More Races | | | Asked but No Answer | | | Unknown | | |
|-----------------------------|-------------------|----------|-------|---------------------|----------|-------|---------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | | | | | | | |
| Eligible Member Population | | | | | | | | | |
| Denominator | | | | | | | | | |
| Numerator | | | | | | | | | |
| Reported Rate | | | | | | | | | |

Effectiveness of Care

Controlling High Blood Pressure

Commercial - Ethnicity

| | Hispanic or Latino | | | Not Hispanic or Latino | | |
|-----------------------------|--------------------|----------|-------|------------------------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | | | | |
| Eligible Member Population | | | | | | |
| Denominator | | | | | | |
| Numerator | | | | | | |
| Reported Rate | | | | | | |

| | Asked but No Answer | | | Unknown | | |
|-----------------------------|---------------------|----------|-------|---------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | | | | |
| Eligible Member Population | | | | | | |
| Denominator | | | | | | |
| Numerator | | | | | | |
| Reported Rate | | | | | | |

Effectiveness of Care

Controlling High Blood Pressure

Medicare Advantage - Race

| | White | | | Black or African American | | | American Indian and Alaska Native | | |
|-----------------------------|--------|----------|-------|---------------------------|----------|-------|-----------------------------------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | | | | | | | |
| Eligible Member Population | | | | | | | | | |
| Denominator | | | | | | | | | |
| Numerator | | | | | | | | | |
| Reported Rate | | | | | | | | | |

| | Asian | | | Native Hawaiian and Other Pacific Islander | | | Some Other Race | | |
|-----------------------------|--------|----------|-------|--|----------|-------|-----------------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | | | | | | | |
| Eligible Member Population | | | | | | | | | |
| Denominator | | | | | | | | | |
| Numerator | | | | | | | | | |
| Reported Rate | | | | | | | | | |

| | Two or More Races | | | Asked but No Answer | | | Unknown | | |
|-----------------------------|-------------------|----------|-------|---------------------|----------|-------|---------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | | | | | | | |
| Eligible Member Population | | | | | | | | | |
| Denominator | | | | | | | | | |
| Numerator | | | | | | | | | |
| Reported Rate | | | | | | | | | |

Effectiveness of Care

Controlling High Blood Pressure

Medicare Advantage - Ethnicity

| | Hispanic or Latino | | | Not Hispanic or Latino | | |
|-----------------------------|--------------------|----------|-------|------------------------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | | | | |
| Eligible Member Population | | | | | | |
| Denominator | | | | | | |
| Numerator | | | | | | |
| Reported Rate | | | | | | |

| | Asked but No Answer | | | Unknown | | |
|-----------------------------|---------------------|----------|-------|---------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | | | | |
| Eligible Member Population | | | | | | |
| Denominator | | | | | | |
| Numerator | | | | | | |
| Reported Rate | | | | | | |

Effectiveness of Care

Controlling High Blood Pressure

Minnesota Health Care Programs - Managed Care (Families and Children) - Race

| | White | | | Black or African American | | | American Indian and Alaska Native | | |
|-----------------------------|--------|----------|--------|---------------------------|----------|--------|-----------------------------------|----------|---------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | H | H | H | H | H |
| Eligible Member Population | 590 | 0 | 590 | 30 | 0 | 30 | 9 | 0 | 9 |
| Denominator | 250 | 0 | 250 | 16 | 0 | 16 | 4 | 0 | 4 |
| Numerator | 176 | 0 | 176 | 13 | 0 | 13 | 4 | 0 | 4 |
| Reported Rate | 70.40% | | 70.40% | 81.25% | | 81.25% | 100.00% | | 100.00% |

| | Asian | | | Native Hawaiian and Other Pacific Islander | | | Some Other Race | | |
|-----------------------------|--------|----------|-------|--|----------|-------|-----------------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | H | H | H | H | H |
| Eligible Member Population | 1 | 0 | 1 | | | 1 | | | 0 |
| Denominator | | | 0 | | | 0 | | | |
| Numerator | | | 0 | | | 0 | | | |
| Reported Rate | | | | | | | | | |

| | Two or More Races | | | Asked but No Answer | | | Unknown | | |
|-----------------------------|-------------------|----------|---------|---------------------|----------|---------|---------|----------|--------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | | H | | H | H |
| Eligible Member Population | 6 | 0 | 6 | | | 1 | | | 280 |
| Denominator | | | 3 | | | 1 | | | 137 |
| Numerator | | | 3 | | | 1 | | | 87 |
| Reported Rate | 100.00% | | 100.00% | 100.00% | | 100.00% | | 63.50% | 63.50% |

Effectiveness of Care

Controlling High Blood Pressure

Minnesota Health Care Programs - Managed Care (Families and Children) - Ethnicity

| | Hispanic or Latino | | | Not Hispanic or Latino | | |
|-----------------------------|--------------------|----------|--------|------------------------|----------|--------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | H | H |
| Eligible Member Population | 50 | 0 | 50 | | | 770 |
| Denominator | | | 26 | | | 339 |
| Numerator | | | 20 | | | 234 |
| Reported Rate | 76.92% | | 76.92% | 69.03% | | 69.03% |

| | Asked but No Answer | | | Unknown | | |
|-----------------------------|---------------------|----------|--------|---------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | H | | H | H |
| Eligible Member Population | 98 | | 98 | | | 0 |
| Denominator | | | 46 | | | 0 |
| Numerator | | | 30 | | | 0 |
| Reported Rate | 65.22% | | 65.22% | | | |

Effectiveness of Care

Controlling High Blood Pressure

Minnesota Health Care Programs - Managed Care (MN Care) - Race

| | White | | | Black or African American | | | American Indian and Alaska Native | | |
|-----------------------------|--------|----------|--------|---------------------------|----------|---------|-----------------------------------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | H | H | H | H | H |
| Eligible Member Population | 96 | 0 | 96 | 3 | 0 | 3 | 0 | 0 | 0 |
| Denominator | 95 | 0 | 95 | 3 | 0 | 3 | 0 | 0 | 0 |
| Numerator | 80 | 0 | 80 | 3 | 0 | 3 | 0 | 0 | 0 |
| Reported Rate | 84.21% | | 84.21% | 100.00% | | 100.00% | | | |

| | Asian | | | Native Hawaiian and Other Pacific Islander | | | Some Other Race | | |
|-----------------------------|--------|----------|--------|--|----------|---------|-----------------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | H | H | H | H | H |
| Eligible Member Population | 7 | 0 | 7 | | | | | | |
| Denominator | | | 7 | | | | | | |
| Numerator | | | 4 | | | | | | |
| Reported Rate | 57.14% | | 57.14% | 100.00% | | 100.00% | | | |

| | Two or More Races | | | Asked but No Answer | | | Unknown | | |
|-----------------------------|-------------------|----------|---------|---------------------|----------|-------|---------|----------|--------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | | H | | H | H |
| Eligible Member Population | 2 | 0 | 2 | | | 0 | | | 50 |
| Denominator | | | 2 | | | 0 | | | 50 |
| Numerator | | | 2 | | | 0 | | | 32 |
| Reported Rate | 100.00% | | 100.00% | | | | | 64.00% | 64.00% |

Effectiveness of Care

Controlling High Blood Pressure

Minnesota Health Care Programs - Managed Care (MN Care) - Ethnicity

| | Hispanic or Latino | | | Not Hispanic or Latino | | |
|-----------------------------|--------------------|----------|--------|------------------------|----------|--------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | H | H |
| Eligible Member Population | 10 | 0 | 10 | | | 117 |
| Denominator | | | 10 | | | 116 |
| Numerator | | | 7 | | | 95 |
| Reported Rate | 70.00% | | 70.00% | 81.90% | | 81.90% |

| | Asked but No Answer | | | Unknown | | |
|-----------------------------|---------------------|----------|--------|---------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | H | | H | H |
| Eligible Member Population | 32 | | 32 | | | 0 |
| Denominator | | | 32 | | | 0 |
| Numerator | | | 20 | | | 0 |
| Reported Rate | 62.50% | | 62.50% | | | |

Effectiveness of Care

Controlling High Blood Pressure

Minnesota Senior Health Options - Race

| | White | | | Black or African American | | | American Indian and Alaska Native | | |
|-----------------------------|--------|----------|--------|---------------------------|----------|--------|-----------------------------------|----------|---------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | H | H | H | H | H |
| Eligible Member Population | 189 | 0 | 189 | 5 | 0 | 5 | 1 | 0 | 1 |
| Denominator | 183 | 0 | 183 | 5 | 0 | 5 | 1 | 0 | 1 |
| Numerator | 149 | 0 | 149 | 3 | 0 | 3 | 1 | 0 | 1 |
| Reported Rate | 81.42% | | 81.42% | 60.00% | | 60.00% | 100.00% | | 100.00% |

| | Asian | | | Native Hawaiian and Other Pacific Islander | | | Some Other Race | | |
|-----------------------------|---------|----------|---------|--|----------|-------|-----------------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | H | H | H | H | H |
| Eligible Member Population | 1 | 0 | 1 | | | | | | |
| Denominator | | | 1 | | | | | | |
| Numerator | | | 1 | | | | | | |
| Reported Rate | 100.00% | | 100.00% | | | | | | |

| | Two or More Races | | | Asked but No Answer | | | Unknown | | |
|-----------------------------|-------------------|----------|---------|---------------------|----------|-------|---------|----------|---------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | | H | | H | H |
| Eligible Member Population | 1 | 0 | 1 | | | 0 | | | 6 |
| Denominator | | | 1 | | | 0 | | | 6 |
| Numerator | | | 1 | | | 0 | | | 6 |
| Reported Rate | 100.00% | | 100.00% | | | | | 100.00% | 100.00% |

Effectiveness of Care

Controlling High Blood Pressure

Minnesota Senior Health Options - Ethnicity

| | Hispanic or Latino | | | Not Hispanic or Latino | | |
|-----------------------------|--------------------|----------|--------|------------------------|----------|--------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | H | H |
| Eligible Member Population | 5 | 0 | 5 | | | 198 |
| Denominator | | | 5 | | | 192 |
| Numerator | | | 2 | | | 159 |
| Reported Rate | 40.00% | | 40.00% | 82.81% | | 82.81% |

| | Asked but No Answer | | | Unknown | | |
|-----------------------------|---------------------|----------|-------|---------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | H | | H | H |
| Eligible Member Population | 0 | | 0 | | | 0 |
| Denominator | | | 0 | | | 0 |
| Numerator | | | 0 | | | 0 |
| Reported Rate | | | | | | |

Effectiveness of Care

Controlling High Blood Pressure

Special Needs Basic Care - Special Needs Plan - Race

| | White | | | Black or African American | | | American Indian and Alaska Native | | |
|-----------------------------|--------|----------|--------|---------------------------|----------|---------|-----------------------------------|----------|---------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | H | H | H | H | H |
| Eligible Member Population | 112 | 0 | 112 | 2 | 0 | 2 | 1 | 0 | 1 |
| Denominator | 106 | 0 | 106 | 2 | 0 | 2 | 1 | 0 | 1 |
| Numerator | 94 | 0 | 94 | 2 | 0 | 2 | 1 | 0 | 1 |
| Reported Rate | 88.68% | | 88.68% | 100.00% | | 100.00% | 100.00% | | 100.00% |

| | Asian | | | Native Hawaiian and Other Pacific Islander | | | Some Other Race | | |
|-----------------------------|--------|----------|-------|--|----------|-------|-----------------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | H | H | H | H | H |
| Eligible Member Population | 0 | 0 | 0 | | | | | | |
| Denominator | | | 0 | | | | | | |
| Numerator | | | 0 | | | | | | |
| Reported Rate | | | | | | | | | |

| | Two or More Races | | | Asked but No Answer | | | Unknown | | |
|-----------------------------|-------------------|----------|-------|---------------------|----------|-------|---------|----------|---------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | | H | | H | H |
| Eligible Member Population | 1 | 0 | 1 | | | 0 | | | 1 |
| Denominator | | | 1 | | | 0 | | | 1 |
| Numerator | | | 0 | | | 0 | | | 1 |
| Reported Rate | 0.00% | | 0.00% | | | | | 100.00% | 100.00% |

Effectiveness of Care

Controlling High Blood Pressure

Special Needs Basic Care - Special Needs Plan - Ethnicity

| | Hispanic or Latino | | | Not Hispanic or Latino | | |
|-----------------------------|--------------------|----------|---------|------------------------|----------|--------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | H | H |
| Eligible Member Population | 5 | 0 | 5 | | | 112 |
| Denominator | | | 4 | | | 107 |
| Numerator | | | 4 | | | 94 |
| Reported Rate | 100.00% | | 100.00% | 87.85% | | 87.85% |

| | Asked but No Answer | | | Unknown | | |
|-----------------------------|---------------------|----------|-------|---------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | H | | H | H |
| Eligible Member Population | 0 | | 0 | | | 0 |
| Denominator | | | 0 | | | 0 |
| Numerator | | | 0 | | | 0 |
| Reported Rate | | | | | | |

Effectiveness of Care

Controlling High Blood Pressure

Special Needs Basic Care - Non-Special Needs Plan - Race

| | White | | | Black or African American | | | American Indian and Alaska Native | | |
|-----------------------------|--------|----------|--------|---------------------------|----------|--------|-----------------------------------|----------|---------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | H | H | H | H | H |
| Eligible Member Population | 250 | 0 | 250 | 18 | 0 | 18 | 2 | 0 | 2 |
| Denominator | 236 | 0 | 236 | 18 | 0 | 18 | 2 | 0 | 2 |
| Numerator | 181 | 0 | 181 | 12 | 0 | 12 | 2 | 0 | 2 |
| Reported Rate | 76.69% | | 76.69% | 66.67% | | 66.67% | 100.00% | | 100.00% |

| | Asian | | | Native Hawaiian and Other Pacific Islander | | | Some Other Race | | |
|-----------------------------|--------|----------|--------|--|----------|-------|-----------------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | H | H | H | H | H |
| Eligible Member Population | 4 | 0 | 4 | | | | | | |
| Denominator | | | 4 | | | | | | |
| Numerator | | | 3 | | | | | | |
| Reported Rate | 75.00% | | 75.00% | | | | | | |

| | Two or More Races | | | Asked but No Answer | | | Unknown | | |
|-----------------------------|-------------------|----------|---------|---------------------|----------|-------|---------|----------|---------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | | H | | H | H |
| Eligible Member Population | 2 | 0 | 2 | | | 0 | | | 10 |
| Denominator | | | 2 | | | 0 | | | 10 |
| Numerator | | | 2 | | | 0 | | | 10 |
| Reported Rate | 100.00% | | 100.00% | | | | | 100.00% | 100.00% |

Effectiveness of Care

Controlling High Blood Pressure

Special Needs Basic Care - Non-Special Needs Plan - Ethnicity

| | Hispanic or Latino | | | Not Hispanic or Latino | | |
|-----------------------------|--------------------|----------|---------|------------------------|----------|--------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | H | H |
| Eligible Member Population | 15 | 0 | 15 | | | 272 |
| Denominator | | | 14 | | | 258 |
| Numerator | | | 14 | | | 196 |
| Reported Rate | 100.00% | | 100.00% | 75.97% | | 75.97% |

| | Asked but No Answer | | | Unknown | | |
|-----------------------------|---------------------|----------|-------|---------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | H | | H | H |
| Eligible Member Population | 0 | | 0 | | | 0 |
| Denominator | | | 0 | | | 0 |
| Numerator | | | 0 | | | 0 |
| Reported Rate | | | | | | |

Effectiveness of Care

Persistence of Beta Blocker Treatment After Heart Attack

| Data Elements | Commercial | Medicare Advantage | MHCP-MC (F&C) | MHCP-MC (MN Care) | MSHO | SNBC SNP | SNBC Non-SNP |
|--|------------|--------------------|---------------|-------------------|---------|----------|--------------|
| Eligible Member Population | | | 10 | 3 | 1 | 0 | 1 |
| Number of optional exclusions | | | 3 | 0 | 0 | 1 | 3 |
| Number of required admin data records excluded | | | 0 | 0 | 0 | 0 | 0 |
| Numerator Events by Admin Data | | | 9 | 2 | 1 | 0 | 1 |
| Numerator Events by Supplemental Data | | | 0 | 0 | 0 | 0 | 0 |
| Reported Rate | | | 90.00% | 66.67% | 100.00% | | 100.00% |

Effectiveness of Care

Hemoglobin A1c Control for Patients With Diabetes

Commercial

| Data Element | Adequate HbA1c Control (<8.0%) | Poor HbA1c Control (>9.0%) |
|---|--------------------------------|----------------------------|
| Data Collection Methodology | | |
| Eligible Member Population | | |
| Number of Required Admin Data Records Excluded | | |
| Numerator Events by Admin Data on Eligible Population | | |
| Current Year's Admin Rate | | |
| Minimum Required Sample Size | | |
| Oversampling Rate | | |
| Number of Oversample Records | | |
| Number of original sample records excluded because of valid data errors | | |
| Number of Employee/Dependent Medical Records Excluded | | |
| Records Added from the Oversample List | | |
| Denominator | | |
| Numerator Events by Admin Data | | |
| Numerator Events by Medical Record | | |
| Numerator Events by Supplemental Data | | |
| Reported rate | | |

Effectiveness of Care

Hemoglobin A1c Control for Patients With Diabetes

Commercial - Race Adequate HbA1c Control (<8.0%)

| | White | | | Black or African American | | | American Indian and Alaska Native | | |
|-----------------------------|--------|----------|-------|---------------------------|----------|-------|-----------------------------------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | | | | | | | |
| Eligible Member Population | | | | | | | | | |
| Denominator | | | | | | | | | |
| Numerator | | | | | | | | | |
| Reported Rate | | | | | | | | | |

| | Asian | | | Native Hawaiian and Other Pacific Islander | | | Some Other Race | | |
|-----------------------------|--------|----------|-------|--|----------|-------|-----------------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | | | | | | | |
| Eligible Member Population | | | | | | | | | |
| Denominator | | | | | | | | | |
| Numerator | | | | | | | | | |
| Reported Rate | | | | | | | | | |

| | Two or More Races | | | Asked but No Answer | | | Unknown | | |
|-----------------------------|-------------------|----------|-------|---------------------|----------|-------|---------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | | | | | | | |
| Eligible Member Population | | | | | | | | | |
| Denominator | | | | | | | | | |
| Numerator | | | | | | | | | |
| Reported Rate | | | | | | | | | |

Effectiveness of Care

Hemoglobin A1c Control for Patients With Diabetes

Commercial - Race Poor HbA1c Control (>9.0%)

| | White | | | Black or African American | | | American Indian and Alaska Native | | |
|-----------------------------|--------|----------|-------|---------------------------|----------|-------|-----------------------------------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | | | | | | | |
| Eligible Member Population | | | | | | | | | |
| Denominator | | | | | | | | | |
| Numerator | | | | | | | | | |
| Reported Rate | | | | | | | | | |

| | Asian | | | Native Hawaiian and Other Pacific Islander | | | Some Other Race | | |
|-----------------------------|--------|----------|-------|--|----------|-------|-----------------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | | | | | | | |
| Eligible Member Population | | | | | | | | | |
| Denominator | | | | | | | | | |
| Numerator | | | | | | | | | |
| Reported Rate | | | | | | | | | |

| | Two or More Races | | | Asked but No Answer | | | Unknown | | |
|-----------------------------|-------------------|----------|-------|---------------------|----------|-------|---------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | | | | | | | |
| Eligible Member Population | | | | | | | | | |
| Denominator | | | | | | | | | |
| Numerator | | | | | | | | | |
| Reported Rate | | | | | | | | | |

Effectiveness of Care

Hemoglobin A1c Control for Patients With Diabetes

Commercial - Ethnicity Adequate HbA1c Control (<8.0%)

| | Hispanic or Latino | | | Not Hispanic or Latino | | |
|-----------------------------|--------------------|----------|-------|------------------------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | | | | |
| Eligible Member Population | | | | | | |
| Denominator | | | | | | |
| Numerator | | | | | | |
| Reported Rate | | | | | | |

| | Asked but No Answer | | | Unknown | | |
|-----------------------------|---------------------|----------|-------|---------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | | | | |
| Eligible Member Population | | | | | | |
| Denominator | | | | | | |
| Numerator | | | | | | |
| Reported Rate | | | | | | |

Effectiveness of Care

Hemoglobin A1c Control for Patients With Diabetes

Commercial - Ethnicity Poor HbA1c Control (>9.0%)

| | Hispanic or Latino | | | Not Hispanic or Latino | | |
|-----------------------------|--------------------|----------|-------|------------------------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | | | | |
| Eligible Member Population | | | | | | |
| Denominator | | | | | | |
| Numerator | | | | | | |
| Reported Rate | | | | | | |

| | Asked but No Answer | | | Unknown | | |
|-----------------------------|---------------------|----------|-------|---------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | | | | |
| Eligible Member Population | | | | | | |
| Denominator | | | | | | |
| Numerator | | | | | | |
| Reported Rate | | | | | | |

Effectiveness of Care

Hemoglobin A1c Control for Patients With Diabetes

Medicare Advantage

| Data Element | Adequate HbA1c Control (<8.0%) | Poor HbA1c Control (>9.0%) |
|---|--------------------------------|----------------------------|
| Data Collection Methodology | | |
| Eligible Member Population | | |
| Number of Required Admin Data Records Excluded | | |
| Numerator Events by Admin Data on Eligible Population | | |
| Current Year's Admin Rate | | |
| Minimum Required Sample Size | | |
| Oversampling Rate | | |
| Number of Oversample Records | | |
| Number of original sample records excluded because of valid data errors | | |
| Number of Employee/Dependent Medical Records Excluded | | |
| Records Added from the Oversample List | | |
| Denominator | | |
| Numerator Events by Admin Data | | |
| Numerator Events by Medical Record | | |
| Numerator Events by Supplemental Data | | |
| Reported rate | | |

Effectiveness of Care

Hemoglobin A1c Control for Patients With Diabetes

Medicare Advantage - Race Adequate HbA1c Control (<8.0%)

| | White | | | Black or African American | | | American Indian and Alaska Native | | |
|-----------------------------|--------|----------|-------|---------------------------|----------|-------|-----------------------------------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | | | | | | | |
| Eligible Member Population | | | | | | | | | |
| Denominator | | | | | | | | | |
| Numerator | | | | | | | | | |
| Reported Rate | | | | | | | | | |

| | Asian | | | Native Hawaiian and Other Pacific Islander | | | Some Other Race | | |
|-----------------------------|--------|----------|-------|--|----------|-------|-----------------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | | | | | | | |
| Eligible Member Population | | | | | | | | | |
| Denominator | | | | | | | | | |
| Numerator | | | | | | | | | |
| Reported Rate | | | | | | | | | |

| | Two or More Races | | | Asked but No Answer | | | Unknown | | |
|-----------------------------|-------------------|----------|-------|---------------------|----------|-------|---------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | | | | | | | |
| Eligible Member Population | | | | | | | | | |
| Denominator | | | | | | | | | |
| Numerator | | | | | | | | | |
| Reported Rate | | | | | | | | | |

Effectiveness of Care

Hemoglobin A1c Control for Patients With Diabetes

Medicare Advantage - Race Poor HbA1c Control (>9.0%)

| | White | | | Black or African American | | | American Indian and Alaska Native | | |
|-----------------------------|--------|----------|-------|---------------------------|----------|-------|-----------------------------------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | | | | | | | |
| Eligible Member Population | | | | | | | | | |
| Denominator | | | | | | | | | |
| Numerator | | | | | | | | | |
| Reported Rate | | | | | | | | | |

| | Asian | | | Native Hawaiian and Other Pacific Islander | | | Some Other Race | | |
|-----------------------------|--------|----------|-------|--|----------|-------|-----------------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | | | | | | | |
| Eligible Member Population | | | | | | | | | |
| Denominator | | | | | | | | | |
| Numerator | | | | | | | | | |
| Reported Rate | | | | | | | | | |

| | Two or More Races | | | Asked but No Answer | | | Unknown | | |
|-----------------------------|-------------------|----------|-------|---------------------|----------|-------|---------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | | | | | | | |
| Eligible Member Population | | | | | | | | | |
| Denominator | | | | | | | | | |
| Numerator | | | | | | | | | |
| Reported Rate | | | | | | | | | |

Effectiveness of Care

Hemoglobin A1c Control for Patients With Diabetes

Medicare Advantage - Ethnicity Adequate HbA1c Control (<8.0%)

| | Hispanic or Latino | | | Not Hispanic or Latino | | |
|-----------------------------|--------------------|----------|-------|------------------------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | | | | |
| Eligible Member Population | | | | | | |
| Denominator | | | | | | |
| Numerator | | | | | | |
| Reported Rate | | | | | | |

| | Asked but No Answer | | | Unknown | | |
|-----------------------------|---------------------|----------|-------|---------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | | | | |
| Eligible Member Population | | | | | | |
| Denominator | | | | | | |
| Numerator | | | | | | |
| Reported Rate | | | | | | |

Effectiveness of Care

Hemoglobin A1c Control for Patients With Diabetes

Medicare Advantage - Ethnicity Poor HbA1c Control (>9.0%)

| | Hispanic or Latino | | | Not Hispanic or Latino | | |
|-----------------------------|--------------------|----------|-------|------------------------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | | | | |
| Eligible Member Population | | | | | | |
| Denominator | | | | | | |
| Numerator | | | | | | |
| Reported Rate | | | | | | |

| | Asked but No Answer | | | Unknown | | |
|-----------------------------|---------------------|----------|-------|---------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | | | | |
| Eligible Member Population | | | | | | |
| Denominator | | | | | | |
| Numerator | | | | | | |
| Reported Rate | | | | | | |

Effectiveness of Care

Hemoglobin A1c Control for Patients With Diabetes

Minnesota Health Care Programs - Managed Care (Families and Children)

| Data Element | Adequate HbA1c Control (<8.0%) | Poor HbA1c Control (>9.0%) |
|---|--------------------------------|----------------------------|
| Data Collection Methodology | H | H |
| Eligible Member Population | 897 | 897 |
| Number of Required Admin Data Records Excluded | 26 | 26 |
| Numerator Events by Admin Data on Eligible Population | 236 | 628 |
| Current Year's Admin Rate | 26.31% | 70.01% |
| Minimum Required Sample Size | 411 | 411 |
| Oversampling Rate | 10.00% | 10.00% |
| Number of Oversample Records | 42 | 42 |
| Number of original sample records excluded because of valid data errors | 1 | 1 |
| Number of Employee/Dependent Medical Records Excluded | 0 | 0 |
| Records Added from the Oversample List | 1 | 1 |
| Denominator | 411 | 411 |
| Numerator Events by Admin Data | 117 | 107 |
| Numerator Events by Medical Record | 117 | 35 |
| Numerator Events by Supplemental Data | 0 | 0 |
| Reported rate | 56.93% | 34.55% |

Effectiveness of Care

Hemoglobin A1c Control for Patients With Diabetes

Minnesota Health Care Programs - Managed Care (Families and Children) - Race Adequate HbA1c Control (<8.0%)

| | White | | | Black or African American | | | American Indian and Alaska Native | | |
|-----------------------------|--------|----------|--------|---------------------------|----------|--------|-----------------------------------|----------|--------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | H | H | H | H | H |
| Eligible Member Population | 531 | 0 | 531 | 31 | 0 | 31 | 15 | 0 | 15 |
| Denominator | 249 | 0 | 249 | 11 | 0 | 11 | 9 | 0 | 9 |
| Numerator | 141 | 0 | 141 | 5 | 0 | 5 | 6 | 0 | 6 |
| Reported Rate | 56.63% | | 56.63% | 45.45% | | 45.45% | 66.67% | | 66.67% |

| | Asian | | | Native Hawaiian and Other Pacific Islander | | | Some Other Race | | |
|-----------------------------|---------|----------|---------|--|----------|-------|-----------------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | H | H | H | H | H |
| Eligible Member Population | 6 | 0 | 6 | | | | | | |
| Denominator | | | 2 | | | | | | |
| Numerator | | | 2 | | | | | | |
| Reported Rate | 100.00% | | 100.00% | | | | | | |

| | Two or More Races | | | Asked but No Answer | | | Unknown | | |
|-----------------------------|-------------------|----------|--------|---------------------|----------|-------|---------|----------|--------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | | H | | H | H |
| Eligible Member Population | 9 | 0 | 9 | | | 1 | | | 304 |
| Denominator | | | 6 | | | 0 | | | 134 |
| Numerator | | | 3 | | | 0 | | | 77 |
| Reported Rate | 50.00% | | 50.00% | | | | | 57.46% | 57.46% |

Effectiveness of Care

Hemoglobin A1c Control for Patients With Diabetes

Minnesota Health Care Programs - Managed Care (Families and Children) - Race Poor HbA1c Control (>9.0%)

| | White | | | Black or African American | | | American Indian and Alaska Native | | |
|-----------------------------|--------|----------|--------|---------------------------|----------|--------|-----------------------------------|----------|--------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | H | H | H | H | H |
| Eligible Member Population | 531 | 0 | 531 | 31 | 0 | 31 | 15 | 0 | 15 |
| Denominator | 249 | 0 | 249 | 11 | 0 | 11 | 9 | 0 | 9 |
| Numerator | 87 | 0 | 87 | 5 | 0 | 5 | 2 | 0 | 2 |
| Reported Rate | 34.94% | | 34.94% | 45.45% | | 45.45% | 22.22% | | 22.22% |

| | Asian | | | Native Hawaiian and Other Pacific Islander | | | Some Other Race | | |
|-----------------------------|--------|----------|-------|--|----------|-------|-----------------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | H | H | H | H | H |
| Eligible Member Population | 6 | 0 | 6 | | | | | | |
| Denominator | | | 2 | | | | | | |
| Numerator | | | 0 | | | | | | |
| Reported Rate | 0.00% | | 0.00% | | | | | | |

| | Two or More Races | | | Asked but No Answer | | | Unknown | | |
|-----------------------------|-------------------|----------|--------|---------------------|----------|-------|---------|----------|--------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | | H | | H | H |
| Eligible Member Population | 9 | 0 | 9 | | | 1 | | | 304 |
| Denominator | | | 6 | | | 0 | | | 134 |
| Numerator | | | 3 | | | 0 | | | 45 |
| Reported Rate | 50.00% | | 50.00% | | | | | 33.58% | 33.58% |

Effectiveness of Care

Hemoglobin A1c Control for Patients With Diabetes

Minnesota Health Care Programs - Managed Care (Families and Children) - Ethnicity Adequate HbA1c Control (<8.0%)

| | Hispanic or Latino | | | Not Hispanic or Latino | | |
|-----------------------------|--------------------|----------|--------|------------------------|----------|--------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | H | H |
| Eligible Member Population | 89 | 0 | 89 | | | 721 |
| Denominator | | | 40 | | | 326 |
| Numerator | | | 18 | | | 188 |
| Reported Rate | 45.00% | | 45.00% | 57.67% | | 57.67% |

| | Asked but No Answer | | | Unknown | | |
|-----------------------------|---------------------|----------|--------|---------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | H | | H | H |
| Eligible Member Population | 87 | | 87 | | | 0 |
| Denominator | | | 45 | | | 0 |
| Numerator | | | 28 | | | 0 |
| Reported Rate | 62.22% | | 62.22% | | | |

Effectiveness of Care

Hemoglobin A1c Control for Patients With Diabetes

Minnesota Health Care Programs - Managed Care (Families and Children) - Ethnicity Poor HbA1c Control (>9.0%)

| | Hispanic or Latino | | | Not Hispanic or Latino | | |
|-----------------------------|--------------------|----------|--------|------------------------|----------|--------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | H | H |
| Eligible Member Population | 89 | 0 | 89 | | | 721 |
| Denominator | | | 40 | | | 326 |
| Numerator | | | 16 | | | 112 |
| Reported Rate | 40.00% | | 40.00% | 34.36% | | 34.36% |

| | Asked but No Answer | | | Unknown | | |
|-----------------------------|---------------------|----------|--------|---------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | H | | H | H |
| Eligible Member Population | 87 | | 87 | | | 0 |
| Denominator | | | 45 | | | 0 |
| Numerator | | | 14 | | | 0 |
| Reported Rate | 31.11% | | 31.11% | | | |

Effectiveness of Care

Hemoglobin A1c Control for Patients With Diabetes

Minnesota Health Care Programs - Managed Care (MN Care)

| Data Element | Adequate HbA1c Control (<8.0%) | Poor HbA1c Control (>9.0%) |
|---|--------------------------------|----------------------------|
| Data Collection Methodology | H | H |
| Eligible Member Population | 151 | 151 |
| Number of Required Admin Data Records Excluded | 1 | 1 |
| Numerator Events by Admin Data on Eligible Population | 45 | 97 |
| Current Year's Admin Rate | 29.80% | 64.24% |
| Minimum Required Sample Size | 150 | 150 |
| Oversampling Rate | 0.00% | 0.00% |
| Number of Oversample Records | 0 | 0 |
| Number of original sample records excluded because of valid data errors | 0 | 0 |
| Number of Employee/Dependent Medical Records Excluded | 0 | 0 |
| Records Added from the Oversample List | 0 | 0 |
| Denominator | 150 | 150 |
| Numerator Events by Admin Data | 45 | 44 |
| Numerator Events by Medical Record | 32 | 15 |
| Numerator Events by Supplemental Data | 0 | 0 |
| Reported rate | 51.33% | 39.33% |

Effectiveness of Care

Hemoglobin A1c Control for Patients With Diabetes

Minnesota Health Care Programs - Managed Care (MN Care) - Race Adequate HbA1c Control (<8.0%)

| | White | | | Black or African American | | | American Indian and Alaska Native | | |
|-----------------------------|--------|----------|--------|---------------------------|----------|---------|-----------------------------------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | H | H | H | H | H |
| Eligible Member Population | 80 | 0 | 80 | 2 | 0 | 2 | 2 | 0 | 2 |
| Denominator | 80 | 0 | 80 | 2 | 0 | 2 | 2 | 0 | 2 |
| Numerator | 40 | 0 | 40 | 2 | 0 | 2 | 0 | 0 | 0 |
| Reported Rate | 50.00% | | 50.00% | 100.00% | | 100.00% | 0.00% | | 0.00% |

| | Asian | | | Native Hawaiian and Other Pacific Islander | | | Some Other Race | | |
|-----------------------------|--------|----------|--------|--|----------|-------|-----------------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | H | H | H | H | H |
| Eligible Member Population | 4 | 0 | 4 | | | | | | |
| Denominator | | | 4 | | | | | | |
| Numerator | | | 3 | | | | | | |
| Reported Rate | 75.00% | | 75.00% | | | | | | |

| | Two or More Races | | | Asked but No Answer | | | Unknown | | |
|-----------------------------|-------------------|----------|-------|---------------------|----------|-------|---------|----------|--------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | | H | | H | H |
| Eligible Member Population | 2 | 0 | 2 | | | 0 | | | 61 |
| Denominator | | | 2 | | | 0 | | | 60 |
| Numerator | | | 0 | | | 0 | | | 32 |
| Reported Rate | 0.00% | | 0.00% | | | | | 53.33% | 53.33% |

Effectiveness of Care

Hemoglobin A1c Control for Patients With Diabetes

Minnesota Health Care Programs - Managed Care (MN Care) - Race Poor HbA1c Control (>9.0%)

| | White | | | Black or African American | | | American Indian and Alaska Native | | |
|-----------------------------|--------|----------|--------|---------------------------|----------|-------|-----------------------------------|----------|---------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | H | H | H | H | H |
| Eligible Member Population | 80 | 0 | 80 | 2 | 0 | 2 | 2 | 0 | 2 |
| Denominator | 80 | 0 | 80 | 2 | 0 | 2 | 2 | 0 | 2 |
| Numerator | 32 | 0 | 32 | 0 | 0 | 0 | 2 | 0 | 2 |
| Reported Rate | 40.00% | | 40.00% | 0.00% | | 0.00% | 100.00% | | 100.00% |

| | Asian | | | Native Hawaiian and Other Pacific Islander | | | Some Other Race | | |
|-----------------------------|--------|----------|--------|--|----------|-------|-----------------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | H | H | H | H | H |
| Eligible Member Population | 4 | 0 | 4 | | | | | | |
| Denominator | | | 4 | | | | | | |
| Numerator | | | 1 | | | | | | |
| Reported Rate | 25.00% | | 25.00% | | | | | | |

| | Two or More Races | | | Asked but No Answer | | | Unknown | | |
|-----------------------------|-------------------|----------|---------|---------------------|----------|-------|---------|----------|--------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | | H | | H | H |
| Eligible Member Population | 2 | 0 | 2 | | | 0 | | | 61 |
| Denominator | | | 2 | | | 0 | | | 60 |
| Numerator | | | 2 | | | 0 | | | 22 |
| Reported Rate | 100.00% | | 100.00% | | | | | 36.67% | 36.67% |

Effectiveness of Care

Hemoglobin A1c Control for Patients With Diabetes

Minnesota Health Care Programs - Managed Care (MN Care) - Ethnicity Adequate HbA1c Control (<8.0%)

| | Hispanic or Latino | | | Not Hispanic or Latino | | |
|-----------------------------|--------------------|----------|--------|------------------------|----------|--------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | H | H |
| Eligible Member Population | 21 | 0 | 21 | | | 106 |
| Denominator | | | 20 | | | 106 |
| Numerator | | | 10 | | | 55 |
| Reported Rate | 50.00% | | 50.00% | 51.89% | | 51.89% |

| | Asked but No Answer | | | Unknown | | |
|-----------------------------|---------------------|----------|--------|---------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | H | | H | H |
| Eligible Member Population | 24 | | 24 | | | 0 |
| Denominator | | | 24 | | | 0 |
| Numerator | | | 12 | | | 0 |
| Reported Rate | 50.00% | | 50.00% | | | |

Effectiveness of Care

Hemoglobin A1c Control for Patients With Diabetes

Minnesota Health Care Programs - Managed Care (MN Care) - Ethnicity Poor HbA1c Control (>9.0%)

| | Hispanic or Latino | | | Not Hispanic or Latino | | |
|-----------------------------|--------------------|----------|--------|------------------------|----------|--------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | H | H |
| Eligible Member Population | 21 | 0 | 21 | | | 106 |
| Denominator | | | 20 | | | 106 |
| Numerator | | | 7 | | | 43 |
| Reported Rate | 35.00% | | 35.00% | 40.57% | | 40.57% |

| | Asked but No Answer | | | Unknown | | |
|-----------------------------|---------------------|----------|--------|---------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | H | | H | H |
| Eligible Member Population | 24 | | 24 | | | 0 |
| Denominator | | | 24 | | | 0 |
| Numerator | | | 9 | | | 0 |
| Reported Rate | 37.50% | | 37.50% | | | |

Effectiveness of Care

Hemoglobin A1c Control for Patients With Diabetes

Minnesota Senior Health Options

| Data Element | Adequate HbA1c Control (<8.0%) | Poor HbA1c Control (>9.0%) |
|---|--------------------------------|----------------------------|
| Data Collection Methodology | H | H |
| Eligible Member Population | 165 | 165 |
| Number of Required Admin Data Records Excluded | 1 | 1 |
| Numerator Events by Admin Data on Eligible Population | 69 | 89 |
| Current Year's Admin Rate | 41.82% | 53.94% |
| Minimum Required Sample Size | 161 | 161 |
| Oversampling Rate | 0.00% | 0.00% |
| Number of Oversample Records | 0 | 0 |
| Number of original sample records excluded because of valid data errors | 0 | 0 |
| Number of Employee/Dependent Medical Records Excluded | 0 | 0 |
| Records Added from the Oversample List | 0 | 0 |
| Denominator | 161 | 161 |
| Numerator Events by Admin Data | 66 | 23 |
| Numerator Events by Medical Record | 50 | 3 |
| Numerator Events by Supplemental Data | 0 | 0 |
| Reported rate | 72.05% | 16.15% |

Effectiveness of Care

Hemoglobin A1c Control for Patients With Diabetes

Minnesota Senior Health Options - Race Adequate HbA1c Control (<8.0%)

| | White | | | Black or African American | | | American Indian and Alaska Native | | |
|-----------------------------|--------|----------|--------|---------------------------|----------|--------|-----------------------------------|----------|--------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | H | H | H | H | H |
| Eligible Member Population | 145 | 0 | 145 | 6 | 0 | 6 | 2 | 0 | 2 |
| Denominator | 142 | 0 | 142 | 6 | 0 | 6 | 2 | 0 | 2 |
| Numerator | 103 | 0 | 103 | 4 | 0 | 4 | 1 | 0 | 1 |
| Reported Rate | 72.54% | | 72.54% | 66.67% | | 66.67% | 50.00% | | 50.00% |

| | Asian | | | Native Hawaiian and Other Pacific Islander | | | Some Other Race | | |
|-----------------------------|---------|----------|---------|--|----------|-------|-----------------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | H | H | H | H | H |
| Eligible Member Population | 2 | 0 | 2 | | | | | | |
| Denominator | | | 2 | | | | | | |
| Numerator | | | 2 | | | | | | |
| Reported Rate | 100.00% | | 100.00% | | | | | | |

| | Two or More Races | | | Asked but No Answer | | | Unknown | | |
|-----------------------------|-------------------|----------|---------|---------------------|----------|-------|---------|----------|--------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | | H | | H | H |
| Eligible Member Population | 2 | 0 | 2 | | | 0 | | | 8 |
| Denominator | | | 2 | | | 0 | | | 7 |
| Numerator | | | 2 | | | 0 | | | 4 |
| Reported Rate | 100.00% | | 100.00% | | | | | 57.14% | 57.14% |

Effectiveness of Care

Hemoglobin A1c Control for Patients With Diabetes

Minnesota Senior Health Options - Race Poor HbA1c Control (>9.0%)

| | White | | | Black or African American | | | American Indian and Alaska Native | | |
|-----------------------------|--------|----------|--------|---------------------------|----------|--------|-----------------------------------|----------|--------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | H | H | H | H | H |
| Eligible Member Population | 145 | 0 | 145 | 6 | 0 | 6 | 2 | 0 | 2 |
| Denominator | 142 | 0 | 142 | 6 | 0 | 6 | 2 | 0 | 2 |
| Numerator | 21 | 0 | 21 | 1 | 0 | 1 | 1 | 0 | 1 |
| Reported Rate | 14.79% | | 14.79% | 16.67% | | 16.67% | 50.00% | | 50.00% |

| | Asian | | | Native Hawaiian and Other Pacific Islander | | | Some Other Race | | |
|-----------------------------|--------|----------|-------|--|----------|-------|-----------------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | H | H | H | H | H |
| Eligible Member Population | 2 | 0 | 2 | | | | | | |
| Denominator | | | 2 | | | | | | |
| Numerator | | | 0 | | | | | | |
| Reported Rate | 0.00% | | 0.00% | | | | | | |

| | Two or More Races | | | Asked but No Answer | | | Unknown | | |
|-----------------------------|-------------------|----------|-------|---------------------|----------|-------|---------|----------|--------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | | H | | H | H |
| Eligible Member Population | 2 | 0 | 2 | | | 0 | | | 8 |
| Denominator | | | 2 | | | 0 | | | 7 |
| Numerator | | | 0 | | | 0 | | | 3 |
| Reported Rate | 0.00% | | 0.00% | | | | | 42.86% | 42.86% |

Effectiveness of Care

Hemoglobin A1c Control for Patients With Diabetes

Minnesota Senior Health Options - Ethnicity Adequate HbA1c Control (<8.0%)

| | Hispanic or Latino | | | Not Hispanic or Latino | | |
|-----------------------------|--------------------|----------|--------|------------------------|----------|--------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | H | H |
| Eligible Member Population | 13 | 0 | 13 | | | 152 |
| Denominator | | | 13 | | | 148 |
| Numerator | | | 7 | | | 109 |
| Reported Rate | 53.85% | | 53.85% | 73.65% | | 73.65% |

| | Asked but No Answer | | | Unknown | | |
|-----------------------------|---------------------|----------|-------|---------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | H | | H | H |
| Eligible Member Population | 0 | | 0 | | | 0 |
| Denominator | | | 0 | | | 0 |
| Numerator | | | 0 | | | 0 |
| Reported Rate | | | | | | |

Effectiveness of Care

Hemoglobin A1c Control for Patients With Diabetes

Minnesota Senior Health Options - Ethnicity Poor HbA1c Control (>9.0%)

| | Hispanic or Latino | | | Not Hispanic or Latino | | |
|-----------------------------|--------------------|----------|--------|------------------------|----------|--------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | H | H |
| Eligible Member Population | 13 | 0 | 13 | | | 152 |
| Denominator | | | 13 | | | 148 |
| Numerator | | | 5 | | | 21 |
| Reported Rate | 38.46% | | 38.46% | 14.19% | | 14.19% |

| | Asked but No Answer | | | Unknown | | |
|-----------------------------|---------------------|----------|-------|---------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | H | | H | H |
| Eligible Member Population | 0 | | 0 | | | 0 |
| Denominator | | | 0 | | | 0 |
| Numerator | | | 0 | | | 0 |
| Reported Rate | | | | | | |

Effectiveness of Care

Hemoglobin A1c Control for Patients With Diabetes

Special Needs Basic Care - Special Needs Plan

| Data Element | Adequate HbA1c Control (<8.0%) | Poor HbA1c Control (>9.0%) |
|---|--------------------------------|----------------------------|
| Data Collection Methodology | H | H |
| Eligible Member Population | 136 | 136 |
| Number of Required Admin Data Records Excluded | 0 | 0 |
| Numerator Events by Admin Data on Eligible Population | 52 | 78 |
| Current Year's Admin Rate | 38.24% | 57.35% |
| Minimum Required Sample Size | 135 | 135 |
| Oversampling Rate | 0.00% | 0.00% |
| Number of Oversample Records | 0 | 0 |
| Number of original sample records excluded because of valid data errors | 0 | 0 |
| Number of Employee/Dependent Medical Records Excluded | 0 | 0 |
| Records Added from the Oversample List | 0 | 0 |
| Denominator | 135 | 135 |
| Numerator Events by Admin Data | 52 | 23 |
| Numerator Events by Medical Record | 41 | 6 |
| Numerator Events by Supplemental Data | 0 | 0 |
| Reported rate | 68.89% | 21.48% |

Effectiveness of Care

Hemoglobin A1c Control for Patients With Diabetes

Special Needs Basic Care - Special Needs Plan - Race Adequate HbA1c Control (<8.0%)

| | White | | | Black or African American | | | American Indian and Alaska Native | | |
|-----------------------------|--------|----------|--------|---------------------------|----------|--------|-----------------------------------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | H | H | H | H | H |
| Eligible Member Population | 129 | 0 | 129 | 4 | 0 | 4 | 0 | 0 | 0 |
| Denominator | 128 | 0 | 128 | 4 | 0 | 4 | 0 | 0 | 0 |
| Numerator | 87 | 0 | 87 | 3 | 0 | 3 | 0 | 0 | 0 |
| Reported Rate | 67.97% | | 67.97% | 75.00% | | 75.00% | | | |

| | Asian | | | Native Hawaiian and Other Pacific Islander | | | Some Other Race | | |
|-----------------------------|---------|----------|---------|--|----------|-------|-----------------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | H | H | H | H | H |
| Eligible Member Population | 2 | 0 | 2 | | | | | | |
| Denominator | | | 2 | | | | | | |
| Numerator | | | 2 | | | | | | |
| Reported Rate | 100.00% | | 100.00% | | | | | | |

| | Two or More Races | | | Asked but No Answer | | | Unknown | | |
|-----------------------------|-------------------|----------|-------|---------------------|----------|-------|---------|----------|---------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | | H | | H | H |
| Eligible Member Population | 0 | 0 | 0 | | | 0 | | | 1 |
| Denominator | | | 0 | | | 0 | | | 1 |
| Numerator | | | 0 | | | 0 | | | 1 |
| Reported Rate | | | | | | | | 100.00% | 100.00% |

Effectiveness of Care

Hemoglobin A1c Control for Patients With Diabetes

Special Needs Basic Care - Special Needs Plan - Race Poor HbA1c Control (>9.0%)

| | White | | | Black or African American | | | American Indian and Alaska Native | | |
|-----------------------------|--------|----------|--------|---------------------------|----------|-------|-----------------------------------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | H | H | H | H | H |
| Eligible Member Population | 129 | 0 | 129 | 4 | 0 | 4 | 0 | 0 | 0 |
| Denominator | 128 | 0 | 128 | 4 | 0 | 4 | 0 | 0 | 0 |
| Numerator | 29 | 0 | 29 | 0 | 0 | 0 | 0 | 0 | 0 |
| Reported Rate | 22.66% | | 22.66% | 0.00% | | 0.00% | | | |

| | Asian | | | Native Hawaiian and Other Pacific Islander | | | Some Other Race | | |
|-----------------------------|--------|----------|-------|--|----------|-------|-----------------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | H | H | H | H | H |
| Eligible Member Population | 2 | 0 | 2 | | | | | | |
| Denominator | | | 2 | | | | | | |
| Numerator | | | 0 | | | | | | |
| Reported Rate | 0.00% | | 0.00% | | | | | | |

| | Two or More Races | | | Asked but No Answer | | | Unknown | | |
|-----------------------------|-------------------|----------|-------|---------------------|----------|-------|---------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | | H | | H | H |
| Eligible Member Population | 0 | 0 | 0 | | | 0 | | | 1 |
| Denominator | | | 0 | | | 0 | | | 1 |
| Numerator | | | 0 | | | 0 | | | 0 |
| Reported Rate | | | | | | | | 0.00% | 0.00% |

Effectiveness of Care

Hemoglobin A1c Control for Patients With Diabetes

Special Needs Basic Care - Special Needs Plan - Ethnicity Adequate HbA1c Control (<8.0%)

| | Hispanic or Latino | | | Not Hispanic or Latino | | |
|-----------------------------|--------------------|----------|--------|------------------------|----------|--------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | H | H |
| Eligible Member Population | 6 | 0 | 6 | | | 130 |
| Denominator | | | 6 | | | 129 |
| Numerator | | | 2 | | | 91 |
| Reported Rate | 33.33% | | 33.33% | 70.54% | | 70.54% |

| | Asked but No Answer | | | Unknown | | |
|-----------------------------|---------------------|----------|-------|---------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | H | | H | H |
| Eligible Member Population | 0 | | 0 | | | 0 |
| Denominator | | | 0 | | | 0 |
| Numerator | | | 0 | | | 0 |
| Reported Rate | | | | | | |

Effectiveness of Care

Hemoglobin A1c Control for Patients With Diabetes

Special Needs Basic Care - Special Needs Plan - Ethnicity Poor HbA1c Control (>9.0%)

| | Hispanic or Latino | | | Not Hispanic or Latino | | |
|-----------------------------|--------------------|----------|--------|------------------------|----------|--------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | H | H |
| Eligible Member Population | 6 | 0 | 6 | | | 130 |
| Denominator | | | 6 | | | 129 |
| Numerator | | | 3 | | | 26 |
| Reported Rate | 50.00% | | 50.00% | 20.16% | | 20.16% |

| | Asked but No Answer | | | Unknown | | |
|-----------------------------|---------------------|----------|-------|---------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | H | | H | H |
| Eligible Member Population | 0 | | 0 | | | 0 |
| Denominator | | | 0 | | | 0 |
| Numerator | | | 0 | | | 0 |
| Reported Rate | | | | | | |

Effectiveness of Care

Hemoglobin A1c Control for Patients With Diabetes

Special Needs Basic Care - Non-Special Needs Plan

| Data Element | Adequate HbA1c Control (<8.0%) | Poor HbA1c Control (>9.0%) |
|---|--------------------------------|----------------------------|
| Data Collection Methodology | H | H |
| Eligible Member Population | 385 | 385 |
| Number of Required Admin Data Records Excluded | 5 | 5 |
| Numerator Events by Admin Data on Eligible Population | 55 | 322 |
| Current Year's Admin Rate | 14.29% | 83.64% |
| Minimum Required Sample Size | 379 | 379 |
| Oversampling Rate | 0.00% | 0.00% |
| Number of Oversample Records | 0 | 0 |
| Number of original sample records excluded because of valid data errors | 0 | 0 |
| Number of Employee/Dependent Medical Records Excluded | 0 | 0 |
| Records Added from the Oversample List | 0 | 0 |
| Denominator | 379 | 379 |
| Numerator Events by Admin Data | 52 | 67 |
| Numerator Events by Medical Record | 186 | 42 |
| Numerator Events by Supplemental Data | 0 | 0 |
| Reported rate | 62.80% | 28.76% |

Effectiveness of Care

Hemoglobin A1c Control for Patients With Diabetes

Special Needs Basic Care - Non-Special Needs Plan - Race Adequate HbA1c Control (<8.0%)

| | White | | | Black or African American | | | American Indian and Alaska Native | | |
|-----------------------------|--------|----------|--------|---------------------------|----------|--------|-----------------------------------|----------|--------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | H | H | H | H | H |
| Eligible Member Population | 329 | 0 | 329 | 20 | 0 | 20 | 3 | 0 | 3 |
| Denominator | 325 | 0 | 325 | 19 | 0 | 19 | 3 | 0 | 3 |
| Numerator | 205 | 0 | 205 | 13 | 0 | 13 | 2 | 0 | 2 |
| Reported Rate | 63.08% | | 63.08% | 68.42% | | 68.42% | 66.67% | | 66.67% |

| | Asian | | | Native Hawaiian and Other Pacific Islander | | | Some Other Race | | |
|-----------------------------|--------|----------|--------|--|----------|---------|-----------------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | H | H | H | H | H |
| Eligible Member Population | 8 | 0 | 8 | | | | | | 0 |
| Denominator | | | 7 | | | | | | 0 |
| Numerator | | | 3 | | | | | | 0 |
| Reported Rate | 42.86% | | 42.86% | 100.00% | | 100.00% | | | |

| | Two or More Races | | | Asked but No Answer | | | Unknown | | |
|-----------------------------|-------------------|----------|--------|---------------------|----------|-------|---------|----------|--------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | | H | | H | H |
| Eligible Member Population | 3 | 0 | 3 | | | 0 | | | 21 |
| Denominator | | | 3 | | | 0 | | | 21 |
| Numerator | | | 2 | | | 0 | | | 12 |
| Reported Rate | 66.67% | | 66.67% | | | | | 57.14% | 57.14% |

Effectiveness of Care

Hemoglobin A1c Control for Patients With Diabetes

Special Needs Basic Care - Non-Special Needs Plan - Race Poor HbA1c Control (>9.0%)

| | White | | | Black or African American | | | American Indian and Alaska Native | | |
|-----------------------------|--------|----------|--------|---------------------------|----------|--------|-----------------------------------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | H | H | H | H | H |
| Eligible Member Population | 329 | 0 | 329 | 20 | 0 | 20 | 3 | 0 | 3 |
| Denominator | 325 | 0 | 325 | 19 | 0 | 19 | 3 | 0 | 3 |
| Numerator | 91 | 0 | 91 | 5 | 0 | 5 | 0 | 0 | 0 |
| Reported Rate | 28.00% | | 28.00% | 26.32% | | 26.32% | 0.00% | | 0.00% |

| | Asian | | | Native Hawaiian and Other Pacific Islander | | | Some Other Race | | |
|-----------------------------|--------|----------|--------|--|----------|-------|-----------------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | H | H | H | H | H |
| Eligible Member Population | 8 | 0 | 8 | | | | | | |
| Denominator | | | 7 | | | | | | |
| Numerator | | | 4 | | | | | | |
| Reported Rate | 57.14% | | 57.14% | 0.00% | | 0.00% | | | |

| | Two or More Races | | | Asked but No Answer | | | Unknown | | |
|-----------------------------|-------------------|----------|--------|---------------------|----------|-------|---------|----------|--------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | | H | | H | H |
| Eligible Member Population | 3 | 0 | 3 | | | 0 | | | 21 |
| Denominator | | | 3 | | | 0 | | | 21 |
| Numerator | | | 1 | | | 0 | | | 8 |
| Reported Rate | 33.33% | | 33.33% | | | | | 38.10% | 38.10% |

Effectiveness of Care

Hemoglobin A1c Control for Patients With Diabetes

Special Needs Basic Care - Non-Special Needs Plan - Ethnicity Adequate HbA1c Control (<8.0%)

| | Hispanic or Latino | | | Not Hispanic or Latino | | |
|-----------------------------|--------------------|----------|--------|------------------------|----------|--------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | H | H |
| Eligible Member Population | 38 | 0 | 38 | | | 347 |
| Denominator | | | 38 | | | 341 |
| Numerator | | | 20 | | | 218 |
| Reported Rate | 52.63% | | 52.63% | 63.93% | | 63.93% |

| | Asked but No Answer | | | Unknown | | |
|-----------------------------|---------------------|----------|-------|---------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | H | | H | H |
| Eligible Member Population | 0 | | 0 | | | 0 |
| Denominator | | | 0 | | | 0 |
| Numerator | | | 0 | | | 0 |
| Reported Rate | | | | | | |

Effectiveness of Care

Hemoglobin A1c Control for Patients With Diabetes

Special Needs Basic Care - Non-Special Needs Plan - Ethnicity Poor HbA1c Control (>9.0%)

| | Hispanic or Latino | | | Not Hispanic or Latino | | |
|-----------------------------|--------------------|----------|--------|------------------------|----------|--------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | H | H |
| Eligible Member Population | 38 | 0 | 38 | | | 347 |
| Denominator | | | 38 | | | 341 |
| Numerator | | | 12 | | | 97 |
| Reported Rate | 31.58% | | 31.58% | 28.45% | | 28.45% |

| | Asked but No Answer | | | Unknown | | |
|-----------------------------|---------------------|----------|-------|---------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | H | | H | H |
| Eligible Member Population | 0 | | 0 | | | 0 |
| Denominator | | | 0 | | | 0 |
| Numerator | | | 0 | | | 0 |
| Reported Rate | | | | | | |

Effectiveness of Care

Blood Pressure Control for Patients With Diabetes

Blood Pressure Adequately Controlled (<140/90 mm Hg)

| Data Elements | Commercial | Medicare Advantage | MHCP-MC (F&C) | MHCP-MC (MN Care) | MSHO | SNBC SNP | SNBC Non-SNP |
|---|------------|--------------------|---------------|-------------------|--------|----------|--------------|
| Data Collection Methodology | | | H | H | H | H | H |
| Eligible Member Population | | | 897 | 151 | 165 | 136 | 385 |
| Number of required admin data records excluded | | | 26 | 1 | 1 | 0 | 5 |
| Numerator events by admin data in eligible population | | | 437 | 70 | 83 | 86 | 107 |
| Current Year's Admin Rate | | | 48.72% | 46.36% | 50.30% | 63.24% | 27.79% |
| Minimum Required Sample Size | | | 411 | 150 | 161 | 135 | 379 |
| Oversampling Rate | | | 10.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Number of oversample records | | | 42 | 0 | 0 | 0 | 0 |
| Number of Records Excluded Because of Valid Data Errors | | | 0 | 0 | 0 | 0 | 0 |
| Number of employee/dependent medical records excluded | | | 0 | 0 | 0 | 0 | 0 |
| Additional Records Added from the Oversample List | | | 0 | 0 | 0 | 0 | 0 |
| Denominator | | | 411 | 150 | 161 | 135 | 379 |
| Numerator Events by Admin Data | | | 201 | 69 | 82 | 85 | 104 |
| Numerator Events by Medical Record | | | 123 | 45 | 49 | 37 | 201 |
| Numerator Events by Supplemental Data | | | 0 | 0 | 0 | 0 | 0 |
| Reported Rate | | | 78.83% | 76.00% | 81.37% | 90.37% | 80.47% |

Effectiveness of Care

Eye Exam for Patients With Diabetes

| Data Elements | Commercial | MHCP-MC (F&C) | MHCP-MC (MN Care) | SNBC Non-SNP |
|---|------------|------------------|----------------------|-----------------|
| Data Collection Methodology | X | H | H | H |
| Eligible Member Population | | 897 | 151 | 385 |
| Number of required admin data records excluded | | 26 | 1 | 5 |
| Numerator events by admin data in eligible population | | 466 | 84 | 230 |
| Current Year's Admin Rate | | 51.95% | 55.63% | 59.74% |
| Minimum Required Sample Size | | 411 | 150 | 379 |
| Oversampling Rate | | 10.00% | 0.00% | 0.00% |
| Number of oversample records | | 42 | 0 | 0 |
| Number of Records Excluded Because of Valid Data Errors | | 0 | 0 | 0 |
| Number of employee/dependent medical records excluded | | 0 | 0 | 0 |
| Additional Records Added from the Oversample List | | 0 | 0 | 0 |
| Denominator | | 411 | 150 | 379 |
| Numerator Events by Admin Data | | 214 | 84 | 226 |
| Numerator Events by Medical Record | | 42 | 10 | 38 |
| Numerator Events by Supplemental Data | | 0 | 0 | 0 |
| Reported Rate | | 62.29% | 62.67% | 69.66% |

Effectiveness of Care

Eye Exam for Patients With Diabetes

Medicare Advantage

| Data Elements | Non-LIS/DE, Nondisability | LIS/DE | Disability | LIS/DE and Disability | Other | Unknown | Total |
|---|------------------------------|--------|------------|--------------------------|-------|---------|-------|
| Data Collection Methodology | | | | | | | |
| Eligible Member Population | | | | | | | |
| Number of required admin data records excluded | | | | | | | |
| Numerator events by admin data in eligible population | | | | | | | |
| Current Year's Admin Rate | | | | | | | |
| Minimum Required Sample Size | | | | | | | |
| Oversampling Rate | | | | | | | |
| Number of oversample records | | | | | | | |
| Number of Records Excluded Because of Valid Data Errors | | | | | | | |
| Number of employee/dependent medical records excluded | | | | | | | |
| Additional Records Added from the Oversample List | | | | | | | |
| Denominator | | | | | | | |
| Numerator Events by Admin Data | | | | | | | |
| Numerator Events by Medical Record | | | | | | | |
| Numerator Events by Supplemental Data | | | | | | | |
| Reported Rate | | | | | | | |

Effectiveness of Care

Eye Exam for Patients With Diabetes

Minnesota Senior Health Options

| Data Elements | Non-LIS/DE, Nondisability | LIS/DE | Disability | LIS/DE and Disability | Other | Unknown | Total |
|---|------------------------------|--------|------------|--------------------------|---------|---------|--------|
| Data Collection Methodology | H | H | H | H | H | H | H |
| Eligible Member Population | 0 | 74 | 0 | 90 | 1 | 0 | 165 |
| Number of required admin data records excluded | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| Numerator events by admin data in eligible population | 0 | 47 | 0 | 70 | 1 | 0 | 118 |
| Current Year's Admin Rate | | | | | | | 71.52% |
| Minimum Required Sample Size | 161 | 161 | 161 | 161 | 161 | 161 | 161 |
| Oversampling Rate | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Number of oversample records | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number of Records Excluded Because of Valid Data Errors | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number of employee/dependent medical records excluded | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Additional Records Added from the Oversample List | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Denominator | 0 | 71 | 0 | 89 | 1 | 0 | 161 |
| Numerator Events by Admin Data | 0 | 46 | 0 | 69 | 1 | 0 | 116 |
| Numerator Events by Medical Record | 0 | 5 | 0 | 6 | 0 | 0 | 11 |
| Numerator Events by Supplemental Data | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Reported Rate | | 71.83% | | 84.27% | 100.00% | | 78.88% |

Effectiveness of Care

Eye Exam for Patients With Diabetes

Special Needs Basic Care - Special Needs Plan

| Data Elements | Non-LIS/DE, Nondisability | LIS/DE | Disability | LIS/DE and Disability | Other | Unknown | Total |
|---|------------------------------|--------|------------|--------------------------|-------|---------|--------|
| Data Collection Methodology | H | H | H | H | H | H | H |
| Eligible Member Population | 0 | 0 | 0 | 136 | 0 | 0 | 136 |
| Number of required admin data records excluded | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Numerator events by admin data in eligible population | 0 | 0 | 0 | 108 | 0 | 0 | 108 |
| Current Year's Admin Rate | | | | | | | 79.41% |
| Minimum Required Sample Size | 135 | 135 | 135 | 135 | 135 | 135 | 135 |
| Oversampling Rate | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Number of oversample records | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number of Records Excluded Because of Valid Data Errors | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number of employee/dependent medical records excluded | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Additional Records Added from the Oversample List | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Denominator | 0 | 0 | 0 | 135 | 0 | 0 | 135 |
| Numerator Events by Admin Data | 0 | 0 | 0 | 107 | 0 | 0 | 107 |
| Numerator Events by Medical Record | 0 | 0 | 0 | 10 | 0 | 0 | 10 |
| Numerator Events by Supplemental Data | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Reported Rate | | | | 86.67% | | | 86.67% |

Effectiveness of Care

Osteoporosis Management in Women Who had a Fracture

| Data Elements | Medicare Advantage | MSHO |
|--|--------------------|--------|
| Eligible Member Population | | 5 |
| Number of required admin data records excluded | | 3 |
| Numerator Events by Admin Data | | 1 |
| Numerator Events by Supplemental Data | | 0 |
| Reported Rate | | 20.00% |

Effectiveness of Care

Diagnosed Mental Health Disorders

Commercial

| Data Elements | 1-17 | 18-64 | 65+ | Total |
|--|------|-------|-----|-------|
| Eligible Member Population | | | | |
| Number of required admin data records excluded | | | | |
| Numerator Events by Admin Data | | | | |
| Reported Rate | | | | |

Effectiveness of Care

Diagnosed Mental Health Disorders

Medicare Advantage

| Data Elements | 1-17 | 18-64 | 65+ | Total |
|--|------|-------|-----|-------|
| Eligible Member Population | | | | |
| Number of required admin data records excluded | | | | |
| Numerator Events by Admin Data | | | | |
| Reported Rate | | | | |

Effectiveness of Care

Diagnosed Mental Health Disorders

Minnesota Health Care Programs - Managed Care (Families and Children)

| Data Elements | 1-17 | 18-64 | 65+ | Total |
|--|--------|--------|--------|--------|
| Eligible Member Population | 10382 | 12067 | 9 | 22458 |
| Number of required admin data records excluded | 0 | 1 | 0 | 1 |
| Numerator Events by Admin Data | 2729 | 4945 | 4 | 7678 |
| Reported Rate | 26.29% | 40.98% | 44.44% | 34.19% |

Effectiveness of Care

Diagnosed Mental Health Disorders

Minnesota Health Care Programs - Managed Care (MN Care)

| Data Elements | 1-17 | 18-64 | 65+ | Total |
|--|--------|--------|--------|--------|
| Eligible Member Population | 29 | 1695 | 23 | 1747 |
| Number of required admin data records excluded | 0 | 0 | 1 | 1 |
| Numerator Events by Admin Data | 5 | 512 | 4 | 521 |
| Reported Rate | 17.24% | 30.21% | 17.39% | 29.82% |

Effectiveness of Care

Diagnosed Mental Health Disorders

Minnesota Senior Health Options

| Data Elements | 1-17 | 18-64 | 65+ | Total |
|--|------|-------|--------|--------|
| Eligible Member Population | 0 | 0 | 1242 | 1242 |
| Number of required admin data records excluded | 0 | 0 | 43 | 43 |
| Numerator Events by Admin Data | 0 | 0 | 755 | 755 |
| Reported Rate | | | 60.79% | 60.79% |

Effectiveness of Care

Diagnosed Mental Health Disorders

Special Needs Basic Care - Special Needs Plan

| Data Elements | 1-17 | 18-64 | 65+ | Total |
|--|------|--------|-----|--------|
| Eligible Member Population | 0 | 493 | 0 | 493 |
| Number of required admin data records excluded | 0 | 1 | 0 | 1 |
| Numerator Events by Admin Data | 0 | 395 | 0 | 395 |
| Reported Rate | | 80.12% | | 80.12% |

Effectiveness of Care

Diagnosed Mental Health Disorders

Special Needs Basic Care - Non-Special Needs Plan

| Data Elements | 1-17 | 18-64 | 65+ | Total |
|--|------|--------|--------|--------|
| Eligible Member Population | 0 | 1691 | 2 | 1693 |
| Number of required admin data records excluded | 0 | 6 | 0 | 6 |
| Numerator Events by Admin Data | 0 | 1184 | 1 | 1185 |
| Reported Rate | | 70.02% | 50.00% | 69.99% |

Effectiveness of Care

Antidepressant Medication Management

| | Commercial | | Medicare Advantage | | Minnesota Health Care Programs - Managed Care (Families and Children) | | Minnesota Health Care Programs - Managed Care (MN Care) | |
|--|---------------------------------|--|---------------------------------|--|---|--|---|--|
| Data Elements | Effective Acute Phase Treatment | Effective Continuation Phase Treatment | Effective Acute Phase Treatment | Effective Continuation Phase Treatment | Effective Acute Phase Treatment | Effective Continuation Phase Treatment | Effective Acute Phase Treatment | Effective Continuation Phase Treatment |
| Eligible Member Population | | | | | 727 | 727 | 73 | 73 |
| Number of required admin data records excluded | | | | | 809 | 809 | 108 | 108 |
| Numerator Events by Admin Data | | | | | 411 | 288 | 47 | 32 |
| Numerator Events by Supplemental Data | | | | | 0 | 0 | 0 | 0 |
| Reported Rate | | | | | 56.53% | 39.61% | 64.38% | 43.84% |

Effectiveness of Care

Antidepressant Medication Management

| | Minnesota Senior Health Options | | Special Needs Basic Care - Special Needs Plan | | Special Needs Basic Care - Non-Special Needs Plan | |
|--|---------------------------------|--|---|--|---|--|
| Data Elements | Effective Acute Phase Treatment | Effective Continuation Phase Treatment | Effective Acute Phase Treatment | Effective Continuation Phase Treatment | Effective Acute Phase Treatment | Effective Continuation Phase Treatment |
| Eligible Member Population | 47 | 47 | 31 | 31 | 41 | 41 |
| Number of required admin data records excluded | 99 | 99 | 26 | 26 | 58 | 58 |
| Numerator Events by Admin Data | 40 | 39 | 26 | 22 | 20 | 13 |
| Numerator Events by Supplemental Data | 0 | 0 | 0 | 0 | 0 | 0 |
| Reported Rate | 85.11% | 82.98% | 83.87% | 70.97% | 48.78% | 31.71% |

Effectiveness of Care

*Follow-Up Care for Children
Prescribed Attention-Deficit/Hyperactivity Disorder (ADHD) Medication*

Commercial

| Data Elements | Initiation Phase | Continuation and Maintenance Phase |
|--|------------------|------------------------------------|
| Eligible Member Population | | |
| Number of required admin data records excluded | | |
| Numerator Events by Admin Data | | |
| Numerator Events by Supplemental Data | | |
| Reported Rate | | |

Effectiveness of Care

Follow-Up Care for Children

Prescribed Attention-Deficit/Hyperactivity Disorder (ADHD) Medication

Minnesota Health Care Programs - Managed Care (Families and Children)

| Data Elements | Initiation Phase | Continuation and Maintenance Phase |
|--|-------------------------|---|
| Eligible Member Population | 168 | 49 |
| Number of required admin data records excluded | 0 | |
| Numerator Events by Admin Data | 43 | 13 |
| Numerator Events by Supplemental Data | 0 | 0 |
| Reported Rate | 25.60% | 26.53% |

Effectiveness of Care

Follow-Up Care for Children

Prescribed Attention-Deficit/Hyperactivity Disorder (ADHD) Medication

Minnesota Health Care Programs - Managed Care (MN Care)

| Data Elements | Initiation Phase | Continuation and Maintenance Phase |
|--|-------------------------|---|
| Eligible Member Population | 1 | 0 |
| Number of required admin data records excluded | 0 | |
| Numerator Events by Admin Data | 0 | 0 |
| Numerator Events by Supplemental Data | 0 | 0 |
| Reported Rate | 0.00% | |

Effectiveness of Care

Follow-up After Hospitalization for Mental Illness

Commercial

| Data Elements | Within 7 Days of Discharge | | | | Within 30 Days of Discharge | | | |
|--|----------------------------|-------|-----|-------|-----------------------------|-------|-----|-------|
| | 6-17 | 18-64 | 65+ | Total | 6-17 | 18-64 | 65+ | Total |
| Eligible Member Population | | | | | | | | |
| Number of required admin data records excluded | | | | | | | | |
| Numerator Events by Admin Data | | | | | | | | |
| Numerator Events by Supplemental Data | | | | | | | | |
| Reported Rate | | | | | | | | |

Effectiveness of Care

Follow-up After Hospitalization for Mental Illness

Medicare Advantage

| Data Elements | Within 7 Days of Discharge | | | | Within 30 Days of Discharge | | | |
|--|----------------------------|-------|-----|-------|-----------------------------|-------|-----|-------|
| | 6-17 | 18-64 | 65+ | Total | 6-17 | 18-64 | 65+ | Total |
| Eligible Member Population | | | | | | | | |
| Number of required admin data records excluded | | | | | | | | |
| Numerator Events by Admin Data | | | | | | | | |
| Numerator Events by Supplemental Data | | | | | | | | |
| Reported Rate | | | | | | | | |

Effectiveness of Care

Follow-up After Hospitalization for Mental Illness

Minnesota Health Care Programs - Managed Care (Families and Children)

| Data Elements | Within 7 Days of Discharge | | | | Within 30 Days of Discharge | | | |
|--|----------------------------|--------|-----|--------|-----------------------------|--------|-----|--------|
| | 6-17 | 18-64 | 65+ | Total | 6-17 | 18-64 | 65+ | Total |
| Eligible Member Population | 69 | 150 | 0 | 219 | 69 | 150 | 0 | 219 |
| Number of required admin data records excluded | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Numerator Events by Admin Data | 36 | 61 | 0 | 97 | 55 | 102 | 0 | 157 |
| Numerator Events by Supplemental Data | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Reported Rate | 52.17% | 40.67% | | 44.29% | 79.71% | 68.00% | | 71.69% |

Effectiveness of Care

Follow-up After Hospitalization for Mental Illness

Minnesota Health Care Programs - Managed Care (MN Care)

| Data Elements | Within 7 Days of Discharge | | | | Within 30 Days of Discharge | | | |
|--|----------------------------|--------|-----|--------|-----------------------------|--------|-----|--------|
| | 6-17 | 18-64 | 65+ | Total | 6-17 | 18-64 | 65+ | Total |
| Eligible Member Population | 0 | 14 | 0 | 14 | 0 | 14 | 0 | 14 |
| Number of required admin data records excluded | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Numerator Events by Admin Data | 0 | 5 | 0 | 5 | 0 | 9 | 0 | 9 |
| Numerator Events by Supplemental Data | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Reported Rate | | 35.71% | | 35.71% | | 64.29% | | 64.29% |

Effectiveness of Care

Follow-up After Hospitalization for Mental Illness

Minnesota Senior Health Options

| Data Elements | Within 7 Days of Discharge | | | | Within 30 Days of Discharge | | | |
|--|----------------------------|-------|-------|-------|-----------------------------|-------|--------|--------|
| | 6-17 | 18-64 | 65+ | Total | 6-17 | 18-64 | 65+ | Total |
| Eligible Member Population | 0 | 0 | 5 | 5 | 0 | 0 | 5 | 5 |
| Number of required admin data records excluded | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Numerator Events by Admin Data | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 |
| Numerator Events by Supplemental Data | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Reported Rate | | | 0.00% | 0.00% | | | 40.00% | 40.00% |

Effectiveness of Care

Follow-up After Hospitalization for Mental Illness

Special Needs Basic Care - Special Needs Plan

| Data Elements | Within 7 Days of Discharge | | | | Within 30 Days of Discharge | | | |
|--|----------------------------|--------|-----|--------|-----------------------------|--------|-----|--------|
| | 6-17 | 18-64 | 65+ | Total | 6-17 | 18-64 | 65+ | Total |
| Eligible Member Population | 0 | 11 | 0 | 11 | 0 | 11 | 0 | 11 |
| Number of required admin data records excluded | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Numerator Events by Admin Data | 0 | 4 | 0 | 4 | 0 | 8 | 0 | 8 |
| Numerator Events by Supplemental Data | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Reported Rate | | 36.36% | | 36.36% | | 72.73% | | 72.73% |

Effectiveness of Care

Follow-up After Hospitalization for Mental Illness

Special Needs Basic Care - Non-Special Needs Plan

| Data Elements | Within 7 Days of Discharge | | | | Within 30 Days of Discharge | | | |
|--|----------------------------|--------|-----|--------|-----------------------------|--------|-----|--------|
| | 6-17 | 18-64 | 65+ | Total | 6-17 | 18-64 | 65+ | Total |
| Eligible Member Population | 0 | 50 | 0 | 50 | 0 | 50 | 0 | 50 |
| Number of required admin data records excluded | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Numerator Events by Admin Data | 0 | 28 | 0 | 28 | 0 | 42 | 0 | 42 |
| Numerator Events by Supplemental Data | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Reported Rate | | 56.00% | | 56.00% | | 84.00% | | 84.00% |

Effectiveness of Care

Follow-up After Emergency Visit for Mental Illness

Commercial

| Data Elements | Within 7 Days of Discharge | | | | Within 30 Days of Discharge | | | |
|--|----------------------------|-------|-----|-------|-----------------------------|-------|-----|-------|
| | 6-17 | 18-64 | 65+ | Total | 6-17 | 18-64 | 65+ | Total |
| Eligible Member Population | | | | | | | | |
| Number of required admin data records excluded | | | | | | | | |
| Numerator Events by Admin Data | | | | | | | | |
| Numerator Events by Supplemental Data | | | | | | | | |
| Reported Rate | | | | | | | | |

Effectiveness of Care

Follow-up After Emergency Visit for Mental Illness

Medicare Advantage

| Data Elements | Within 7 Days of Discharge | | | | Within 30 Days of Discharge | | | |
|--|----------------------------|-------|-----|-------|-----------------------------|-------|-----|-------|
| | 6-17 | 18-64 | 65+ | Total | 6-17 | 18-64 | 65+ | Total |
| Eligible Member Population | | | | | | | | |
| Number of required admin data records excluded | | | | | | | | |
| Numerator Events by Admin Data | | | | | | | | |
| Numerator Events by Supplemental Data | | | | | | | | |
| Reported Rate | | | | | | | | |

Effectiveness of Care

Follow-up After Emergency Visit for Mental Illness

Minnesota Health Care Programs - Managed Care (Families and Children)

| Data Elements | Within 7 Days of Discharge | | | | Within 30 Days of Discharge | | | |
|--|----------------------------|--------|-----|--------|-----------------------------|--------|-----|--------|
| | 6-17 | 18-64 | 65+ | Total | 6-17 | 18-64 | 65+ | Total |
| Eligible Member Population | 46 | 97 | 0 | 143 | 46 | 97 | 0 | 143 |
| Number of required admin data records excluded | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Numerator Events by Admin Data | 33 | 62 | 0 | 95 | 39 | 71 | 0 | 110 |
| Numerator Events by Supplemental Data | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| Reported Rate | 73.91% | 63.92% | | 67.13% | 84.78% | 73.20% | | 76.92% |

Effectiveness of Care

Follow-up After Emergency Visit for Mental Illness

Minnesota Health Care Programs - Managed Care (MN Care)

| Data Elements | Within 7 Days of Discharge | | | | Within 30 Days of Discharge | | | |
|--|----------------------------|--------|-----|--------|-----------------------------|--------|-----|--------|
| | 6-17 | 18-64 | 65+ | Total | 6-17 | 18-64 | 65+ | Total |
| Eligible Member Population | 0 | 10 | 0 | 10 | 0 | 10 | 0 | 10 |
| Number of required admin data records excluded | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Numerator Events by Admin Data | 0 | 3 | 0 | 3 | 0 | 5 | 0 | 5 |
| Numerator Events by Supplemental Data | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Reported Rate | | 30.00% | | 30.00% | | 50.00% | | 50.00% |

Effectiveness of Care

Follow-up After Emergency Visit for Mental Illness

Minnesota Senior Health Options

| Data Elements | Within 7 Days of Discharge | | | | Within 30 Days of Discharge | | | |
|--|----------------------------|-------|--------|--------|-----------------------------|-------|--------|--------|
| | 6-17 | 18-64 | 65+ | Total | 6-17 | 18-64 | 65+ | Total |
| Eligible Member Population | 0 | 0 | 5 | 5 | 0 | 0 | 5 | 5 |
| Number of required admin data records excluded | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Numerator Events by Admin Data | 0 | 0 | 2 | 2 | 0 | 0 | 2 | 2 |
| Numerator Events by Supplemental Data | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Reported Rate | | | 40.00% | 40.00% | | | 40.00% | 40.00% |

Effectiveness of Care

Follow-up After Emergency Visit for Mental Illness

Special Needs Basic Care - Special Needs Plan

| Data Elements | Within 7 Days of Discharge | | | | Within 30 Days of Discharge | | | |
|--|----------------------------|--------|-----|--------|-----------------------------|--------|-----|--------|
| | 6-17 | 18-64 | 65+ | Total | 6-17 | 18-64 | 65+ | Total |
| Eligible Member Population | 0 | 10 | 0 | 10 | 0 | 10 | 0 | 10 |
| Number of required admin data records excluded | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Numerator Events by Admin Data | 0 | 6 | 0 | 6 | 0 | 7 | 0 | 7 |
| Numerator Events by Supplemental Data | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Reported Rate | | 60.00% | | 60.00% | | 70.00% | | 70.00% |

Effectiveness of Care

Follow-up After Emergency Visit for Mental Illness

Special Needs Basic Care - Non-Special Needs Plan

| Data Elements | Within 7 Days of Discharge | | | | Within 30 Days of Discharge | | | |
|--|----------------------------|--------|-----|--------|-----------------------------|--------|-----|--------|
| | 6-17 | 18-64 | 65+ | Total | 6-17 | 18-64 | 65+ | Total |
| Eligible Member Population | 0 | 29 | 0 | 29 | 0 | 29 | 0 | 29 |
| Number of required admin data records excluded | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Numerator Events by Admin Data | 0 | 13 | 0 | 13 | 0 | 22 | 0 | 22 |
| Numerator Events by Supplemental Data | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Reported Rate | | 44.83% | | 44.83% | | 75.86% | | 75.86% |

Effectiveness of Care

Diagnosed Substance Use Disorders

Commercial

| | Alcohol | | | | Opioid | | | |
|--|---------|-------|-----|-------|--------|-------|-----|-------|
| Data Elements | 13-17 | 18-64 | 65+ | Total | 13-17 | 18-64 | 65+ | Total |
| Eligible Member Population | | | | | | | | |
| Number of required admin data records excluded | | | | | | | | |
| Numerator Events by Admin Data | | | | | | | | |
| Reported Rate | | | | | | | | |

| | Other | | | | Any | | | |
|--|-------|-------|-----|-------|-------|-------|-----|-------|
| Data Elements | 13-17 | 18-64 | 65+ | Total | 13-17 | 18-64 | 65+ | Total |
| Eligible Member Population | | | | | | | | |
| Number of required admin data records excluded | | | | | | | | |
| Numerator Events by Admin Data | | | | | | | | |
| Reported Rate | | | | | | | | |

Effectiveness of Care

Diagnosed Substance Use Disorders

Medicare Advantage

| | Alcohol | | | | Opioid | | | |
|--|---------|-------|-----|-------|--------|-------|-----|-------|
| Data Elements | 13-17 | 18-64 | 65+ | Total | 13-17 | 18-64 | 65+ | Total |
| Eligible Member Population | | | | | | | | |
| Number of required admin data records excluded | | | | | | | | |
| Numerator Events by Admin Data | | | | | | | | |
| Reported Rate | | | | | | | | |

| | Other | | | | Any | | | |
|--|-------|-------|-----|-------|-------|-------|-----|-------|
| Data Elements | 13-17 | 18-64 | 65+ | Total | 13-17 | 18-64 | 65+ | Total |
| Eligible Member Population | | | | | | | | |
| Number of required admin data records excluded | | | | | | | | |
| Numerator Events by Admin Data | | | | | | | | |
| Reported Rate | | | | | | | | |

Effectiveness of Care

Diagnosed Substance Use Disorders

Minnesota Health Care Programs - Managed Care (Families and Children)

| | Alcohol | | | | Opioid | | | |
|--|---------|-------|--------|-------|--------|-------|-------|-------|
| Data Elements | 13-17 | 18-64 | 65+ | Total | 13-17 | 18-64 | 65+ | Total |
| Eligible Member Population | 3080 | 12065 | 9 | 15154 | 3080 | 12065 | 9 | 15154 |
| Number of required admin data records excluded | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 1 |
| Numerator Events by Admin Data | 14 | 590 | 1 | 605 | 1 | 255 | 0 | 256 |
| Reported Rate | 0.45% | 4.89% | 11.11% | 3.99% | 0.03% | 2.11% | 0.00% | 1.69% |

| | Other | | | | Any | | | |
|--|-------|-------|-------|-------|-------|--------|--------|-------|
| Data Elements | 13-17 | 18-64 | 65+ | Total | 13-17 | 18-64 | 65+ | Total |
| Eligible Member Population | 3080 | 12065 | 9 | 15154 | 3080 | 12065 | 9 | 15154 |
| Number of required admin data records excluded | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 1 |
| Numerator Events by Admin Data | 51 | 790 | 0 | 841 | 55 | 1250 | 1 | 1306 |
| Reported Rate | 1.66% | 6.55% | 0.00% | 5.55% | 1.79% | 10.36% | 11.11% | 8.62% |

Effectiveness of Care

Diagnosed Substance Use Disorders

Minnesota Health Care Programs - Managed Care (MN Care)

| | Alcohol | | | | Opioid | | | |
|--|---------|-------|-------|-------|--------|-------|-------|-------|
| Data Elements | 13-17 | 18-64 | 65+ | Total | 13-17 | 18-64 | 65+ | Total |
| Eligible Member Population | 10 | 1695 | 23 | 1728 | 10 | 1695 | 23 | 1728 |
| Number of required admin data records excluded | 0 | 0 | 1 | 1 | 0 | 0 | 1 | 1 |
| Numerator Events by Admin Data | 0 | 56 | 0 | 56 | 0 | 18 | 0 | 18 |
| Reported Rate | 0.00% | 3.30% | 0.00% | 3.24% | 0.00% | 1.06% | 0.00% | 1.04% |

| | Other | | | | Any | | | |
|--|-------|-------|-------|-------|-------|-------|-------|-------|
| Data Elements | 13-17 | 18-64 | 65+ | Total | 13-17 | 18-64 | 65+ | Total |
| Eligible Member Population | 10 | 1695 | 23 | 1728 | 10 | 1695 | 23 | 1728 |
| Number of required admin data records excluded | 0 | 0 | 1 | 1 | 0 | 0 | 1 | 1 |
| Numerator Events by Admin Data | 0 | 40 | 0 | 40 | 0 | 97 | 0 | 97 |
| Reported Rate | 0.00% | 2.36% | 0.00% | 2.31% | 0.00% | 5.72% | 0.00% | 5.61% |

Effectiveness of Care

Diagnosed Substance Use Disorders

Minnesota Senior Health Options

| | Alcohol | | | | Opioid | | | |
|--|---------|-------|-------|-------|--------|-------|-------|-------|
| Data Elements | 13-17 | 18-64 | 65+ | Total | 13-17 | 18-64 | 65+ | Total |
| Eligible Member Population | 0 | 0 | 1241 | 1241 | 0 | 0 | 1241 | 1241 |
| Number of required admin data records excluded | 0 | 0 | 43 | 43 | 0 | 0 | 43 | 43 |
| Numerator Events by Admin Data | 0 | 0 | 44 | 44 | 0 | 0 | 13 | 13 |
| Reported Rate | | | 3.55% | 3.55% | | | 1.05% | 1.05% |

| | Other | | | | Any | | | |
|--|-------|-------|-------|-------|-------|-------|-------|-------|
| Data Elements | 13-17 | 18-64 | 65+ | Total | 13-17 | 18-64 | 65+ | Total |
| Eligible Member Population | 0 | 0 | 1241 | 1241 | 0 | 0 | 1241 | 1241 |
| Number of required admin data records excluded | 0 | 0 | 43 | 43 | 0 | 0 | 43 | 43 |
| Numerator Events by Admin Data | 0 | 0 | 13 | 13 | 0 | 0 | 66 | 66 |
| Reported Rate | | | 1.05% | 1.05% | | | 5.32% | 5.32% |

Effectiveness of Care

Diagnosed Substance Use Disorders

Special Needs Basic Care - Special Needs Plan

| | Alcohol | | | | Opioid | | | |
|--|---------|-------|-----|-------|--------|-------|-----|-------|
| Data Elements | 13-17 | 18-64 | 65+ | Total | 13-17 | 18-64 | 65+ | Total |
| Eligible Member Population | 0 | 493 | 0 | 493 | 0 | 493 | 0 | 493 |
| Number of required admin data records excluded | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 1 |
| Numerator Events by Admin Data | 0 | 47 | 0 | 47 | 0 | 14 | 0 | 14 |
| Reported Rate | | 9.53% | | 9.53% | | 2.84% | | 2.84% |

| | Other | | | | Any | | | |
|--|-------|-------|-----|-------|-------|--------|-----|--------|
| Data Elements | 13-17 | 18-64 | 65+ | Total | 13-17 | 18-64 | 65+ | Total |
| Eligible Member Population | 0 | 493 | 0 | 493 | 0 | 493 | 0 | 493 |
| Number of required admin data records excluded | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 1 |
| Numerator Events by Admin Data | 0 | 37 | 0 | 37 | 0 | 73 | 0 | 73 |
| Reported Rate | | 7.51% | | 7.51% | | 14.81% | | 14.81% |

Effectiveness of Care

Diagnosed Substance Use Disorders

Special Needs Basic Care - Non-Special Needs Plan

| | Alcohol | | | | Opioid | | | |
|--|---------|-------|-------|-------|--------|-------|-------|-------|
| Data Elements | 13-17 | 18-64 | 65+ | Total | 13-17 | 18-64 | 65+ | Total |
| Eligible Member Population | 0 | 1690 | 2 | 1692 | 0 | 1690 | 2 | 1692 |
| Number of required admin data records excluded | 0 | 6 | 0 | 6 | 0 | 6 | 0 | 6 |
| Numerator Events by Admin Data | 0 | 121 | 0 | 121 | 0 | 73 | 0 | 73 |
| Reported Rate | | 7.16% | 0.00% | 7.15% | | 4.32% | 0.00% | 4.31% |

| | Other | | | | Any | | | |
|--|-------|-------|-------|-------|-------|--------|-------|--------|
| Data Elements | 13-17 | 18-64 | 65+ | Total | 13-17 | 18-64 | 65+ | Total |
| Eligible Member Population | 0 | 1690 | 2 | 1692 | 0 | 1690 | 2 | 1692 |
| Number of required admin data records excluded | 0 | 6 | 0 | 6 | 0 | 6 | 0 | 6 |
| Numerator Events by Admin Data | 0 | 138 | 0 | 138 | 0 | 265 | 0 | 265 |
| Reported Rate | | 8.17% | 0.00% | 8.16% | | 15.68% | 0.00% | 15.66% |

Effectiveness of Care

Follow-up After Emergency Visit for Alcohol and Other Drug Abuse

Commercial

| Data Elements | Within 7 Days of Discharge | | | Within 30 Days of Discharge | | |
|--|----------------------------|-----|-------|-----------------------------|-----|-------|
| | 6-17 | 65+ | Total | 6-17 | 65+ | Total |
| Eligible Member Population | | | | | | |
| Number of Required Admin Data Records Excluded | | | | | | |
| Numerator Events by Admin Data | | | | | | |
| Numerator Events by Supplemental Data | | | | | | |
| Reported Rate | | | | | | |

Effectiveness of Care

Follow-up After Emergency Visit for Alcohol and Other Drug Abuse

Medicare Advantage

| Data Elements | Within 7 Days of Discharge | | | Within 30 Days of Discharge | | |
|--|----------------------------|-----|-------|-----------------------------|-----|-------|
| | 6-17 | 65+ | Total | 6-17 | 65+ | Total |
| Eligible Member Population | | | | | | |
| Number of Required Admin Data Records Excluded | | | | | | |
| Numerator Events by Admin Data | | | | | | |
| Numerator Events by Supplemental Data | | | | | | |
| Reported Rate | | | | | | |

Effectiveness of Care

Follow-up After Emergency Visit for Alcohol and Other Drug Abuse

Minnesota Health Care Programs - Managed Care (Families and Children)

| Data Elements | Within 7 Days of Discharge | | | Within 30 Days of Discharge | | |
|--|----------------------------|--------|--------|-----------------------------|--------|--------|
| | 6-17 | 65+ | Total | 6-17 | 65+ | Total |
| Eligible Member Population | 5 | 152 | 157 | 5 | 152 | 157 |
| Number of Required Admin Data Records Excluded | 0 | 1 | 1 | 0 | 1 | 1 |
| Numerator Events by Admin Data | 1 | 50 | 51 | 3 | 84 | 87 |
| Numerator Events by Supplemental Data | 0 | 0 | 0 | 0 | 0 | 0 |
| Reported Rate | 20.00% | 32.89% | 32.48% | 60.00% | 55.26% | 55.41% |

Effectiveness of Care

Follow-up After Emergency Visit for Alcohol and Other Drug Abuse

Minnesota Health Care Programs - Managed Care (MN Care)

| Data Elements | Within 7 Days of Discharge | | | Within 30 Days of Discharge | | |
|--|----------------------------|--------|--------|-----------------------------|--------|--------|
| | 6-17 | 65+ | Total | 6-17 | 65+ | Total |
| Eligible Member Population | 0 | 14 | 14 | 0 | 14 | 14 |
| Number of Required Admin Data Records Excluded | 0 | 0 | 0 | 0 | 0 | 0 |
| Numerator Events by Admin Data | 0 | 3 | 3 | 0 | 6 | 6 |
| Numerator Events by Supplemental Data | 0 | 0 | 0 | 0 | 0 | 0 |
| Reported Rate | | 21.43% | 21.43% | | 42.86% | 42.86% |

Effectiveness of Care

Follow-up After Emergency Visit for Alcohol and Other Drug Abuse

Minnesota Senior Health Options

| Data Elements | Within 7 Days of Discharge | | | Within 30 Days of Discharge | | |
|--|----------------------------|--------|--------|-----------------------------|--------|--------|
| | 6-17 | 65+ | Total | 6-17 | 65+ | Total |
| Eligible Member Population | 0 | 9 | 9 | 0 | 9 | 9 |
| Number of Required Admin Data Records Excluded | 0 | 0 | 0 | 0 | 0 | 0 |
| Numerator Events by Admin Data | 0 | 5 | 5 | 0 | 6 | 6 |
| Numerator Events by Supplemental Data | 0 | 0 | 0 | 0 | 0 | 0 |
| Reported Rate | | 55.56% | 55.56% | | 66.67% | 66.67% |

Effectiveness of Care

Follow-up After Emergency Visit for Alcohol and Other Drug Abuse

Special Needs Basic Care - Special Needs Plan

| Data Elements | Within 7 Days of Discharge | | | Within 30 Days of Discharge | | |
|--|----------------------------|--------|--------|-----------------------------|---------|---------|
| | 6-17 | 65+ | Total | 6-17 | 65+ | Total |
| Eligible Member Population | 0 | 8 | 8 | 0 | 8 | 8 |
| Number of Required Admin Data Records Excluded | 0 | 0 | 0 | 0 | 0 | 0 |
| Numerator Events by Admin Data | 0 | 3 | 3 | 0 | 8 | 8 |
| Numerator Events by Supplemental Data | 0 | 0 | 0 | 0 | 0 | 0 |
| Reported Rate | | 37.50% | 37.50% | | 100.00% | 100.00% |

Effectiveness of Care

Follow-up After Emergency Visit for Alcohol and Other Drug Abuse

Special Needs Basic Care - Non-Special Needs Plan

| Data Elements | Within 7 Days of Discharge | | | Within 30 Days of Discharge | | |
|--|----------------------------|--------|--------|-----------------------------|--------|--------|
| | 6-17 | 65+ | Total | 6-17 | 65+ | Total |
| Eligible Member Population | 0 | 33 | 33 | 0 | 33 | 33 |
| Number of Required Admin Data Records Excluded | 0 | 0 | 0 | 0 | 0 | 0 |
| Numerator Events by Admin Data | 0 | 11 | 11 | 0 | 16 | 16 |
| Numerator Events by Supplemental Data | 0 | 0 | 0 | 0 | 0 | 0 |
| Reported Rate | | 33.33% | 33.33% | | 48.48% | 48.48% |

Effectiveness of Care

Transitions of Care

Medicare Advantage

| Data Elements | Notification of Inpatient Admission | | | Receipt of Discharge Information | | | Patient Engagement After Inpatient Discharge | | | Medication Reconciliation Post-Discharge | | |
|---|-------------------------------------|-----|-------|----------------------------------|-----|-------|--|-----|-------|--|-----|-------|
| | 18-64 | 65+ | Total | 18-64 | 65+ | Total | 18-64 | 65+ | Total | 18-64 | 65+ | Total |
| Data Collection Methodology | | | | | | | | | | | | |
| Eligible Member Population | | | | | | | | | | | | |
| Number of Required Exclusions by Admin Data | | | | | | | | | | | | |
| Numerator events by admin data in eligible population | | | | | | | | | | | | |
| Current Year's Admin Rate | | | | | | | | | | | | |
| Minimum Required Sample Size | | | | | | | | | | | | |
| Oversampling Rate | | | | | | | | | | | | |
| Number of oversample records | | | | | | | | | | | | |
| Number of Records Excluded Because of Valid Data Errors | | | | | | | | | | | | |
| Number of employee/dependent medical records excluded | | | | | | | | | | | | |
| Additional Records Added from the Oversample List | | | | | | | | | | | | |
| Denominator | | | | | | | | | | | | |
| Numerator Events by Admin Data | | | | | | | | | | | | |
| Numerator Events by Medical Record | | | | | | | | | | | | |
| Numerator Events by Supplemental Data | | | | | | | | | | | | |
| Reported Rate | | | | | | | | | | | | |

Effectiveness of Care

Transitions of Care

Minnesota Senior Health Options

| Data Elements | Notification of Inpatient Admission | | | Receipt of Discharge Information | | | Patient Engagement After Inpatient Discharge | | | Medication Reconciliation Post-Discharge | | |
|---|-------------------------------------|--------|--------|----------------------------------|--------|--------|--|--------|--------|--|--------|--------|
| | 18-64 | 65+ | Total | 18-64 | 65+ | Total | 18-64 | 65+ | Total | 18-64 | 65+ | Total |
| Data Collection Methodology | | | | | | | | | | | | |
| Eligible Member Population | 0 | 415 | 415 | 0 | 415 | 415 | 0 | 415 | 415 | 0 | 415 | 415 |
| Number of Required Exclusions by Admin Data | | | | | | | 0 | 0 | 0 | 0 | 0 | 0 |
| Numerator events by admin data in eligible population | | | | | | | 0 | 243 | 243 | 0 | 113 | 113 |
| Current Year's Admin Rate | | | | | | | | | 58.55% | | | 27.23% |
| Minimum Required Sample Size | | | 386 | | | 386 | | | 386 | | | 386 |
| Oversampling Rate | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Number of oversample records | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number of Records Excluded Because of Valid Data Errors | | | 132 | | | 132 | | | 132 | | | 132 |
| Number of employee/dependent medical records excluded | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Additional Records Added from the Oversample List | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Denominator | 0 | 254 | 254 | 0 | 254 | 254 | 0 | 254 | 254 | 0 | 254 | 254 |
| Numerator Events by Admin Data | | | | | | | 0 | 190 | 190 | 0 | 96 | 96 |
| Numerator Events by Medical Record | 0 | 128 | 128 | 0 | 71 | 71 | 0 | 15 | 15 | 0 | 53 | 53 |
| Numerator Events by Supplemental Data | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Reported Rate | | 50.39% | 50.39% | | 27.95% | 27.95% | | 80.71% | 80.71% | | 58.66% | 58.66% |

Effectiveness of Care

Transitions of Care

Special Needs Basic Care - Special Needs Plan

| Data Elements | Notification of Inpatient Admission | | | Receipt of Discharge Information | | | Patient Engagement After Inpatient Discharge | | | Medication Reconciliation Post-Discharge | | |
|---|-------------------------------------|-------|--------|----------------------------------|-------|--------|--|---------|--------|--|--------|--------|
| | 18-64 | 65+ | Total | 18-64 | 65+ | Total | 18-64 | 65+ | Total | 18-64 | 65+ | Total |
| Data Collection Methodology | | | | | | | | | | | | |
| Eligible Member Population | 83 | 4 | 87 | 83 | 4 | 87 | 83 | 4 | 87 | 83 | 4 | 87 |
| Number of Required Exclusions by Admin Data | | | | | | | 0 | 0 | 0 | 0 | 0 | 0 |
| Numerator events by admin data in eligible population | | | | | | | 74 | 3 | 77 | 30 | 2 | 32 |
| Current Year's Admin Rate | | | | | | | | | 88.51% | | | 36.78% |
| Minimum Required Sample Size | | | 82 | | | 82 | | | 82 | | | 82 |
| Oversampling Rate | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Number of oversample records | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number of Records Excluded Because of Valid Data Errors | | | 5 | | | 5 | | | 5 | | | 5 |
| Number of employee/dependent medical records excluded | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Additional Records Added from the Oversample List | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Denominator | 74 | 3 | 77 | 74 | 3 | 77 | 74 | 3 | 77 | 74 | 3 | 77 |
| Numerator Events by Admin Data | | | | | | | 66 | 3 | 69 | 28 | 2 | 30 |
| Numerator Events by Medical Record | 28 | 0 | 28 | 16 | 0 | 16 | 3 | 0 | 3 | 17 | 0 | 17 |
| Numerator Events by Supplemental Data | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Reported Rate | 37.84% | 0.00% | 36.36% | 21.62% | 0.00% | 20.78% | 93.24% | 100.00% | 93.51% | 60.81% | 66.67% | 61.04% |

Effectiveness of Care

Potentially Harmful Drug-Disease Interactions in the Elderly

Medicare Advantage

| Data Elements | Drug-Disease Interactions | | | |
|---|--|--|---|-------|
| | History of Falls + Tricyclic Antidepressants, Antipsychotics or Sleep Agents | Dementia + Tricyclic Antidepressants or Anticholinergic Agents | Chronic Renal Failure + Nonaspirin NSAIDs or Cox-2 Selective NSAIDs | Total |
| Eligible Member Population | | | | |
| Number of Required Exclusions by Admin Data | | | | |
| Numerator Events by Admin Data | | | | |
| Reported Rate | | | | |

Effectiveness of Care

Potentially Harmful Drug-Disease Interactions in the Elderly

Minnesota Senior Health Options

| Data Elements | Drug-Disease Interactions | | | |
|---|--|--|---|--------|
| | History of Falls + Tricyclic Antidepressants, Antipsychotics or Sleep Agents | Dementia + Tricyclic Antidepressants or Anticholinergic Agents | Chronic Renal Failure + Nonaspirin NSAIDs or Cox-2 Selective NSAIDs | Total |
| Eligible Member Population | 74 | 167 | 59 | 300 |
| Number of Required Exclusions by Admin Data | 150 | 87 | 5 | 242 |
| Numerator Events by Admin Data | 36 | 51 | 3 | 90 |
| Reported Rate | 48.65% | 30.54% | 5.08% | 30.00% |

Effectiveness of Care

Potentially Harmful Drug-Disease Interactions in the Elderly

Special Needs Basic Care - Special Needs Plan

| Data Elements | Drug-Disease Interactions | | | |
|---|--|--|---|-------|
| | History of Falls + Tricyclic Antidepressants, Antipsychotics or Sleep Agents | Dementia + Tricyclic Antidepressants or Anticholinergic Agents | Chronic Renal Failure + Nonaspirin NSAIDs or Cox-2 Selective NSAIDs | Total |
| Eligible Member Population | 0 | 0 | 0 | 0 |
| Number of Required Exclusions by Admin Data | 0 | 0 | 0 | 0 |
| Numerator Events by Admin Data | 0 | 0 | 0 | 0 |
| Reported Rate | | | | |

Effectiveness of Care

Use of High Risk Medications in the Elderly

| Data Elements | Medicare Advantage | | | MSHO | | | Special Needs Basic Care Special Needs Plan | | |
|---|--------------------------------------|---|-------|--------------------------------------|---|--------|--|---|-------|
| | High Risk Medications to Avoid | High Risk Medications to Avoid except for Appropriate Diagnosis | Total | High Risk Medications to Avoid | High Risk Medications to Avoid except for Appropriate Diagnosis | Total | High Risk Medications to Avoid | High Risk Medications to Avoid except for Appropriate Diagnosis | Total |
| Eligible Member Population | | | | 953 | 953 | 953 | 0 | 0 | 0 |
| Number of Required Exclusions by Admin Data | | | | 48 | 48 | 48 | 0 | 0 | 0 |
| Numerator Events by Admin Data | | | | 123 | 95 | 201 | 0 | 0 | 0 |
| Reported Rate | | | | 12.91% | 9.97% | 21.09% | | | |

Effectiveness of Care

Use of Opioids at High Dosage

| Data Elements | Commercial | Medicare Advantage | MHCP-MC (F&C) | MHCP-MC (MN Care) | MSHO | SNBC SNP | SNBC Non-SNP |
|---|------------|--------------------|---------------|-------------------|-------|----------|--------------|
| Eligible Member Population | | | 287 | 34 | 153 | 52 | 67 |
| Number of Required Exclusions by Admin Data | | | 17 | 2 | 40 | 4 | 5 |
| Numerator Events by Admin Data | | | 12 | 1 | 9 | 5 | 5 |
| Reported Rate | | | 4.18% | 2.94% | 5.88% | 9.62% | 7.46% |

Effectiveness of Care

Use of Opioids from Multiple Providers

Commercial

| Data Elements | Multiple Prescribers | Multiple Pharmacies | Multiple Prescribers and Pharmacies |
|---|----------------------|---------------------|-------------------------------------|
| Audit Designation | | | |
| Measurement Year | | | |
| Denominator | | | |
| Eligible Member Population | | | |
| Number of Required Exclusions by Admin Data | | | |
| Numerator Events by Admin Data | | | |
| Reported Rate | | | |

Effectiveness of Care

Use of Opioids from Multiple Providers

Medicare Advantage

| Data Elements | Multiple Prescribers | Multiple Pharmacies | Multiple Prescribers and Pharmacies |
|---|----------------------|---------------------|-------------------------------------|
| Audit Designation | | | |
| Measurement Year | | | |
| Denominator | | | |
| Eligible Member Population | | | |
| Number of Required Exclusions by Admin Data | | | |
| Numerator Events by Admin Data | | | |
| Reported Rate | | | |

Effectiveness of Care

Use of Opioids from Multiple Providers

Minnesota Health Care Programs - Managed Care (Families and Children)

| Data Elements | Multiple Prescribers | Multiple Pharmacies | Multiple Prescribers and Pharmacies |
|---|----------------------|---------------------|-------------------------------------|
| Audit Designation | Reported | Reported | Reported |
| Measurement Year | 2022 | 2022 | 2022 |
| Denominator | 304 | 304 | 304 |
| Eligible Member Population | 304 | 304 | 304 |
| Number of Required Exclusions by Admin Data | 1 | 1 | 1 |
| Numerator Events by Admin Data | 13 | 104 | 10 |
| Reported Rate | 4.28% | 34.21% | 3.29% |

Effectiveness of Care

Use of Opioids from Multiple Providers

Minnesota Health Care Programs - Managed Care (MN Care)

| Data Elements | Multiple Prescribers | Multiple Pharmacies | Multiple Prescribers and Pharmacies |
|---|----------------------|---------------------|-------------------------------------|
| Audit Designation | Reported | Reported | Reported |
| Measurement Year | 2022 | 2022 | 2022 |
| Denominator | 38 | 38 | 38 |
| Eligible Member Population | 38 | 38 | 38 |
| Number of Required Exclusions by Admin Data | 0 | 0 | 0 |
| Numerator Events by Admin Data | 4 | 12 | 4 |
| Reported Rate | 10.53% | 31.58% | 10.53% |

Effectiveness of Care

Use of Opioids from Multiple Providers

Minnesota Senior Health Options

| Data Elements | Multiple Prescribers | Multiple Pharmacies | Multiple Prescribers and Pharmacies |
|---|----------------------|---------------------|-------------------------------------|
| Audit Designation | Reported | Reported | Reported |
| Measurement Year | 2022 | 2022 | 2022 |
| Denominator | 188 | 188 | 188 |
| Eligible Member Population | 188 | 188 | 188 |
| Number of Required Exclusions by Admin Data | 8 | 8 | 8 |
| Numerator Events by Admin Data | 1 | 33 | 1 |
| Reported Rate | 0.53% | 17.55% | 0.53% |

Effectiveness of Care

Use of Opioids from Multiple Providers

Special Needs Basic Care - Special Needs Plan

| Data Elements | Multiple Prescribers | Multiple Pharmacies | Multiple Prescribers and Pharmacies |
|---|----------------------|---------------------|-------------------------------------|
| Audit Designation | Reported | Reported | Reported |
| Measurement Year | 2022 | 2022 | 2022 |
| Denominator | 57 | 57 | 57 |
| Eligible Member Population | 57 | 57 | 57 |
| Number of Required Exclusions by Admin Data | 0 | 0 | 0 |
| Numerator Events by Admin Data | 2 | 15 | 2 |
| Reported Rate | 3.51% | 26.32% | 3.51% |

Effectiveness of Care

Use of Opioids from Multiple Providers

Special Needs Basic Care - Non-Special Needs Plan

| Data Elements | Multiple Prescribers | Multiple Pharmacies | Multiple Prescribers and Pharmacies |
|---|----------------------|---------------------|-------------------------------------|
| Audit Designation | Reported | Reported | Reported |
| Measurement Year | 2022 | 2022 | 2022 |
| Denominator | 71 | 71 | 71 |
| Eligible Member Population | 71 | 71 | 71 |
| Number of Required Exclusions by Admin Data | 1 | 1 | 1 |
| Numerator Events by Admin Data | 1 | 26 | 1 |
| Reported Rate | 1.41% | 36.62% | 1.41% |

Effectiveness of Care

Risk of Continued Opioid Use

Commercial

| Data Elements | >= 15 Days | | | >= 31 Days | | |
|---|------------|-----|-------|------------|-----|-------|
| | 6-17 | 65+ | Total | 6-17 | 65+ | Total |
| Eligible Member Population | | | | | | |
| Number of Required Exclusions by Admin Data | | | | | | |
| Numerator Events by Admin Data | | | | | | |
| Reported Rate | | | | | | |

Effectiveness of Care

Risk of Continued Opiod Use

Medicare Advantage

| Data Elements | >= 15 Days | | | >= 31 Days | | |
|---|------------|-----|-------|------------|-----|-------|
| | 6-17 | 65+ | Total | 6-17 | 65+ | Total |
| Eligible Member Population | | | | | | |
| Number of Required Exclusions by Admin Data | | | | | | |
| Numerator Events by Admin Data | | | | | | |
| Reported Rate | | | | | | |

Effectiveness of Care

Risk of Continued Opioid Use

Minnesota Health Care Programs - Managed Care (Families and Children)

| Data Elements | ≥ 15 Days | | | ≥ 31 Days | | |
|---|-----------|-------|-------|-----------|-------|-------|
| | 6-17 | 65+ | Total | 6-17 | 65+ | Total |
| Eligible Member Population | 1503 | 1 | 1504 | 1503 | 1 | 1504 |
| Number of Required Exclusions by Admin Data | 59 | 0 | 59 | 59 | 0 | 59 |
| Numerator Events by Admin Data | 38 | 0 | 38 | 22 | 0 | 22 |
| Reported Rate | 2.53% | 0.00% | 2.53% | 1.46% | 0.00% | 1.46% |

Effectiveness of Care

Risk of Continued Opioid Use

Minnesota Health Care Programs - Managed Care (MN Care)

| Data Elements | ≥ 15 Days | | | ≥ 31 Days | | |
|---|-----------|-----|-------|-----------|-----|-------|
| | 6-17 | 65+ | Total | 6-17 | 65+ | Total |
| Eligible Member Population | 192 | 0 | 192 | 192 | 0 | 192 |
| Number of Required Exclusions by Admin Data | 12 | 0 | 12 | 12 | 0 | 12 |
| Numerator Events by Admin Data | 13 | 0 | 13 | 6 | 0 | 6 |
| Reported Rate | 6.77% | | 6.77% | 3.13% | | 3.13% |

Effectiveness of Care

Risk of Continued Opioid Use

Minnesota Senior Health Options

| Data Elements | ≥ 15 Days | | | ≥ 31 Days | | |
|---|-----------|--------|--------|-----------|--------|--------|
| | 6-17 | 65+ | Total | 6-17 | 65+ | Total |
| Eligible Member Population | 1 | 122 | 123 | 1 | 122 | 123 |
| Number of Required Exclusions by Admin Data | 2 | 41 | 43 | 2 | 41 | 43 |
| Numerator Events by Admin Data | 0 | 27 | 27 | 0 | 16 | 16 |
| Reported Rate | 0.00% | 22.13% | 21.95% | 0.00% | 13.11% | 13.01% |

Effectiveness of Care

Risk of Continued Opioid Use

Special Needs Basic Care - Special Needs Plan

| Data Elements | ≥ 15 Days | | | ≥ 31 Days | | |
|---|-----------|-----|--------|-----------|-----|--------|
| | 6-17 | 65+ | Total | 6-17 | 65+ | Total |
| Eligible Member Population | 78 | 0 | 78 | 78 | 0 | 78 |
| Number of Required Exclusions by Admin Data | 5 | 0 | 5 | 5 | 0 | 5 |
| Numerator Events by Admin Data | 14 | 0 | 14 | 9 | 0 | 9 |
| Reported Rate | 17.95% | | 17.95% | 11.54% | | 11.54% |

Effectiveness of Care

Risk of Continued Opioid Use

Special Needs Basic Care - Non-Special Needs Plan

| Data Elements | ≥ 15 Days | | | ≥ 31 Days | | |
|---|-----------|-----|-------|-----------|-----|-------|
| | 6-17 | 65+ | Total | 6-17 | 65+ | Total |
| Eligible Member Population | 94 | 0 | 94 | 94 | 0 | 94 |
| Number of Required Exclusions by Admin Data | 8 | 0 | 8 | 8 | 0 | 8 |
| Numerator Events by Admin Data | 8 | 0 | 8 | 5 | 0 | 5 |
| Reported Rate | 8.51% | | 8.51% | 5.32% | | 5.32% |

Access/Availability of Care

Adult's Access to Preventive/Ambulatory Health Services

Commercial

| Data Elements | Ages 20-44 | Ages 45-64 | Ages 65+ | Total |
|---|------------|------------|----------|-------|
| Eligible member population | | | | |
| Number of required exclusions | | | | |
| Numerator events by administrative data | | | | |
| Reported rate | | | | |

Access/Availability of Care

Adult's Access to Preventive/Ambulatory Health Services

Medicare Advantage

| Data Elements | Ages 20-44 | Ages 45-64 | Ages 65+ | Total |
|---|------------|------------|----------|-------|
| Eligible member population | | | | |
| Number of required exclusions | | | | |
| Numerator events by administrative data | | | | |
| Reported rate | | | | |

Access/Availability of Care

Adult's Access to Preventive/Ambulatory Health Services

Minnesota Health Care Programs - Managed Care (Families and Children)

| Data Elements | Ages 20-44 | Ages 45-64 | Ages 65+ | Total |
|---|------------|------------|----------|--------|
| Eligible member population | 7590 | 3390 | 9 | 10989 |
| Number of required exclusions | 0 | 1 | 0 | 1 |
| Numerator events by administrative data | 5769 | 2815 | 8 | 8592 |
| Reported rate | 76.01% | 83.04% | 88.89% | 78.19% |

Access/Availability of Care

Adult's Access to Preventive/Ambulatory Health Services

Minnesota Health Care Programs - Managed Care (MN Care)

| Data Elements | Ages 20-44 | Ages 45-64 | Ages 65+ | Total |
|---|------------|------------|----------|--------|
| Eligible member population | 946 | 746 | 23 | 1715 |
| Number of required exclusions | 0 | 0 | 1 | 1 |
| Numerator events by administrative data | 677 | 617 | 16 | 1310 |
| Reported rate | 71.56% | 82.71% | 69.57% | 76.38% |

Access/Availability of Care

Adult's Access to Preventive/Ambulatory Health Services

Minnesota Senior Health Options

| Data Elements | Ages 20-44 | Ages 45-64 | Ages 65+ | Total |
|---|------------|------------|----------|--------|
| Eligible member population | 0 | 0 | 1244 | 1244 |
| Number of required exclusions | 0 | 0 | 43 | 43 |
| Numerator events by administrative data | 0 | 0 | 1214 | 1214 |
| Reported rate | | | 97.59% | 97.59% |

Access/Availability of Care

Adult's Access to Preventive/Ambulatory Health Services

Special Needs Basic Care - Special Needs Plan

| Data Elements | Ages 20-44 | Ages 45-64 | Ages 65+ | Total |
|---|------------|------------|----------|--------|
| Eligible member population | 145 | 348 | 0 | 493 |
| Number of required exclusions | 0 | 1 | 0 | 1 |
| Numerator events by administrative data | 138 | 344 | 0 | 482 |
| Reported rate | 95.17% | 98.85% | | 97.77% |

Access/Availability of Care

Adult's Access to Preventive/Ambulatory Health Services

Special Needs Basic Care - Non-Special Needs Plan

| Data Elements | Ages 20-44 | Ages 45-64 | Ages 65+ | Total |
|---|------------|------------|----------|--------|
| Eligible member population | 722 | 946 | 2 | 1670 |
| Number of required exclusions | 0 | 6 | 0 | 6 |
| Numerator events by administrative data | 654 | 903 | 1 | 1558 |
| Reported rate | 90.58% | 95.45% | 50.00% | 93.29% |

Access/Availability of Care

Annual Dental Visit

Minnesota Health Care Programs - Managed Care (Families and Children)

| Data Elements | 2-3 Years | 4-6 Years | 7-10 Years | 11-14 Years | 15-18 Years | 19-20 Years | Total |
|---|-----------|-----------|------------|-------------|-------------|-------------|--------|
| Eligible member population | 1133 | 1866 | 2579 | 2500 | 2384 | 1018 | 11480 |
| Number of required exclusions | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Numerator events by administrative data | 315 | 982 | 1550 | 1454 | 1200 | 364 | 5865 |
| Reported rate | 27.80% | 52.63% | 60.10% | 58.16% | 50.34% | 35.76% | 51.09% |

Access/Availability of Care

Annual Dental Visit

Minnesota Health Care Programs - Managed Care (MN Care)

| Data Elements | 2-3 Years | 4-6 Years | 7-10 Years | 11-14 Years | 15-18 Years | 19-20 Years | Total |
|---|-----------|-----------|------------|-------------|-------------|-------------|--------|
| Eligible member population | 1 | 10 | 6 | 7 | 6 | 6 | 36 |
| Number of required exclusions | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Numerator events by administrative data | 0 | 4 | 3 | 3 | 2 | 2 | 14 |
| Reported rate | 0.00% | 40.00% | 50.00% | 42.86% | 33.33% | 33.33% | 38.89% |

Access/Availability of Care

Annual Dental Visit

Special Needs Basic Care - Non-Special Needs Plan

| Data Elements | 2-3 Years | 4-6 Years | 7-10 Years | 11-14 Years | 15-18 Years | 19-20 Years | Total |
|---|-----------|-----------|------------|-------------|-------------|-------------|--------|
| Eligible member population | 0 | 0 | 0 | 0 | 1 | 41 | 42 |
| Number of required exclusions | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Numerator events by administrative data | 0 | 0 | 0 | 0 | 1 | 19 | 20 |
| Reported rate | | | | | 100.00% | 46.34% | 47.62% |

Access/Availability of Care

Initiation/Engagement of Alcohol Other Drug Dependence Treatment

Commercial

| | Data Elements | Initiation of SUD Treatment | | | | Engagement of SUD Treatment | | | |
|-----------------------|---|-----------------------------|-----------|------------|-------|-----------------------------|-----------|------------|-------|
| | | Alcohol Abuse | Opiod Use | Other Drug | Total | Alcohol Abuse | Opiod Use | Other Drug | Total |
| 13-17 Year Olds | Eligible member population | | | | | | | | |
| | Number of required exclusions | | | | | | | | |
| | Numerator events by administrative data | | | | | | | | |
| | Reported rate | | | | | | | | |
| | Data Elements | Initiation of SUD Treatment | | | | Engagement of SUD Treatment | | | |
| | | Alcohol Abuse | Opiod Use | Other Drug | Total | Alcohol Abuse | Opiod Use | Other Drug | Total |
| 18+ Year Olds | Eligible member population | | | | | | | | |
| | Number of required exclusions | | | | | | | | |
| | Numerator events by administrative data | | | | | | | | |
| | Reported rate | | | | | | | | |
| | Data Elements | Initiation of SUD Treatment | | | | Engagement of SUD Treatment | | | |
| | | Alcohol Abuse | Opiod Use | Other Drug | Total | Alcohol Abuse | Opiod Use | Other Drug | Total |
| 65+ Year Olds | Eligible member population | | | | | | | | |
| | Number of required exclusions | | | | | | | | |
| | Numerator events by administrative data | | | | | | | | |
| | Reported rate | | | | | | | | |
| | Data Elements | Initiation of SUD Treatment | | | | Engagement of SUD Treatment | | | |
| | | Alcohol Abuse | Opiod Use | Other Drug | Total | Alcohol Abuse | Opiod Use | Other Drug | Total |
| Total | Eligible member population | | | | | | | | |
| | Number of required exclusions | | | | | | | | |
| | Numerator events by administrative data | | | | | | | | |
| | Reported rate | | | | | | | | |

Access/Availability of Care

Initiation/Engagement of Alcohol Other Drug Dependence Treatment

Medicare Advantage

| | Data Elements | Initiation of SUD Treatment | | | | Engagement of SUD Treatment | | | |
|-----------------|---|-----------------------------|-----------|------------|-------|-----------------------------|-----------|------------|-------|
| | | Alcohol Abuse | Opiod Use | Other Drug | Total | Alcohol Abuse | Opiod Use | Other Drug | Total |
| 13-17 Year Olds | Eligible member population | | | | | | | | |
| | Number of required exclusions | | | | | | | | |
| | Numerator events by administrative data | | | | | | | | |
| | Reported rate | | | | | | | | |
| | Data Elements | Initiation of SUD Treatment | | | | Engagement of SUD Treatment | | | |
| | | Alcohol Abuse | Opiod Use | Other Drug | Total | Alcohol Abuse | Opiod Use | Other Drug | Total |
| 18+ Year Olds | Eligible member population | | | | | | | | |
| | Number of required exclusions | | | | | | | | |
| | Numerator events by administrative data | | | | | | | | |
| | Reported rate | | | | | | | | |
| | Data Elements | Initiation of SUD Treatment | | | | Engagement of SUD Treatment | | | |
| | | Alcohol Abuse | Opiod Use | Other Drug | Total | Alcohol Abuse | Opiod Use | Other Drug | Total |
| 65+ Year Olds | Eligible member population | | | | | | | | |
| | Number of required exclusions | | | | | | | | |
| | Numerator events by administrative data | | | | | | | | |
| | Reported rate | | | | | | | | |
| | Data Elements | Initiation of SUD Treatment | | | | Engagement of SUD Treatment | | | |
| | | Alcohol Abuse | Opiod Use | Other Drug | Total | Alcohol Abuse | Opiod Use | Other Drug | Total |
| Total | Eligible member population | | | | | | | | |
| | Number of required exclusions | | | | | | | | |
| | Numerator events by administrative data | | | | | | | | |
| | Reported rate | | | | | | | | |

Access/Availability of Care

Initiation/Engagement of Alcohol Other Drug Dependence Treatment

Minnesota Senior Health Options

| | Data Elements | Initiation of SUD Treatment | | | | Engagement of SUD Treatment | | | |
|-----------------|---|-----------------------------|-----------|------------|---------|-----------------------------|-----------|------------|-------|
| | | Alcohol Abuse | Opiod Use | Other Drug | Total | Alcohol Abuse | Opiod Use | Other Drug | Total |
| 13-17 Year Olds | Eligible member population | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Number of required exclusions | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Numerator events by administrative data | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Reported rate | | | | | | | | |
| | Data Elements | Initiation of SUD Treatment | | | | Engagement of SUD Treatment | | | |
| | | Alcohol Abuse | Opiod Use | Other Drug | Total | Alcohol Abuse | Opiod Use | Other Drug | Total |
| 18+ Year Olds | Eligible member population | 2 | 0 | 1 | 3 | 2 | 0 | 1 | 3 |
| | Number of required exclusions | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Numerator events by administrative data | 2 | 0 | 1 | 3 | 0 | 0 | 0 | 0 |
| | Reported rate | 100.00% | | 100.00% | 100.00% | 0.00% | | 0.00% | 0.00% |
| | Data Elements | Initiation of SUD Treatment | | | | Engagement of SUD Treatment | | | |
| | | Alcohol Abuse | Opiod Use | Other Drug | Total | Alcohol Abuse | Opiod Use | Other Drug | Total |
| 65+ Year Olds | Eligible member population | 22 | 6 | 7 | 35 | 22 | 6 | 7 | 35 |
| | Number of required exclusions | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Numerator events by administrative data | 9 | 3 | 2 | 14 | 0 | 0 | 0 | 0 |
| | Reported rate | 40.91% | 50.00% | 28.57% | 40.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| | Data Elements | Initiation of SUD Treatment | | | | Engagement of SUD Treatment | | | |
| | | Alcohol Abuse | Opiod Use | Other Drug | Total | Alcohol Abuse | Opiod Use | Other Drug | Total |
| Total | Eligible member population | 24 | 6 | 8 | 38 | 24 | 6 | 8 | 38 |
| | Number of required exclusions | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Numerator events by administrative data | 11 | 3 | 3 | 17 | 0 | 0 | 0 | 0 |
| | Reported rate | 45.83% | 50.00% | 37.50% | 44.74% | 0.00% | 0.00% | 0.00% | 0.00% |

Access/Availability of Care

Initiation/Engagement of Alcohol Other Drug Dependence Treatment

Minnesota Health Care Programs - Managed Care (Families and Children)

| | Data Elements | Initiation of SUD Treatment | | | | Engagement of SUD Treatment | | | |
|-----------------------|---|-----------------------------|-----------|------------|--------|-----------------------------|-----------|------------|--------|
| | | Alcohol Abuse | Opiod Use | Other Drug | Total | Alcohol Abuse | Opiod Use | Other Drug | Total |
| 13-17 Year Olds | Eligible member population | 10 | 1 | 49 | 60 | 10 | 1 | 49 | 60 |
| | Number of required exclusions | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Numerator events by administrative data | 5 | 0 | 23 | 28 | 4 | 0 | 11 | 15 |
| | Reported rate | 50.00% | 0.00% | 46.94% | 46.67% | 40.00% | 0.00% | 22.45% | 25.00% |

| | Data Elements | Initiation of SUD Treatment | | | | Engagement of SUD Treatment | | | |
|---------------------|---|-----------------------------|-----------|------------|--------|-----------------------------|-----------|------------|--------|
| | | Alcohol Abuse | Opiod Use | Other Drug | Total | Alcohol Abuse | Opiod Use | Other Drug | Total |
| 18+ Year Olds | Eligible member population | 299 | 62 | 402 | 763 | 299 | 62 | 402 | 763 |
| | Number of required exclusions | 2 | 0 | 0 | 2 | 2 | 0 | 0 | 2 |
| | Numerator events by administrative data | 126 | 38 | 160 | 324 | 53 | 20 | 70 | 143 |
| | Reported rate | 42.14% | 61.29% | 39.80% | 42.46% | 17.73% | 32.26% | 17.41% | 18.74% |

| | Data Elements | Initiation of SUD Treatment | | | | Engagement of SUD Treatment | | | |
|---------------------|---|-----------------------------|-----------|------------|-------|-----------------------------|-----------|------------|-------|
| | | Alcohol Abuse | Opiod Use | Other Drug | Total | Alcohol Abuse | Opiod Use | Other Drug | Total |
| 65+ Year Olds | Eligible member population | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Number of required exclusions | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Numerator events by administrative data | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Reported rate | | | | | | | | |

| | Data Elements | Initiation of SUD Treatment | | | | Engagement of SUD Treatment | | | |
|-------|---|-----------------------------|-----------|------------|--------|-----------------------------|-----------|------------|--------|
| | | Alcohol Abuse | Opiod Use | Other Drug | Total | Alcohol Abuse | Opiod Use | Other Drug | Total |
| Total | Eligible member population | 309 | 63 | 451 | 823 | 309 | 63 | 451 | 823 |
| | Number of required exclusions | 2 | 0 | 0 | 2 | 2 | 0 | 0 | 2 |
| | Numerator events by administrative data | 131 | 38 | 183 | 352 | 57 | 20 | 81 | 158 |
| | Reported rate | 42.39% | 60.32% | 40.58% | 42.77% | 18.45% | 31.75% | 17.96% | 19.20% |

Access/Availability of Care

Initiation/Engagement of Alcohol Other Drug Dependence Treatment

Minnesota Health Care Programs - Managed Care (MN Care)

| | Data Elements | Initiation of SUD Treatment | | | | Engagement of SUD Treatment | | | |
|-----------------|---|-----------------------------|-----------|------------|-------|-----------------------------|-----------|------------|-------|
| | | Alcohol Abuse | Opiod Use | Other Drug | Total | Alcohol Abuse | Opiod Use | Other Drug | Total |
| 13-17 Year Olds | Eligible member population | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Number of required exclusions | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Numerator events by administrative data | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Reported rate | | | | | | | | |

| | Data Elements | Initiation of SUD Treatment | | | | Engagement of SUD Treatment | | | |
|---------------|---|-----------------------------|-----------|------------|--------|-----------------------------|-----------|------------|--------|
| | | Alcohol Abuse | Opiod Use | Other Drug | Total | Alcohol Abuse | Opiod Use | Other Drug | Total |
| 18+ Year Olds | Eligible member population | 40 | 5 | 25 | 70 | 40 | 5 | 25 | 70 |
| | Number of required exclusions | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Numerator events by administrative data | 17 | 3 | 10 | 30 | 5 | 1 | 2 | 8 |
| | Reported rate | 42.50% | 60.00% | 40.00% | 42.86% | 12.50% | 20.00% | 8.00% | 11.43% |

| | Data Elements | Initiation of SUD Treatment | | | | Engagement of SUD Treatment | | | |
|---------------|---|-----------------------------|-----------|------------|-------|-----------------------------|-----------|------------|-------|
| | | Alcohol Abuse | Opiod Use | Other Drug | Total | Alcohol Abuse | Opiod Use | Other Drug | Total |
| 65+ Year Olds | Eligible member population | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Number of required exclusions | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Numerator events by administrative data | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Reported rate | | | | | | | | |

| | Data Elements | Initiation of SUD Treatment | | | | Engagement of SUD Treatment | | | |
|-------|---|-----------------------------|-----------|------------|--------|-----------------------------|-----------|------------|--------|
| | | Alcohol Abuse | Opiod Use | Other Drug | Total | Alcohol Abuse | Opiod Use | Other Drug | Total |
| Total | Eligible member population | 40 | 5 | 25 | 70 | 40 | 5 | 25 | 70 |
| | Number of required exclusions | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Numerator events by administrative data | 17 | 3 | 10 | 30 | 5 | 1 | 2 | 8 |
| | Reported rate | 42.50% | 60.00% | 40.00% | 42.86% | 12.50% | 20.00% | 8.00% | 11.43% |

Access/Availability of Care

Initiation/Engagement of Alcohol Other Drug Dependence Treatment

Special Needs Basic Care - Special Needs Plan

| | Data Elements | Initiation of SUD Treatment | | | | Engagement of SUD Treatment | | | |
|-----------------------|---|-----------------------------|-----------|------------|-------|-----------------------------|-----------|------------|-------|
| | | Alcohol Abuse | Opiod Use | Other Drug | Total | Alcohol Abuse | Opiod Use | Other Drug | Total |
| 13-17 Year Olds | Eligible member population | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Number of required exclusions | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Numerator events by administrative data | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Reported rate | | | | | | | | |

| | Data Elements | Initiation of SUD Treatment | | | | Engagement of SUD Treatment | | | |
|---------------------|---|-----------------------------|-----------|------------|--------|-----------------------------|-----------|------------|-------|
| | | Alcohol Abuse | Opiod Use | Other Drug | Total | Alcohol Abuse | Opiod Use | Other Drug | Total |
| 18+ Year Olds | Eligible member population | 11 | 3 | 15 | 29 | 11 | 3 | 15 | 29 |
| | Number of required exclusions | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Numerator events by administrative data | 6 | 1 | 3 | 10 | 2 | 0 | 0 | 2 |
| | Reported rate | 54.55% | 33.33% | 20.00% | 34.48% | 18.18% | 0.00% | 0.00% | 6.90% |

| | Data Elements | Initiation of SUD Treatment | | | | Engagement of SUD Treatment | | | |
|---------------------|---|-----------------------------|-----------|------------|-------|-----------------------------|-----------|------------|-------|
| | | Alcohol Abuse | Opiod Use | Other Drug | Total | Alcohol Abuse | Opiod Use | Other Drug | Total |
| 65+ Year Olds | Eligible member population | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Number of required exclusions | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Numerator events by administrative data | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Reported rate | | | | | | | | |

| | Data Elements | Initiation of SUD Treatment | | | | Engagement of SUD Treatment | | | |
|-------|---|-----------------------------|-----------|------------|--------|-----------------------------|-----------|------------|-------|
| | | Alcohol Abuse | Opiod Use | Other Drug | Total | Alcohol Abuse | Opiod Use | Other Drug | Total |
| Total | Eligible member population | 11 | 3 | 15 | 29 | 11 | 3 | 15 | 29 |
| | Number of required exclusions | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Numerator events by administrative data | 6 | 1 | 3 | 10 | 2 | 0 | 0 | 2 |
| | Reported rate | 54.55% | 33.33% | 20.00% | 34.48% | 18.18% | 0.00% | 0.00% | 6.90% |

Access/Availability of Care

Initiation/Engagement of Alcohol Other Drug Dependence Treatment

Special Needs Basic Care - Non-Special Needs Plan

| | Data Elements | Initiation of SUD Treatment | | | | Engagement of SUD Treatment | | | |
|-----------------------|---|-----------------------------|-----------|------------|-------|-----------------------------|-----------|------------|-------|
| | | Alcohol Abuse | Opiod Use | Other Drug | Total | Alcohol Abuse | Opiod Use | Other Drug | Total |
| 13-17 Year Olds | Eligible member population | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Number of required exclusions | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Numerator events by administrative data | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Reported rate | | | | | | | | |

| | Data Elements | Initiation of SUD Treatment | | | | Engagement of SUD Treatment | | | |
|---------------------|---|-----------------------------|-----------|------------|--------|-----------------------------|-----------|------------|--------|
| | | Alcohol Abuse | Opiod Use | Other Drug | Total | Alcohol Abuse | Opiod Use | Other Drug | Total |
| 18+ Year Olds | Eligible member population | 62 | 28 | 61 | 151 | 62 | 28 | 61 | 151 |
| | Number of required exclusions | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Numerator events by administrative data | 18 | 15 | 24 | 57 | 8 | 3 | 10 | 21 |
| | Reported rate | 29.03% | 53.57% | 39.34% | 37.75% | 12.90% | 10.71% | 16.39% | 13.91% |

| | Data Elements | Initiation of SUD Treatment | | | | Engagement of SUD Treatment | | | |
|---------------------|---|-----------------------------|-----------|------------|-------|-----------------------------|-----------|------------|-------|
| | | Alcohol Abuse | Opiod Use | Other Drug | Total | Alcohol Abuse | Opiod Use | Other Drug | Total |
| 65+ Year Olds | Eligible member population | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Number of required exclusions | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Numerator events by administrative data | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Reported rate | | | | | | | | |

| | Data Elements | Initiation of SUD Treatment | | | | Engagement of SUD Treatment | | | |
|-------|---|-----------------------------|-----------|------------|--------|-----------------------------|-----------|------------|--------|
| | | Alcohol Abuse | Opiod Use | Other Drug | Total | Alcohol Abuse | Opiod Use | Other Drug | Total |
| Total | Eligible member population | 62 | 28 | 61 | 151 | 62 | 28 | 61 | 151 |
| | Number of required exclusions | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Numerator events by administrative data | 18 | 15 | 24 | 57 | 8 | 3 | 10 | 21 |
| | Reported rate | 29.03% | 53.57% | 39.34% | 37.75% | 12.90% | 10.71% | 16.39% | 13.91% |

Access/Availability of Care

Prenatal and Postpartum Care

Commercial

| Data Element | Timeliness of Prenatal Care | Postpartum Care |
|---|-----------------------------|-----------------|
| Data Collection Methodology | | |
| Eligible Member Population | | |
| Number of Required Admin Data Records Excluded | | |
| Numerator Events by Admin Data on Eligible Population | | |
| Current Year's Admin Rate | | |
| Minimum Required Sample Size | | |
| Oversampling Rate | | |
| Number of Oversample Records | | |
| Number of original sample records excluded because of valid data errors | | |
| Number of Employee/Dependent Medical Records Excluded | | |
| Records Added from the Oversample List | | |
| Denominator | | |
| Numerator Events by Admin Data | | |
| Numerator Events by Medical Record | | |
| Reported rate | | |

Access/Availability of Care

Prenatal and Postpartum Care

Commercial - Race Timeliness of Prenatal Care

| | White | | | Black or African American | | | American Indian and Alaska Native | | |
|-----------------------------|--------|----------|-------|---------------------------|----------|-------|-----------------------------------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | | | | | | | |
| Eligible Member Population | | | | | | | | | |
| Denominator | | | | | | | | | |
| Numerator | | | | | | | | | |
| Reported Rate | | | | | | | | | |

| | Asian | | | Native Hawaiian and Other Pacific Islander | | | Some Other Race | | |
|-----------------------------|--------|----------|-------|--|----------|-------|-----------------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | | | | | | | |
| Eligible Member Population | | | | | | | | | |
| Denominator | | | | | | | | | |
| Numerator | | | | | | | | | |
| Reported Rate | | | | | | | | | |

| | Two or More Races | | | Asked but No Answer | | | Unknown | | |
|-----------------------------|-------------------|----------|-------|---------------------|----------|-------|---------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | | | | | | | |
| Eligible Member Population | | | | | | | | | |
| Denominator | | | | | | | | | |
| Numerator | | | | | | | | | |
| Reported Rate | | | | | | | | | |

Access/Availability of Care

Prenatal and Postpartum Care

Commercial - Race Postpartum Care

| | White | | | Black or African American | | | American Indian and Alaska Native | | |
|-----------------------------|--------|----------|-------|---------------------------|----------|-------|-----------------------------------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | | | | | | | |
| Eligible Member Population | | | | | | | | | |
| Denominator | | | | | | | | | |
| Numerator | | | | | | | | | |
| Reported Rate | | | | | | | | | |

| | Asian | | | Native Hawaiian and Other Pacific Islander | | | Some Other Race | | |
|-----------------------------|--------|----------|-------|--|----------|-------|-----------------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | | | | | | | |
| Eligible Member Population | | | | | | | | | |
| Denominator | | | | | | | | | |
| Numerator | | | | | | | | | |
| Reported Rate | | | | | | | | | |

| | Two or More Races | | | Asked but No Answer | | | Unknown | | |
|-----------------------------|-------------------|----------|-------|---------------------|----------|-------|---------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | | | | | | | |
| Eligible Member Population | | | | | | | | | |
| Denominator | | | | | | | | | |
| Numerator | | | | | | | | | |
| Reported Rate | | | | | | | | | |

Access/Availability of Care

Prenatal and Postpartum Care

Commercial - Ethnicity Timeliness of Prenatal Care

| | Hispanic or Latino | | | Not Hispanic or Latino | | |
|-----------------------------|--------------------|----------|-------|------------------------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | | | | |
| Eligible Member Population | | | | | | |
| Denominator | | | | | | |
| Numerator | | | | | | |
| Reported Rate | | | | | | |

| | Asked but No Answer | | | Unknown | | |
|-----------------------------|---------------------|----------|-------|---------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | | | | |
| Eligible Member Population | | | | | | |
| Denominator | | | | | | |
| Numerator | | | | | | |
| Reported Rate | | | | | | |

Access/Availability of Care

Prenatal and Postpartum Care

Commercial - Ethnicity Postpartum Care

| | Hispanic or Latino | | | Not Hispanic or Latino | | |
|-----------------------------|--------------------|----------|-------|------------------------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | | | | |
| Eligible Member Population | | | | | | |
| Denominator | | | | | | |
| Numerator | | | | | | |
| Reported Rate | | | | | | |

| | Asked but No Answer | | | Unknown | | |
|-----------------------------|---------------------|----------|-------|---------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | | | | |
| Eligible Member Population | | | | | | |
| Denominator | | | | | | |
| Numerator | | | | | | |
| Reported Rate | | | | | | |

Access/Availability of Care

Prenatal and Postpartum Care

Minnesota Health Care Programs - Managed Care (Families and Children)

| Data Element | Timeliness of Prenatal Care | Postpartum Care |
|---|-----------------------------|-----------------|
| Data Collection Methodology | H | H |
| Eligible Member Population | 403 | 403 |
| Number of Required Admin Data Records Excluded | 0 | 0 |
| Numerator Events by Admin Data on Eligible Population | 131 | 240 |
| Current Year's Admin Rate | 32.51% | 59.55% |
| Minimum Required Sample Size | 403 | 403 |
| Oversampling Rate | 0.00% | 0.00% |
| Number of Oversample Records | 0 | 0 |
| Number of original sample records excluded because of valid data errors | 0 | 0 |
| Number of Employee/Dependent Medical Records Excluded | 0 | 0 |
| Records Added from the Oversample List | 0 | 0 |
| Denominator | 403 | 403 |
| Numerator Events by Admin Data | 131 | 240 |
| Numerator Events by Medical Record | 185 | 86 |
| Reported rate | 78.41% | 80.89% |

Access/Availability of Care

Prenatal and Postpartum Care

Minnesota Health Care Programs - Managed Care (Families and Children) - Race Timeliness of Prenatal Care

| | White | | | Black or African American | | | American Indian and Alaska Native | | |
|-----------------------------|--------|----------|--------|---------------------------|----------|--------|-----------------------------------|----------|--------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | H | H | H | H | H |
| Eligible Member Population | 199 | 0 | 199 | | | | | | |
| Denominator | | | 199 | | | | | | |
| Numerator | | | 157 | | | | | | |
| Reported Rate | 78.89% | | 78.89% | 75.00% | | 75.00% | 66.67% | | 66.67% |

| | Asian | | | Native Hawaiian and Other Pacific Islander | | | Some Other Race | | |
|-----------------------------|---------|----------|---------|--|----------|-------|-----------------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | H | H | H | H | H |
| Eligible Member Population | 1 | 0 | 1 | | | | | | |
| Denominator | | | 1 | | | | | | |
| Numerator | | | 1 | | | | | | |
| Reported Rate | 100.00% | | 100.00% | | | | | | |

| | Two or More Races | | | Asked but No Answer | | | Unknown | | |
|-----------------------------|-------------------|----------|--------|---------------------|----------|-------|---------|----------|--------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | | H | | H | H |
| Eligible Member Population | 10 | 0 | 10 | | | 0 | | | 174 |
| Denominator | | | 10 | | | 0 | | | 174 |
| Numerator | | | 7 | | | 0 | | | 137 |
| Reported Rate | 70.00% | | 70.00% | | | | | 78.74% | 78.74% |

Access/Availability of Care

Prenatal and Postpartum Care

Minnesota Health Care Programs - Managed Care (Families and Children) - Race Postpartum Care

| | White | | | Black or African American | | | American Indian and Alaska Native | | |
|-----------------------------|--------|----------|--------|---------------------------|----------|--------|-----------------------------------|----------|--------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | H | H | H | H | H |
| Eligible Member Population | 199 | 0 | 199 | | | 16 | | | 3 |
| Denominator | | | 199 | | | 16 | | | 3 |
| Numerator | | | 158 | | | 14 | | | 1 |
| Reported Rate | 79.40% | | 79.40% | 87.50% | | 87.50% | 33.33% | | 33.33% |

| | Asian | | | Native Hawaiian and Other Pacific Islander | | | Some Other Race | | |
|-----------------------------|---------|----------|---------|--|----------|-------|-----------------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | H | H | H | H | H |
| Eligible Member Population | 1 | 0 | 1 | | | 0 | | | 0 |
| Denominator | | | 1 | | | 0 | | | 0 |
| Numerator | | | 1 | | | 0 | | | 0 |
| Reported Rate | 100.00% | | 100.00% | | | | | | |

| | Two or More Races | | | Asked but No Answer | | | Unknown | | |
|-----------------------------|-------------------|----------|--------|---------------------|----------|-------|---------|----------|--------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | | H | | H | H |
| Eligible Member Population | 10 | 0 | 10 | | | 0 | | | 174 |
| Denominator | | | 10 | | | 0 | | | 174 |
| Numerator | | | 8 | | | 0 | | | 144 |
| Reported Rate | 80.00% | | 80.00% | | | | | 82.76% | 82.76% |

Access/Availability of Care

Prenatal and Postpartum Care

Minnesota Health Care Programs - Managed Care (Families and Children) - Ethnicity Timeliness of Prenatal Care

| | Hispanic or Latino | | | Not Hispanic or Latino | | |
|-----------------------------|--------------------|----------|--------|------------------------|----------|--------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | H | H |
| Eligible Member Population | 58 | 0 | 58 | | | 302 |
| Denominator | | | 58 | | | 302 |
| Numerator | | | 46 | | | 238 |
| Reported Rate | 79.31% | | 79.31% | 78.81% | | 78.81% |

| | Asked but No Answer | | | Unknown | | |
|-----------------------------|---------------------|----------|--------|---------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | H | | H | H |
| Eligible Member Population | 43 | | 43 | | | 0 |
| Denominator | | | 43 | | | 0 |
| Numerator | | | 32 | | | 0 |
| Reported Rate | 74.42% | | 74.42% | | | |

Access/Availability of Care

Prenatal and Postpartum Care

Minnesota Health Care Programs - Managed Care (Families and Children) - Ethnicity Postpartum Care

| | Hispanic or Latino | | | Not Hispanic or Latino | | |
|-----------------------------|--------------------|----------|--------|------------------------|----------|--------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | H | H |
| Eligible Member Population | 58 | 0 | 58 | | | 302 |
| Denominator | | | 58 | | | 302 |
| Numerator | | | 46 | | | 242 |
| Reported Rate | 79.31% | | 79.31% | 80.13% | | 80.13% |

| | Asked but No Answer | | | Unknown | | |
|-----------------------------|---------------------|----------|--------|---------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | H | | H | H |
| Eligible Member Population | 43 | | 43 | | | 0 |
| Denominator | | | 43 | | | 0 |
| Numerator | | | 38 | | | 0 |
| Reported Rate | 88.37% | | 88.37% | | | |

Access/Availability of Care

Prenatal and Postpartum Care

Minnesota Health Care Programs - Managed Care (MN Care)

| Data Element | Timeliness of Prenatal Care | Postpartum Care |
|---|-----------------------------|-----------------|
| Data Collection Methodology | H | H |
| Eligible Member Population | 10 | 10 |
| Number of Required Admin Data Records Excluded | 0 | 0 |
| Numerator Events by Admin Data on Eligible Population | 4 | 5 |
| Current Year's Admin Rate | 40.00% | 50.00% |
| Minimum Required Sample Size | 10 | 10 |
| Oversampling Rate | 0.00% | 0.00% |
| Number of Oversample Records | 0 | 0 |
| Number of original sample records excluded because of valid data errors | 0 | 0 |
| Number of Employee/Dependent Medical Records Excluded | 0 | 0 |
| Records Added from the Oversample List | 0 | 0 |
| Denominator | 10 | 10 |
| Numerator Events by Admin Data | 4 | 5 |
| Numerator Events by Medical Record | 3 | 4 |
| Reported rate | 70.00% | 90.00% |

Access/Availability of Care

Prenatal and Postpartum Care

Minnesota Health Care Programs - Managed Care (MN Care) - Race Timeliness of Prenatal Care

| | White | | | Black or African American | | | American Indian and Alaska Native | | |
|-----------------------------|--------|----------|--------|---------------------------|----------|-------|-----------------------------------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | H | H | H | H | H |
| Eligible Member Population | 5 | 0 | 5 | | | | | | |
| Denominator | | | 5 | | | | | | |
| Numerator | | | 3 | | | | | | |
| Reported Rate | 60.00% | | 60.00% | | | | | | |

| | Asian | | | Native Hawaiian and Other Pacific Islander | | | Some Other Race | | |
|-----------------------------|--------|----------|-------|--|----------|-------|-----------------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | H | H | H | H | H |
| Eligible Member Population | 0 | 0 | 0 | | | | | | |
| Denominator | | | 0 | | | | | | |
| Numerator | | | 0 | | | | | | |
| Reported Rate | | | | 0.00% | | 0.00% | | | |

| | Two or More Races | | | Asked but No Answer | | | Unknown | | |
|-----------------------------|-------------------|----------|-------|---------------------|----------|-------|---------|----------|---------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | | H | | H | H |
| Eligible Member Population | 0 | 0 | 0 | | | 0 | | | 4 |
| Denominator | | | 0 | | | 0 | | | 4 |
| Numerator | | | 0 | | | 0 | | | 4 |
| Reported Rate | | | | | | | | 100.00% | 100.00% |

Access/Availability of Care

Prenatal and Postpartum Care

Minnesota Health Care Programs - Managed Care (MN Care) - Race Postpartum Care

| | White | | | Black or African American | | | American Indian and Alaska Native | | | |
|-----------------------------|--------|----------|--------|---------------------------|----------|-------|-----------------------------------|----------|-------|---|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total | |
| Data Collection Methodology | H | H | H | H | H | H | H | H | H | |
| Eligible Member Population | 5 | 0 | 5 | | | | | | | |
| Denominator | | | 5 | | | | | | | 0 |
| Numerator | | | 4 | | | | | | | 0 |
| Reported Rate | 80.00% | | 80.00% | | | | | | | |

| | Asian | | | Native Hawaiian and Other Pacific Islander | | | Some Other Race | | |
|-----------------------------|--------|----------|-------|--|----------|---------|-----------------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | H | H | H | H | H |
| Eligible Member Population | 0 | 0 | 0 | | | | | | 0 |
| Denominator | | | 0 | | | | | | 0 |
| Numerator | | | 0 | | | | | | |
| Reported Rate | | | | 100.00% | | 100.00% | | | |

| | Two or More Races | | | Asked but No Answer | | | Unknown | | |
|-----------------------------|-------------------|----------|-------|---------------------|----------|-------|---------|----------|---------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | | H | | H | H |
| Eligible Member Population | 0 | 0 | 0 | | | 0 | | | 4 |
| Denominator | | | 0 | | | 0 | | | 4 |
| Numerator | | | 0 | | | 0 | | | 4 |
| Reported Rate | | | | | | | | 100.00% | 100.00% |

Access/Availability of Care

Prenatal and Postpartum Care

Minnesota Health Care Programs - Managed Care (MN Care) - Ethnicity Timliness of Prenatal Care

| | Hispanic or Latino | | | Not Hispanic or Latino | | |
|-----------------------------|--------------------|----------|---------|------------------------|----------|--------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | H | H |
| Eligible Member Population | 1 | 0 | 1 | | | 8 |
| Denominator | | | 1 | | | 8 |
| Numerator | | | 1 | | | 5 |
| Reported Rate | 100.00% | | 100.00% | 62.50% | | 62.50% |

| | Asked but No Answer | | | Unknown | | |
|-----------------------------|---------------------|----------|---------|---------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | H | | H | H |
| Eligible Member Population | 1 | | 1 | | | 0 |
| Denominator | | | 1 | | | 0 |
| Numerator | | | 1 | | | 0 |
| Reported Rate | 100.00% | | 100.00% | | | |

Access/Availability of Care

Prenatal and Postpartum Care

Minnesota Health Care Programs - Managed Care (MN Care) - Ethnicity Postpartum Care

| | Hispanic or Latino | | | Not Hispanic or Latino | | |
|-----------------------------|--------------------|----------|---------|------------------------|----------|--------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | H | H |
| Eligible Member Population | 1 | 0 | 1 | | | 8 |
| Denominator | | | 1 | | | 8 |
| Numerator | | | 1 | | | 7 |
| Reported Rate | 100.00% | | 100.00% | 87.50% | | 87.50% |

| | Asked but No Answer | | | Unknown | | |
|-----------------------------|---------------------|----------|---------|---------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | H | | H | H |
| Eligible Member Population | 1 | | 1 | | | 0 |
| Denominator | | | 1 | | | 0 |
| Numerator | | | 1 | | | 0 |
| Reported Rate | 100.00% | | 100.00% | | | |

Access/Availability of Care

Prenatal and Postpartum Care

Special Needs Basic Care - Non-Special Needs Plan

| Data Element | Timeliness of Prenatal Care | Postpartum Care |
|---|-----------------------------|-----------------|
| Data Collection Methodology | H | H |
| Eligible Member Population | 8 | 8 |
| Number of Required Admin Data Records Excluded | 0 | 0 |
| Numerator Events by Admin Data on Eligible Population | 3 | 5 |
| Current Year's Admin Rate | 37.50% | 62.50% |
| Minimum Required Sample Size | 8 | 8 |
| Oversampling Rate | 0.00% | 0.00% |
| Number of Oversample Records | 0 | 0 |
| Number of original sample records excluded because of valid data errors | 0 | 0 |
| Number of Employee/Dependent Medical Records Excluded | 0 | 0 |
| Records Added from the Oversample List | 0 | 0 |
| Denominator | 8 | 8 |
| Numerator Events by Admin Data | 3 | 5 |
| Numerator Events by Medical Record | 4 | 2 |
| Reported rate | 87.50% | 87.50% |

Access/Availability of Care

Prenatal and Postpartum Care

Special Needs Basic Care - Non-Special Needs Plan - Race Timeliness of Prenatal Care

| | White | | | Black or African American | | | American Indian and Alaska Native | | | |
|-----------------------------|--------|----------|--------|---------------------------|----------|-------|-----------------------------------|----------|---------|---|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total | |
| Data Collection Methodology | H | H | H | H | H | H | H | H | H | |
| Eligible Member Population | 7 | 0 | 7 | | | | | | 1 | |
| Denominator | | | 7 | | | | | | 0 | 1 |
| Numerator | | | 6 | | | | | | 0 | 1 |
| Reported Rate | 85.71% | | 85.71% | | | | 100.00% | | 100.00% | |

| | Asian | | | Native Hawaiian and Other Pacific Islander | | | Some Other Race | | |
|-----------------------------|--------|----------|-------|--|----------|-------|-----------------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | H | H | H | H | H |
| Eligible Member Population | 0 | 0 | 0 | | | 0 | | | 0 |
| Denominator | | | 0 | | | 0 | | | 0 |
| Numerator | | | 0 | | | 0 | | | 0 |
| Reported Rate | | | | | | | | | |

| | Two or More Races | | | Asked but No Answer | | | Unknown | | |
|-----------------------------|-------------------|----------|-------|---------------------|----------|-------|---------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | | H | | H | H |
| Eligible Member Population | 0 | 0 | 0 | | | 0 | | | 0 |
| Denominator | | | 0 | | | 0 | | | 0 |
| Numerator | | | 0 | | | 0 | | | 0 |
| Reported Rate | | | | | | | | | |

Access/Availability of Care

Prenatal and Postpartum Care

Special Needs Basic Care - Non-Special Needs Plan - Race Postpartum Care

| | White | | | Black or African American | | | American Indian and Alaska Native | | | |
|-----------------------------|--------|----------|--------|---------------------------|----------|-------|-----------------------------------|----------|---------|---|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total | |
| Data Collection Methodology | H | H | H | H | H | H | H | H | H | |
| Eligible Member Population | 7 | 0 | 7 | | | | | | 1 | |
| Denominator | | | 7 | | | | | | 0 | 1 |
| Numerator | | | 6 | | | | | | 0 | 1 |
| Reported Rate | 85.71% | | 85.71% | | | | 100.00% | | 100.00% | |

| | Asian | | | Native Hawaiian and Other Pacific Islander | | | Some Other Race | | |
|-----------------------------|--------|----------|-------|--|----------|-------|-----------------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | H | H | H | H | H |
| Eligible Member Population | 0 | 0 | 0 | | | 0 | | | 0 |
| Denominator | | | 0 | | | 0 | | | 0 |
| Numerator | | | 0 | | | 0 | | | 0 |
| Reported Rate | | | | | | | | | |

| | Two or More Races | | | Asked but No Answer | | | Unknown | | |
|-----------------------------|-------------------|----------|-------|---------------------|----------|-------|---------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | | H | | H | H |
| Eligible Member Population | 0 | 0 | 0 | | | 0 | | | 0 |
| Denominator | | | 0 | | | 0 | | | 0 |
| Numerator | | | 0 | | | 0 | | | 0 |
| Reported Rate | | | | | | | | | |

Access/Availability of Care

Prenatal and Postpartum Care

Special Needs Basic Care - Non-Special Needs Plan - Ethnicity Timeliness of Prenatal Care

| | Hispanic or Latino | | | Not Hispanic or Latino | | |
|-----------------------------|--------------------|----------|-------|------------------------|----------|--------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | H | H |
| Eligible Member Population | 0 | 0 | 0 | | | 8 |
| Denominator | | | 0 | | | 8 |
| Numerator | | | 0 | | | 7 |
| Reported Rate | | | | 87.50% | | 87.50% |

| | Asked but No Answer | | | Unknown | | |
|-----------------------------|---------------------|----------|-------|---------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | H | | H | H |
| Eligible Member Population | 0 | | 0 | | | 0 |
| Denominator | | | 0 | | | 0 |
| Numerator | | | 0 | | | 0 |
| Reported Rate | | | | | | |

Access/Availability of Care

Prenatal and Postpartum Care

Special Needs Basic Care - Non-Special Needs Plan - Ethnicity Postpartum Care

| | Hispanic or Latino | | | Not Hispanic or Latino | | |
|-----------------------------|--------------------|----------|-------|------------------------|----------|--------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | H | H | H | H | H | H |
| Eligible Member Population | 0 | 0 | 0 | | | 8 |
| Denominator | | | 0 | | | 8 |
| Numerator | | | 0 | | | 7 |
| Reported Rate | | | | 87.50% | | 87.50% |

| | Asked but No Answer | | | Unknown | | |
|-----------------------------|---------------------|----------|-------|---------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Data Collection Methodology | | | H | | H | H |
| Eligible Member Population | 0 | | 0 | | | 0 |
| Denominator | | | 0 | | | 0 |
| Numerator | | | 0 | | | 0 |
| Reported Rate | | | | | | |

Utilization

Well Child Visits in the First 30 Months of Life

Commercial

| | Commercial | | MHCP-MC (F&C) | | MHCP-MC (MN Care) | |
|---------------------------------------|-----------------|--------------|-----------------|--------------|-------------------|--------------|
| Data Elements | Frist 15 Months | 15-30 Months | Frist 15 Months | 15-30 Months | Frist 15 Months | 15-30 Months |
| Eligible Member Population | | | 377 | 542 | 1 | 0 |
| Number of required exclusions | | | 0 | 0 | 0 | 0 |
| Numerator Events by Admin Data | | | 160 | 321 | 0 | 0 |
| Numerator Events by Supplemental Data | | | 0 | 0 | 0 | 0 |
| Reported Rate | | | 42.44% | 59.23% | 0.00% | |

Utilization

Adolescent Well-Care Visits

Commercial

| Data Element | Ages 3-11 | Age 12-17 | Age 18-21 | Total |
|--|-----------|-----------|-----------|-------|
| Eligible Member Population | | | | |
| Number of Required Admin Data Records Excluded | | | | |
| Numerator Events by Admin Data | | | | |
| Numerator Events by Supplemental Data | | | | |
| Reported rate | | | | |

Utilization

Adolescent Well-Care Visits

Commercial - Race

| | White | | | Black or African American | | | American Indian and Alaska Native | | |
|----------------------------|--------|----------|-------|---------------------------|----------|-------|-----------------------------------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Eligible Member Population | | | | | | | | | |
| Numerator | | | | | | | | | |
| Reported Rate | | | | | | | | | |

| | Asian | | | Native Hawaiian and Other Pacific Islander | | | Some Other Race | | |
|----------------------------|--------|----------|-------|--|----------|-------|-----------------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Eligible Member Population | | | | | | | | | |
| Numerator | | | | | | | | | |
| Reported Rate | | | | | | | | | |

| | Two or More Races | | | Asked but No Answer | | | Unknown | | |
|----------------------------|-------------------|----------|-------|---------------------|----------|-------|---------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Eligible Member Population | | | | | | | | | |
| Numerator | | | | | | | | | |
| Reported Rate | | | | | | | | | |

Utilization

Adolescent Well-Care Visits

Commercial - Ethnicity

| | Hispanic or Latino | | | Not Hispanic or Latino | | |
|---------------|--------------------|----------|-------|------------------------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Numerator | | | | | | |
| Reported Rate | | | | | | |

| | Asked but No Answer | | | Unknown | | |
|----------------------------|---------------------|----------|-------|---------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Eligible Member Population | | | | | | |
| Numerator | | | | | | |
| Reported Rate | | | | | | |

Utilization

Adolescent Well-Care Visits

Minnesota Health Care Programs - Managed Care (Families and Children)

| Data Element | Ages 3-11 | Age 12-17 | Age 18-21 | Total |
|--|-----------|-----------|-----------|--------|
| Eligible Member Population | 5630 | 3704 | 2000 | 11334 |
| Number of Required Admin Data Records Excluded | 0 | 0 | 0 | 0 |
| Numerator Events by Admin Data | 2569 | 1359 | 313 | 4241 |
| Numerator Events by Supplemental Data | 0 | 0 | 0 | 0 |
| Reported rate | 45.63% | 36.69% | 15.65% | 37.42% |

Utilization

Adolescent Well-Care Visits

Minnesota Health Care Programs - Managed Care (Families and Children) - Race

| | White | | | Black or African American | | | American Indian and Alaska Native | | |
|----------------------------|--------|----------|--------|---------------------------|----------|--------|-----------------------------------|----------|--------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Eligible Member Population | 5569 | 0 | 5569 | 371 | 0 | 371 | 79 | 0 | 79 |
| Numerator | 2012 | 0 | 2012 | 148 | 0 | 148 | 26 | 0 | 26 |
| Reported Rate | 36.13% | | 36.13% | 39.89% | | 39.89% | 32.91% | | 32.91% |

| | Asian | | | Native Hawaiian and Other Pacific Islander | | | Some Other Race | | |
|----------------------------|--------|----------|--------|--|----------|--------|-----------------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Eligible Member Population | | | 45 | | | 9 | | | 0 |
| Numerator | | | 19 | | | 3 | | | 0 |
| Reported Rate | 42.22% | | 42.22% | 33.33% | | 33.33% | | | |

| | Two or More Races | | | Asked but No Answer | | | Unknown | | |
|----------------------------|-------------------|----------|--------|---------------------|----------|--------|---------|----------|--------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Eligible Member Population | | | 325 | | | 2 | | | 4934 |
| Numerator | | | 108 | | | 1 | | | 1924 |
| Reported Rate | 33.23% | | 33.23% | 50.00% | | 50.00% | | 38.99% | 38.99% |

Utilization

Adolescent Well-Care Visits

Minnesota Health Care Programs - Managed Care (Families and Children) - Ethnicity

| | Hispanic or Latino | | | Not Hispanic or Latino | | |
|----------------------------|--------------------|----------|--------|------------------------|----------|--------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Eligible Member Population | 1665 | 0 | 1665 | | | 8109 |
| Numerator | | | 603 | | | |
| Reported Rate | 36.22% | | 36.22% | 36.58% | | 36.58% |

| | Asked but No Answer | | | Unknown | | |
|----------------------------|---------------------|----------|--------|---------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Eligible Member Population | | | 1560 | | | 0 |
| Numerator | | | 672 | | | 0 |
| Reported Rate | 43.08% | | 43.08% | | | |

Utilization

Adolescent Well-Care Visits

Minnesota Health Care Programs - Managed Care (MN Care)

| Data Element | Ages 3-11 | Age 12-17 | Age 18-21 | Total |
|--|-----------|-----------|-----------|--------|
| Eligible Member Population | 16 | 12 | 35 | 63 |
| Number of Required Admin Data Records Excluded | 0 | 0 | 0 | 0 |
| Numerator Events by Admin Data | 4 | 3 | 3 | 10 |
| Numerator Events by Supplemental Data | 0 | 0 | 0 | 0 |
| Reported rate | 25.00% | 25.00% | 8.57% | 15.87% |

Utilization

Adolescent Well-Care Visits

Minnesota Health Care Programs - Managed Care (MN Care) - Race

| | White | | | Black or African American | | | American Indian and Alaska Native | | |
|----------------------------|--------|----------|-------|---------------------------|----------|-------|-----------------------------------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Eligible Member Population | 42 | 0 | 42 | 1 | 0 | 1 | 0 | 0 | 0 |
| Numerator | 4 | 0 | 4 | 0 | 0 | 0 | 0 | 0 | 0 |
| Reported Rate | 9.52% | | 9.52% | 0.00% | | 0.00% | | | |

| | Asian | | | Native Hawaiian and Other Pacific Islander | | | Some Other Race | | |
|----------------------------|--------|----------|-------|--|----------|-------|-----------------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Eligible Member Population | | | 0 | | | 0 | | | 0 |
| Numerator | | | 0 | | | 0 | | | 0 |
| Reported Rate | | | | | | | | | |

| | Two or More Races | | | Asked but No Answer | | | Unknown | | |
|----------------------------|-------------------|----------|-------|---------------------|----------|-------|---------|----------|--------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total | Direct | Indirect | Total |
| Eligible Member Population | | | 1 | | | 0 | | | 19 |
| Numerator | | | 0 | | | 0 | | | 6 |
| Reported Rate | 0.00% | | 0.00% | | | | | 31.58% | 31.58% |

Utilization

Adolescent Well-Care Visits

Minnesota Health Care Programs - Managed Care (MN Care) - Ethnicity

| | Hispanic or Latino | | | Not Hispanic or Latino | | |
|----------------------------|--------------------|----------|--------|------------------------|----------|--------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Eligible Member Population | 6 | 0 | 6 | | | 50 |
| Numerator | | | 3 | | | |
| Reported Rate | 50.00% | | 50.00% | 10.00% | | 10.00% |

| | Asked but No Answer | | | Unknown | | |
|----------------------------|---------------------|----------|--------|---------|----------|-------|
| Data Element | Direct | Indirect | Total | Direct | Indirect | Total |
| Eligible Member Population | | | 7 | | | 0 |
| Numerator | | | 2 | | | 0 |
| Reported Rate | 28.57% | | 28.57% | | | |

Utilization

Ambulatory Care

MHCP-MC (F&C)

| | Outpatient Visits (Excludes MH/CD) | | | Emergency Room Visits | | |
|---------|------------------------------------|--------|----------------------------|-----------------------|--------|----------------------------|
| Age | Member Months | Visits | Visits/ 1,000 Member Years | Member Months | Visits | Visits/ 1,000 Member Years |
| <1 | 6155 | 4044 | 78.84 | 6155 | 713 | 13.90 |
| 1-9 | 72839 | 17303 | 28.51 | 72839 | 3706 | 6.11 |
| 10-19 | 77606 | 15798 | 24.43 | 77606 | 2853 | 4.41 |
| 20-44 | 99851 | 28210 | 33.90 | 99851 | 6179 | 7.43 |
| 45-64 | 43954 | 20007 | 54.62 | 43954 | 2332 | 6.37 |
| 65-74 | 78 | 20 | 30.77 | 78 | 1 | 1.54 |
| 75-84 | 0 | 0 | | 0 | 0 | |
| 85+ | 0 | 0 | | 0 | 0 | |
| Unknown | 0 | 0 | | 0 | 0 | |
| Total | 300483 | 85382 | 34.10 | 300483 | 15784 | 6.30 |

Utilization

Ambulatory Care

MHCP-MC (MN Care)

| | Outpatient Visits (Excludes MH/CD) | | | Emergency Room Visits | | |
|---------|------------------------------------|--------|----------------------------|-----------------------|--------|----------------------------|
| Age | Member Months | Visits | Visits/ 1,000 Member Years | Member Months | Visits | Visits/ 1,000 Member Years |
| <1 | 10 | 0 | 0.00 | 10 | 0 | 0.00 |
| 1-9 | 360 | 79 | 26.33 | 360 | 13 | 4.33 |
| 10-19 | 269 | 38 | 16.95 | 269 | 3 | 1.34 |
| 20-44 | 14929 | 3399 | 27.32 | 14929 | 504 | 4.05 |
| 45-64 | 11047 | 4179 | 45.40 | 11047 | 326 | 3.54 |
| 65-74 | 269 | 85 | 37.92 | 269 | 1 | 0.45 |
| 75-84 | 51 | 12 | 28.24 | 51 | 2 | 4.71 |
| 85+ | 0 | 0 | | 0 | 0 | |
| Unknown | 0 | 0 | | 0 | 0 | |
| Total | 26935 | 7792 | 34.71 | 26935 | 849 | 3.78 |

Utilization

Ambulatory Care

Special Needs Basic Care - Non-Special Needs Plan

| | Outpatient Visits (Excludes MH/CD) | | | Emergency Room Visits | | |
|---------|------------------------------------|--------|----------------------------|-----------------------|--------|----------------------------|
| Age | Member Months | Visits | Visits/ 1,000 Member Years | Member Months | Visits | Visits/ 1,000 Member Years |
| <1 | 0 | 0 | | 0 | 0 | |
| 1-9 | 0 | 0 | | 0 | 0 | |
| 10-19 | 575 | 144 | 30.05 | 575 | 42 | 8.77 |
| 20-44 | 9698 | 4849 | 60.00 | 9698 | 850 | 10.52 |
| 45-64 | 13140 | 10984 | 100.31 | 13140 | 1443 | 13.18 |
| 65-74 | 20 | 7 | 42.00 | 20 | 2 | 12.00 |
| 75-84 | 0 | 0 | | 0 | 0 | |
| 85+ | 0 | 0 | | 0 | 0 | |
| Unknown | 0 | 0 | | 0 | 0 | |
| Total | 23433 | 15984 | 81.85 | 23433 | 2337 | 11.97 |

Risk Adjusted Utilization

Plan All-Cause Readmissions

Commercial

| Age | Members in Plan Population | Outlier Members | Outlier Rate x 10 | Count of Index Stays | Observed 30-Day Re-admissions | Observed Re-admission Rate | Expected 30-Day Re-admissions | Expected Re-admission Rate | Variance | Observed/Expected Ratio |
|-------------|----------------------------|-----------------|-------------------|----------------------|-------------------------------|----------------------------|-------------------------------|----------------------------|----------|-------------------------|
| 18-44 | | | | | | | | | | |
| 45-54 | | | | | | | | | | |
| 55-64 | | | | | | | | | | |
| Total 18-64 | | | | | | | | | | |

Risk Adjusted Utilization

Plan All-Cause Readmissions

Medicare Advantage (1 of 2)

| Stratification | Age | Members in Plan Population | Outlier Members | Outlier Rate x 10 | Count of Index Stays | Observed 30-Day Re-admissions | Observed Re-admission Rate | Expected 30-Day Re-admissions | Expected Re-admission Rate | Variance | Observed/Expected Ratio |
|----------------|-------------|----------------------------|-----------------|-------------------|----------------------|-------------------------------|----------------------------|-------------------------------|----------------------------|----------|-------------------------|
| Total | 18-44 | | | | | | | | | | |
| | 45-54 | | | | | | | | | | |
| | 55-64 | | | | | | | | | | |
| | 65-74 | | | | | | | | | | |
| | 75-84 | | | | | | | | | | |
| | 85+ | | | | | | | | | | |
| | Total 18-64 | | | | | | | | | | |
| | Total 65+ | | | | | | | | | | |

Risk Adjusted Utilization

Plan All-Cause Readmissions

Medicare Advantage (2 of 2)

| Stratification | Age | Members in Plan Population | Outlier Members | Outlier Rate x 10 | Count of Index Stays | Observed 30-Day Re-admissions | Observed Re-admission Rate | Expected 30-Day Re-admissions | Expected Re-admission Rate | Variance | Observed/Expected Ratio |
|---------------------------|-------|----------------------------|-----------------|-------------------|----------------------|-------------------------------|----------------------------|-------------------------------|----------------------------|----------|-------------------------|
| Skilled Nursing Care | 65-74 | | | | | | | | | | |
| | 75-84 | | | | | | | | | | |
| | 85+ | | | | | | | | | | |
| | 65+ | | | | | | | | | | |
| Non-LIS/DE, Nondisability | 18-64 | | | | | | | | | | |
| | 65+ | | | | | | | | | | |
| LIS/DE | 18-64 | | | | | | | | | | |
| | 65+ | | | | | | | | | | |
| Disability | 18-64 | | | | | | | | | | |
| | 65+ | | | | | | | | | | |
| LIS/DE and Disability | 18-64 | | | | | | | | | | |
| | 65+ | | | | | | | | | | |
| Other | 18-64 | | | | | | | | | | |
| | 65+ | | | | | | | | | | |
| Unknown | 18-64 | | | | | | | | | | |
| | 65+ | | | | | | | | | | |

Risk Adjusted Utilization

Plan All-Cause Readmissions

Minnesota Health Care Programs - Managed Care (Families and Children)

| Age | Members in Plan Population | Outlier Members | Outlier Rate x 10 | Count of Index Stays | Observed 30-Day Re-admissions | Observed Re-admission Rate | Expected 30-Day Re-admissions | Expected Re-admission Rate | Variance | Observed/Expected Ratio |
|-------------|----------------------------|-----------------|-------------------|----------------------|-------------------------------|----------------------------|-------------------------------|----------------------------|----------|-------------------------|
| 18-44 | 239 | 6 | 25.10% | 296 | 28 | 9.46% | 25.1135 | 8.48% | 22.796 | 111.49% |
| 45-54 | 98 | 3 | 30.61% | 122 | 13 | 10.66% | 12.3509 | 10.12% | 10.8926 | 105.26% |
| 55-64 | 113 | 5 | 44.25% | 140 | 13 | 9.29% | 17.6109 | 12.58% | 15.0231 | 73.82% |
| Total 18-64 | 450 | 14 | 31.11% | 558 | 54 | 9.68% | 55.0753 | 9.87% | 48.7117 | 98.05% |

Risk Adjusted Utilization

Plan All-Cause Readmissions

Minnesota Health Care Programs - Managed Care (MN Care)

| Age | Members in Plan Population | Outlier Members | Outlier Rate x 10 | Count of Index Stays | Observed 30-Day Re-admissions | Observed Re-admission Rate | Expected 30-Day Re-admissions | Expected Re-admission Rate | Variance | Observed/Expected Ratio |
|-------------|----------------------------|-----------------|-------------------|----------------------|-------------------------------|----------------------------|-------------------------------|----------------------------|----------|-------------------------|
| 18-44 | 18 | 0 | 0.00% | 16 | 0 | 0.00% | 1.3104 | 8.19% | 1.1994 | 0.00% |
| 45-54 | 15 | 0 | 0.00% | 20 | 1 | 5.00% | 2.0038 | 10.02% | 1.7586 | 49.91% |
| 55-64 | 27 | 0 | 0.00% | 31 | 4 | 12.90% | 3.3525 | 10.81% | 2.9122 | 119.31% |
| Total 18-64 | 60 | 0 | 0.00% | 67 | 5 | 7.46% | 6.6667 | 9.95% | 5.8702 | 75.00% |

Risk Adjusted Utilization

Plan All-Cause Readmissions

Minnesota Senior Health Options (1 of 2)

| Stratification | Age | Members in Plan Population | Outlier Members | Outlier Rate x 10 | Count of Index Stays | Observed 30-Day Re-admissions | Observed Re-admission Rate | Expected 30-Day Re-admissions | Expected Re-admission Rate | Variance | Observed/Expected Ratio |
|----------------|-------------|----------------------------|-----------------|-------------------|----------------------|-------------------------------|----------------------------|-------------------------------|----------------------------|----------|-------------------------|
| Total | 18-44 | 0 | 0 | | 0 | 0 | | 0 | | 0 | |
| | 45-54 | 0 | 0 | | 0 | 0 | | 0 | | 0 | |
| | 55-64 | 0 | 0 | | 0 | 0 | | 0 | | 0 | |
| | 65-74 | 84 | 5 | 59.52% | 124 | 17 | 13.71% | 14.2231 | 11.47% | 12.2256 | 119.52% |
| | 75-84 | 66 | 0 | 0.00% | 86 | 9 | 10.47% | 9.7495 | 11.34% | 8.495 | 92.31% |
| | 85+ | 54 | 1 | 18.52% | 73 | 4 | 5.48% | 8.0964 | 11.09% | 7.1062 | 49.40% |
| | Total 18-64 | 0 | 0 | | 0 | 0 | | 0 | | 0 | |
| | Total 65+ | 204 | 6 | 29.41% | 283 | 30 | 10.60% | 32.069 | 11.33% | 27.8268 | 93.55% |

Risk Adjusted Utilization

Plan All-Cause Readmissions

Minnesota Senior Health Options (2 of 2)

| Stratification | Age | Members in Plan Population | Outlier Members | Outlier Rate x 10 | Count of Index Stays | Observed 30-Day Re-admissions | Observed Re-admission Rate | Expected 30-Day Re-admissions | Expected Re-admission Rate | Variance | Observed/Expected Ratio |
|---------------------------|-------|----------------------------|-----------------|-------------------|----------------------|-------------------------------|----------------------------|-------------------------------|----------------------------|----------|-------------------------|
| Skilled Nursing Care | 65-74 | | | | 26 | 4 | 15.38% | 4.323 | 16.63% | 3.4803 | 92.53% |
| | 75-84 | | | | 18 | 1 | 5.56% | 2.1709 | 12.06% | 1.8873 | 46.06% |
| | 85+ | | | | 25 | 1 | 4.00% | 3.334 | 13.34% | 2.8151 | 29.99% |
| | 65+ | | | | 69 | 6 | 8.70% | 9.8279 | 14.24% | 8.1827 | 61.05% |
| Non-LIS/DE, Nondisability | 18-64 | | | | 0 | 0 | | 0 | | 0 | |
| | 65+ | | | | 0 | 0 | | 0 | | 0 | |
| LIS/DE | 18-64 | | | | 0 | 0 | | 0 | | 0 | |
| | 65+ | | | | 164 | 14 | 8.54% | 18.7432 | 11.43% | 16.319 | |
| Disability | 18-64 | | | | 0 | 0 | | 0 | | 0 | |
| | 65+ | | | | 0 | 0 | | 0 | | 0 | |
| LIS/DE and Disability | 18-64 | | | | 0 | 0 | | 0 | | 0 | |
| | 65+ | | | | 117 | 16 | 13.68% | 12.9565 | 11.07% | 11.2178 | |
| Other | 18-64 | | | | 0 | 0 | | 0 | | 0 | |
| | 65+ | | | | 2 | 0 | 0.00% | 0.3692 | 18.46% | 0.29 | |
| Unknown | 18-64 | | | | 0 | 0 | | 0 | | 0 | |
| | 65+ | | | | 0 | 0 | | 0 | | 0 | |

Risk Adjusted Utilization

Plan All-Cause Readmissions

Special Needs Basic Care - Special Needs Plan (1 of 2)

| Stratification | Age | Members in Plan Population | Outlier Members | Outlier Rate x 10 | Count of Index Stays | Observed 30-Day Re-admissions | Observed Re-admission Rate | Expected 30-Day Re-admissions | Expected Re-admission Rate | Variance | Observed/Expected Ratio |
|----------------|-------------|----------------------------|-----------------|-------------------|----------------------|-------------------------------|----------------------------|-------------------------------|----------------------------|----------|-------------------------|
| Total | 18-44 | 15 | 0 | 0.00% | 18 | 1 | 5.56% | 1.7811 | 9.90% | 1.5946 | 56.15% |
| | 45-54 | 9 | 0 | 0.00% | 17 | 4 | 23.53% | 1.9801 | 11.65% | 1.7359 | 202.01% |
| | 55-64 | 36 | 1 | 27.78% | 51 | 4 | 7.84% | 5.4664 | 10.72% | 4.818 | 73.17% |
| | 65-74 | 2 | 0 | 0.00% | 0 | 0 | | 0 | | 0 | |
| | 75-84 | 0 | 0 | | 0 | 0 | | 0 | | 0 | |
| | 85+ | 0 | 0 | | 0 | 0 | | 0 | | 0 | |
| | Total 18-64 | 60 | 1 | 16.67% | 86 | 9 | 10.47% | 9.2276 | 10.73% | 8.1485 | 97.53% |
| | Total 65+ | 2 | 0 | 0.00% | 0 | 0 | | 0 | | 0 | |

Risk Adjusted Utilization

Plan All-Cause Readmissions

Special Needs Basic Care - Special Needs Plan (2 of 2)

| Stratification | Age | Members in Plan Population | Outlier Members | Outlier Rate x 10 | Count of Index Stays | Observed 30-Day Re-admissions | Observed Re-admission Rate | Expected 30-Day Re-admissions | Expected Re-admission Rate | Variance | Observed/Expected Ratio |
|---------------------------|-------|----------------------------|-----------------|-------------------|----------------------|-------------------------------|----------------------------|-------------------------------|----------------------------|----------|-------------------------|
| Skilled Nursing Care | 65-74 | | | | 0 | 0 | | 0 | | 0 | |
| | 75-84 | | | | 0 | 0 | | 0 | | 0 | |
| | 85+ | | | | 0 | 0 | | 0 | | 0 | |
| | 65+ | | | | 0 | 0 | | 0 | | 0 | |
| Non-LIS/DE, Nondisability | 18-64 | | | | 0 | 0 | | 0 | | 0 | |
| | 65+ | | | | 0 | 0 | | 0 | | 0 | |
| LIS/DE | 18-64 | | | | 0 | 0 | | 0 | | 0 | |
| | 65+ | | | | 0 | 0 | | 0 | | 0 | |
| Disability | 18-64 | | | | 0 | 0 | | 0 | | 0 | |
| | 65+ | | | | 0 | 0 | | 0 | | 0 | |
| LIS/DE and Disability | 18-64 | | | | 86 | 9 | 10.47% | 9.2276 | 10.73% | 8.1485 | |
| | 65+ | | | | 0 | 0 | | 0 | | 0 | |
| Other | 18-64 | | | | 0 | 0 | | 0 | | 0 | |
| | 65+ | | | | 0 | 0 | | 0 | | 0 | |
| Unknown | 18-64 | | | | 0 | 0 | | 0 | | 0 | |
| | 65+ | | | | 0 | 0 | | 0 | | 0 | |

Risk Adjusted Utilization

Plan All-Cause Readmissions

Special Needs Basic Care - Non-Special Needs Plan

| Age | Members in Plan Population | Outlier Members | Outlier Rate x 10 | Count of Index Stays | Observed 30-Day Re-admissions | Observed Re-admission Rate | Expected 30-Day Re-admissions | Expected Re-admission Rate | Variance | Observed/Expected Ratio |
|-------------|----------------------------|-----------------|-------------------|----------------------|-------------------------------|----------------------------|-------------------------------|----------------------------|----------|-------------------------|
| 18-44 | 57 | 2 | 35.1% | 77 | 13 | 16.9% | 9.2338 | 12.0% | 7.8166 | 140.8% |
| 45-54 | 52 | 3 | 57.7% | 60 | 4 | 6.7% | 6.0933 | 10.2% | 5.4121 | 65.7% |
| 55-64 | 83 | 6 | 72.3% | 106 | 13 | 12.3% | 14.7087 | 13.9% | 12.3729 | 88.4% |
| Total 18-64 | 192 | 11 | 57.3% | 243 | 30 | 12.4% | 30.0358 | 12.4% | 25.6016 | 99.9% |

Health Plan Descriptive Information

Enrollment by Product Line

Commercial

| Age | Member Months | Rate |
|-------------|---------------|------|
| <1 | | |
| 1-4 | | |
| 5-9 | | |
| 10-14 | | |
| 15-17 | | |
| 18-19 | | |
| 20-24 | | |
| 25-29 | | |
| 30-34 | | |
| 35-39 | | |
| 40-44 | | |
| 45-49 | | |
| 50-54 | | |
| 55-59 | | |
| 60-64 | | |
| 65-69 | | |
| 70-74 | | |
| 75-79 | | |
| 80-84 | | |
| 85-89 | | |
| >=90 | | |
| Age Unknown | | |
| Total | | |

Health Plan Descriptive Information

Enrollment by Product Line

Minnesota Health Care Programs - Managed Care (Families and Children)

| Age | Member Months | Rate |
|-------------|---------------|--------|
| <1 | 6164 | 5.14 |
| 1-4 | 31095 | 25.91 |
| 5-9 | 41745 | 34.79 |
| 10-14 | 40840 | 34.03 |
| 15-17 | 22855 | 19.05 |
| 18-19 | 13911 | 11.59 |
| 20-24 | 22827 | 19.02 |
| 25-29 | 19341 | 16.12 |
| 30-34 | 21481 | 17.9 |
| 35-39 | 20619 | 17.18 |
| 40-44 | 15589 | 12.99 |
| 45-49 | 11831 | 9.86 |
| 50-54 | 10566 | 8.81 |
| 55-59 | 10227 | 8.52 |
| 60-64 | 11375 | 9.48 |
| 65-69 | 78 | 0.07 |
| 70-74 | 0 | 0 |
| 75-79 | 0 | 0 |
| 80-84 | 0 | 0 |
| 85-89 | 0 | 0 |
| >=90 | 0 | 0 |
| Age Unknown | 0 | 0 |
| Total | 300544 | 250.45 |

Health Plan Descriptive Information

Enrollment by Product Line

Minnesota Health Care Programs - Managed Care (MN Care)

| Age | Member Months | Rate |
|-------------|---------------|-------|
| <1 | 10 | 0.01 |
| 1-4 | 221 | 0.18 |
| 5-9 | 139 | 0.12 |
| 10-14 | 147 | 0.12 |
| 15-17 | 64 | 0.05 |
| 18-19 | 58 | 0.05 |
| 20-24 | 2649 | 2.21 |
| 25-29 | 2639 | 2.2 |
| 30-34 | 2813 | 2.34 |
| 35-39 | 3415 | 2.85 |
| 40-44 | 3413 | 2.84 |
| 45-49 | 2550 | 2.13 |
| 50-54 | 2599 | 2.17 |
| 55-59 | 2490 | 2.08 |
| 60-64 | 3434 | 2.86 |
| 65-69 | 248 | 0.21 |
| 70-74 | 21 | 0.02 |
| 75-79 | 51 | 0.04 |
| 80-84 | 12 | 0.01 |
| 85-89 | 0 | 0 |
| >=90 | 12 | 0.01 |
| Age Unknown | 0 | 0 |
| Total | 26985 | 22.49 |

Health Plan Descriptive Information

Enrollment by Product Line

Minnesota Senior Health Options

| Age | Member Months | Rate |
|-------------|---------------|-------|
| <1 | 0 | 0 |
| 1-4 | 0 | 0 |
| 5-9 | 0 | 0 |
| 10-14 | 0 | 0 |
| 15-17 | 0 | 0 |
| 18-19 | 0 | 0 |
| 20-24 | 0 | 0 |
| 25-29 | 0 | 0 |
| 30-34 | 0 | 0 |
| 35-39 | 0 | 0 |
| 40-44 | 0 | 0 |
| 45-49 | 0 | 0 |
| 50-54 | 0 | 0 |
| 55-59 | 0 | 0 |
| 60-64 | 22 | 0.02 |
| 65-69 | 4453 | 3.71 |
| 70-74 | 3437 | 2.86 |
| 75-79 | 2522 | 2.1 |
| 80-84 | 2241 | 1.87 |
| 85-89 | 2086 | 1.74 |
| >=90 | 2654 | 2.21 |
| Age Unknown | 0 | 0 |
| Total | 17415 | 14.51 |

Health Plan Descriptive Information

Enrollment by Product Line

Special Needs Basic Care - Special Needs Plan

| Age | Member Months | Rate |
|-------------|---------------|------|
| <1 | 0 | 0 |
| 1-4 | 0 | 0 |
| 5-9 | 0 | 0 |
| 10-14 | 0 | 0 |
| 15-17 | 0 | 0 |
| 18-19 | 0 | 0 |
| 20-24 | 94 | 0.08 |
| 25-29 | 141 | 0.12 |
| 30-34 | 435 | 0.36 |
| 35-39 | 569 | 0.47 |
| 40-44 | 638 | 0.53 |
| 45-49 | 714 | 0.6 |
| 50-54 | 873 | 0.73 |
| 55-59 | 1350 | 1.13 |
| 60-64 | 1392 | 1.16 |
| 65-69 | 2 | 0 |
| 70-74 | 0 | 0 |
| 75-79 | 0 | 0 |
| 80-84 | 0 | 0 |
| 85-89 | 0 | 0 |
| >=90 | 0 | 0 |
| Age Unknown | 0 | 0 |
| Total | 6208 | 5.17 |

Health Plan Descriptive Information

Enrollment by Product Line

Special Needs Basic Care - Non-Special Needs Plan

| Age | Member Months | Rate |
|-------------|---------------|-------|
| <1 | 0 | 0 |
| 1-4 | 0 | 0 |
| 5-9 | 0 | 0 |
| 10-14 | 0 | 0 |
| 15-17 | 0 | 0 |
| 18-19 | 575 | 0.48 |
| 20-24 | 1946 | 1.62 |
| 25-29 | 1758 | 1.47 |
| 30-34 | 1971 | 1.64 |
| 35-39 | 1994 | 1.66 |
| 40-44 | 2038 | 1.7 |
| 45-49 | 1816 | 1.51 |
| 50-54 | 3022 | 2.52 |
| 55-59 | 3989 | 3.32 |
| 60-64 | 4480 | 3.73 |
| 65-69 | 20 | 0.02 |
| 70-74 | 0 | 0 |
| 75-79 | 0 | 0 |
| 80-84 | 0 | 0 |
| 85-89 | 0 | 0 |
| >=90 | 0 | 0 |
| Age Unknown | 0 | 0 |
| Total | 23609 | 19.67 |